Based on Nursing Home Compare - Survey Deficiency

sased on Nursing Home Compare - Survey Deliciency			
Provider Number	Nursing Home Name	Street	
055042	ALTA VISTA HEALTHCARE & WELLNESS CENTRE	9020 GARFIELD AVENUE	
055042	ALTA VISTA HEALTHCARE & WELLNESS CENTRE	9020 GARFIELD AVENUE	
055042	ALTA VISTA HEALTHCARE & WELLNESS CENTRE	9020 GARFIELD AVENUE	
055042	ALTA VISTA HEALTHCARE & WELLNESS CENTRE	9020 GARFIELD AVENUE	
055042	ALTA VISTA HEALTHCARE & WELLNESS CENTRE	9020 GARFIELD AVENUE	
055042	ALTA VISTA HEALTHCARE & WELLNESS CENTRE	9020 GARFIELD AVENUE	
055042	ALTA VISTA HEALTHCARE & WELLNESS CENTRE	9020 GARFIELD AVENUE	
055042	ALTA VISTA HEALTHCARE & WELLNESS CENTRE	9020 GARFIELD AVENUE	
055042	ALTA VISTA HEALTHCARE & WELLNESS CENTRE	9020 GARFIELD AVENUE	

Page 1 of 372 05/31/2011

Based on Nursing Home Compare - Survey Deficiency

City	State	Zip Code	Phone	Survey Date	Date of Correction
RIVERSIDE	CA	92503	(951) 688-8200	10/02/2008	10/09/2008
RIVERSIDE	CA	92503	(951) 688-8200	10/08/2008	10/20/2008
RIVERSIDE	CA	92503	(951) 688-8200	10/08/2008	10/20/2008
RIVERSIDE	CA	92503	(951) 688-8200	11/06/2009	12/16/2009
RIVERSIDE	CA	92503	(951) 688-8200	11/06/2009	12/16/2009
RIVERSIDE	CA	92503	(951) 688-8200	11/06/2009	12/16/2009
RIVERSIDE	CA	92503	(951) 688-8200	11/06/2009	12/16/2009
RIVERSIDE	CA	92503	(951) 688-8200	11/06/2009	12/16/2009
RIVERSIDE	CA	92503	(951) 688-8200	11/06/2009	12/16/2009

Page 2 of 372 05/31/2011

Based on Nursing Home Compare - Survey Deficiency

Deficiency Type	Deficiency Category	Deficiency
Health	Mistreatment Deficiencies	Write and use policies that forbid mistreatment, neglect and abuse of residents and theft of residents' property.
Fire Safety	Corridor Walls and Doors Deficiencies	corridor and hallway doors that block smoke.
Fire Safety	Electrical Deficiencies	properly installed electrical wiring and equipment.
Health	Quality Care Deficiencies	Provide activities to meet the needs of each resident.
Health	Quality Care Deficiencies	Properly care for residents needing special services, including: injections, colostomy, ureostomy, ileostomy, tracheostomy care, tracheal suctioning, respiratory care, foot care, and prostheses.
Health	Pharmacy Service Deficiencies	Keep the rate of medication errors (wrong drug, wrong dose, wrong time) to less than 5%.
Health	Pharmacy Service Deficiencies	Make sure that residents are safe from serious medication errors.
Health	Nutrition and Dietary Deficiencies	Store, cook, and give out food in a safe and clean way.
Health	Pharmacy Service Deficiencies	At least once a month, have a licensed pharmacist check the drugs that each resident

Page 3 of 372 05/31/2011

Based on Nursing Home Compare - Survey Deficiency

Scope	Level of Harm
Isolated	Minimal harm or potential for actual harm
Isolated	Minimal harm or potential for actual harm
Widespread	Potential for minimal harm
Isolated	Minimal harm or potential for actual harm
Isolated	Minimal harm or potential for actual harm
1 1 4 1	

Isolated	Minimal harm or potential for actual harm
Isolated	Minimal harm or potential for actual harm
Isolated	Minimal harm or potential for actual harm
Isolated	Minimal harm or potential for actual harm

Page 4 of 372 05/31/2011

Based on Nursing Home Compare - Survey Deficiency

055042	ALTA VISTA HEALTHCARE & WELLNESS CENTRE	9020 GARFIELD AVENUE
055042	ALTA VISTA HEALTHCARE & WELLNESS CENTRE	9020 GARFIELD AVENUE
055042	ALTA VISTA HEALTHCARE & WELLNESS CENTRE	9020 GARFIELD AVENUE
055042	ALTA VISTA HEALTHCARE & WELLNESS CENTRE	9020 GARFIELD AVENUE
055042	ALTA VISTA HEALTHCARE & WELLNESS CENTRE	9020 GARFIELD AVENUE
055042	ALTA VISTA HEALTHCARE & WELLNESS CENTRE	9020 GARFIELD AVENUE
055042	ALTA VISTA HEALTHCARE & WELLNESS CENTRE	9020 GARFIELD AVENUE
055042	ALTA VISTA HEALTHCARE & WELLNESS CENTRE	9020 GARFIELD AVENUE
055042	ALTA VISTA HEALTHCARE & WELLNESS CENTRE	9020 GARFIELD AVENUE
055042	ALTA VISTA HEALTHCARE & WELLNESS CENTRE	9020 GARFIELD AVENUE
055042	ALTA VISTA HEALTHCARE & WELLNESS CENTRE	9020 GARFIELD AVENUE
055042	ALTA VISTA HEALTHCARE & WELLNESS	9020 GARFIELD

Page 5 of 372 05/31/2011

Based on Nursing Home Compare - Survey Deficiency

RIVERSIDE	CA	92503	(951) 688-8200	11/06/2009	12/16/2009
RIVERSIDE	CA	92503	(951) 688-8200	11/06/2009	12/16/2009
RIVERSIDE	CA	92503	(951) 688-8200	11/06/2009	12/16/2009
RIVERSIDE	CA	92503	(951) 688-8200	11/17/2009	01/14/2010
RIVERSIDE	CA	92503	(951) 688-8200	11/17/2009	01/14/2010
RIVERSIDE	CA	92503	(951) 688-8200	11/17/2009	01/14/2010
RIVERSIDE	CA	92503	(951) 688-8200	11/04/2010	11/18/2010
RIVERSIDE	CA	92503	(951) 688-8200	11/04/2010	11/18/2010
RIVERSIDE	CA	92503	(951) 688-8200	11/04/2010	11/18/2010
RIVERSIDE	CA	92503	(951) 688-8200	11/04/2010	11/18/2010
RIVERSIDE	CA	92503	(951) 688-8200	11/04/2010	11/18/2010
RIVERSIDE	CA	92503	(951) 688-8200	11/04/2010	11/18/2010

Page 6 of 372 05/31/2011

Based on Nursing Home Compare - Survey Deficiency

		takes.
Health	Environmental Deficiencies	Have a program to keep infection from spreading.
Health	Environmental Deficiencies	Make sure that the nursing home area is safe, easy to use, clean and comfortable.
Health	Administration Deficiencies	Train all employees on what to do in an emergency.
Fire Safety	Smoke Compartmentation and Control Deficiencies	walls or barriers that prevent smoke from passing through and would resist fire for at least one hour.
Fire Safety	Smoke Compartmentation and Control Deficiencies	smoke barrier doors that can resist smoke for at least 20 minutes.
Fire Safety	Furnishings and Decorations Deficiencies	restrictions on the use of flammable curtains.
Health	Resident Rights Deficiencies	Allow residents to easily see the results of the nursing home's most recent survey.
Health	Resident Rights Deficiencies	Provide care in a way that keeps or builds each resident's dignity and self respect.
Health	Quality Care Deficiencies	Give each resident care and services to get or keep the highest quality of life possible.
Health	Environmental Deficiencies	Make sure that the nursing home area is free of dangers that cause accidents.
Health	Nutrition and Dietary Deficiencies	Provide special eating equipment and utensils for each resident who needs them.
Health	Environmental Deficiencies	Have a program to keep infection from

Page 7 of 372 05/31/2011

Based on Nursing Home Compare - Survey Deficiency

Isolated	Minimal harm or potential for actual harm
Isolated	Minimal harm or potential for actual harm
Isolated	Minimal harm or potential for actual harm
Isolated	Minimal harm or potential for actual harm
Pattern	Minimal harm or potential for actual harm
Pattern	Potential for minimal harm
Widespread	Potential for minimal harm
Isolated	Minimal harm or potential for actual harm
Pattern	Minimal harm or potential for actual harm
Isolated	Minimal harm or potential for actual harm
Isolated	Minimal harm or potential for actual harm
Pattern	Minimal harm or potential for actual

Page 8 of 372 05/31/2011

Based on Nursing Home Compare - Survey Deficiency

based on Nursing Home Compare - Surv	ey Deliciency	
	CENTRE	AVENUE
055042	ALTA VISTA HEALTHCARE & WELLNESS CENTRE	9020 GARFIELD AVENUE
055042	ALTA VISTA HEALTHCARE & WELLNESS CENTRE	9020 GARFIELD AVENUE
055042	ALTA VISTA HEALTHCARE & WELLNESS CENTRE	9020 GARFIELD AVENUE
055042	ALTA VISTA HEALTHCARE & WELLNESS CENTRE	9020 GARFIELD AVENUE
055042	ALTA VISTA HEALTHCARE & WELLNESS CENTRE	9020 GARFIELD AVENUE
055042	ALTA VISTA HEALTHCARE & WELLNESS CENTRE	9020 GARFIELD AVENUE
055361	VISTA PACIFICA CONVALESCENT HOSPITAL	3662 PACIFIC AVENUE
055361	VISTA PACIFICA CONVALESCENT HOSPITAL	3662 PACIFIC AVENUE
055361	VISTA PACIFICA CONVALESCENT HOSPITAL	3662 PACIFIC AVENUE
055361	VISTA PACIFICA CONVALESCENT HOSPITAL	3662 PACIFIC AVENUE

Page 9 of 372 05/31/2011

Based on Nursing Home Compare - Survey Deficiency

	Compare - Survey D	onoioney			
RIVERSIDE	CA	92503	(951) 688-8200	11/04/2010	11/18/2010
RIVERSIDE	CA	92503	(951) 688-8200	11/05/2010	12/01/2010
RIVERSIDE	CA	92503	(951) 688-8200	11/05/2010	12/01/2010
RIVERSIDE	CA	92503	(951) 688-8200	11/05/2010	12/01/2010
RIVERSIDE	CA	92503	(951) 688-8200	11/05/2010	12/01/2010
RIVERSIDE	CA	92503	(951) 688-8200	11/05/2010	12/01/2010
RIVERSIDE	CA	92509	(951) 682-4833	07/24/2008	08/24/2008
RIVERSIDE	CA	92509	(951) 682-4833	07/24/2008	08/24/2008
RIVERSIDE	CA	92509	(951) 682-4833	07/24/2008	08/24/2008
RIVERSIDE	CA	92509	(951) 682-4833	07/24/2008	08/24/2008

Page 10 of 372 05/31/2011

Based on Nursing Home Compare - Survey Deficiency

Dasca off (varsing floring	Compare - Survey Deliciency	
		spreading.
Health	Environmental Deficiencies	Make sure that the nursing home area is safe, easy to use, clean and comfortable.
Fire Safety	Building Construction Deficiencies	approved construction type or materials.
Fire Safety	Exits and Egress Deficiencies	exits that are accessible at all times.
Fire Safety	Automatic Sprinkler Systems Deficiencies	automatic sprinkler systems that have been maintained in working order.
Fire Safety	Smoking Regulations Deficiencies	posted "No-smoking" signs in areas where smoking is not permitted or did not provide ashtrays where smoking was allowed.
Fire Safety	Electrical Deficiencies	properly installed electrical wiring and equipment.
Health	Resident Rights Deficiencies	Tell each resident who can get Medicaid benefits about 1) which items and services Medicaid covers and which the resident must pay for; or 2) how to apply for Medicaid, along with the names and addresses of State groups that can help.
Health	Administration Deficiencies	post nurse staffing information.
Health	Nutrition and Dietary Deficiencies	Prepare food that is nutritional, appetizing, tasty, attractive, well-cooked, and at the right temperature.
Health	Nutrition and Dietary Deficiencies	Store, cook, and give out food in a safe and

Page 11 of 372 05/31/2011

Based on Nursing Home Compare - Survey Deficiency

	harm
Isolated	Minimal harm or potential for actual harm
Isolated	Minimal harm or potential for actual harm
Pattern	Minimal harm or potential for actual harm
Isolated	Minimal harm or potential for actual harm
Pattern	Minimal harm or potential for actual harm
Isolated	Minimal harm or potential for actual harm
Widespread	Potential for minimal harm

Widespread	Potential for minimal harm
Isolated	Minimal harm or potential for actual harm
Pattern	Minimal harm or potential for actual

Page 12 of 372 05/31/2011

Based on Nursing Home Compare - Survey Deficiency

055361	VISTA PACIFICA CONVALESCENT HOSPITAL	3662 PACIFIC AVENUE
055361	VISTA PACIFICA CONVALESCENT HOSPITAL	3662 PACIFIC AVENUE
055361	VISTA PACIFICA CONVALESCENT HOSPITAL	3662 PACIFIC AVENUE
055361	VISTA PACIFICA CONVALESCENT HOSPITAL	3662 PACIFIC AVENUE
055361	VISTA PACIFICA CONVALESCENT HOSPITAL	3662 PACIFIC AVENUE
055361	VISTA PACIFICA CONVALESCENT HOSPITAL	3662 PACIFIC AVENUE
055361	VISTA PACIFICA CONVALESCENT HOSPITAL	3662 PACIFIC AVENUE
055361	VISTA PACIFICA CONVALESCENT HOSPITAL	3662 PACIFIC AVENUE
055361	VISTA PACIFICA CONVALESCENT HOSPITAL	3662 PACIFIC AVENUE
055361	VISTA PACIFICA CONVALESCENT HOSPITAL	3662 PACIFIC AVENUE
055361	VISTA PACIFICA CONVALESCENT HOSPITAL	3662 PACIFIC AVENUE

Page 13 of 372 05/31/2011

Based on Nursing Home Compare - Survey Deficiency

RIVERSIDE	CA	92509	(951) 682-4833	07/24/2008	08/24/2008
RIVERSIDE	CA	92509	(951) 682-4833	07/24/2008	08/24/2008
RIVERSIDE	CA	92509	(951) 682-4833	07/24/2008	08/24/2008
RIVERSIDE	CA	92509	(951) 682-4833	07/24/2008	08/24/2008
RIVERSIDE	CA	92509	(951) 682-4833	07/24/2008	08/24/2008
RIVERSIDE	CA	92509	(951) 682-4833	07/24/2008	08/24/2008
RIVERSIDE	CA	92509	(951) 682-4833	07/31/2008	08/19/2008
RIVERSIDE	CA	92509	(951) 682-4833	07/31/2008	08/19/2008
RIVERSIDE	CA	92509	(951) 682-4833	07/31/2008	08/19/2008
RIVERSIDE	CA	92509	(951) 682-4833	07/31/2008	08/19/2008
RIVERSIDE	CA	92509	(951) 682-4833	07/31/2008	08/19/2008

Page 14 of 372 05/31/2011

Based on Nursing Home Compare - Survey Deficiency

	Compare - Survey Denoiency	
		clean way.
Health	Environmental Deficiencies	Get rid of garbage properly.
Health	Environmental Deficiencies	Have a program to keep infection from spreading.
Health	Environmental Deficiencies	Be designed, built, equipped, or well kept to protect the health and safety of residents, workers, and the public.
Health	Environmental Deficiencies	Provide rooms that are big enough for each resident.
Health	Administration Deficiencies	Make sure that nurse aides show they have the skills to be able to care for residents.
Health	Administration Deficiencies	Train all employees on what to do in an emergency.
Fire Safety	Corridor Walls and Doors Deficiencies	corridor and hallway doors that block smoke.
Fire Safety	Hazardous Area Deficiencies	construction that can resist fire for one hour or an approved fire extinguishing system.
Fire Safety	Illumination and Emergency Power Deficiencies	properly located and lighted "Exit" signs.
Fire Safety	Emergency Plans and Fire Drills Deficiencies	record of quarterly fire drills for each shift under varying conditions.
Fire Safety	Smoking Regulations Deficiencies	posted "No-smoking" signs in areas where smoking is not permitted or did not provide ashtrays where smoking was allowed.

Page 15 of 372 05/31/2011

Based on Nursing Home Compare - Survey Deficiency

Based on Nursing Home Compa	are - Survey Deliciency
	harm
Isolated	Minimal harm or potential for actual harm
Isolated	Minimal harm or potential for actual harm
Pattern	Potential for minimal harm
Pattern	Potential for minimal harm
Pattern	Minimal harm or potential for actual harm
Isolated	Minimal harm or potential for actual harm
Isolated	Minimal harm or potential for actual harm
Isolated	Minimal harm or potential for actual harm
Isolated	Minimal harm or potential for actual harm
Widespread	Potential for minimal harm
Isolated	Minimal harm or potential for actual harm

Page 16 of 372 05/31/2011

Based on Nursing Home Compare - Survey Deficiency

3	-,,	
055361	VISTA PACIFICA CONVALESCENT HOSPITAL	3662 PACIFIC AVENUE
055361	VISTA PACIFICA CONVALESCENT HOSPITAL	3662 PACIFIC AVENUE
055361	VISTA PACIFICA CONVALESCENT HOSPITAL	3662 PACIFIC AVENUE
055361	VISTA PACIFICA CONVALESCENT HOSPITAL	3662 PACIFIC AVENUE
055361	VISTA PACIFICA CONVALESCENT HOSPITAL	3662 PACIFIC AVENUE
055361	VISTA PACIFICA CONVALESCENT HOSPITAL	3662 PACIFIC AVENUE
055361	VISTA PACIFICA CONVALESCENT HOSPITAL	3662 PACIFIC AVENUE
055361	VISTA PACIFICA CONVALESCENT HOSPITAL	3662 PACIFIC AVENUE
055361	VISTA PACIFICA CONVALESCENT HOSPITAL	3662 PACIFIC AVENUE
055361	VISTA PACIFICA CONVALESCENT HOSPITAL	3662 PACIFIC AVENUE

Page 17 of 372 05/31/2011

Based on Nursing Home Compare - Survey Deficiency

Bacca cirriaronig ricino					
RIVERSIDE	CA	92509	(951) 682-4833	07/17/2009	09/04/2009
RIVERSIDE	CA	92509	(951) 682-4833	07/17/2009	09/04/2009
RIVERSIDE	CA	92509	(951) 682-4833	07/17/2009	09/04/2009
RIVERSIDE	CA	92509	(951) 682-4833	07/17/2009	09/04/2009
RIVERSIDE	CA	92509	(951) 682-4833	07/17/2009	09/04/2009
RIVERSIDE	CA	92509	(951) 682-4833	07/17/2009	09/04/2009
RIVERSIDE	CA	92509	(951) 682-4833	07/17/2009	09/04/2009
RIVERSIDE	CA	92509	(951) 682-4833	07/17/2009	09/04/2009
RIVERSIDE	CA	92509	(951) 682-4833	07/17/2009	09/04/2009
RIVERSIDE	CA	92509	(951) 682-4833	07/22/2009	09/01/2009

Page 18 of 372 05/31/2011

Based on Nursing Home Compare - Survey Deficiency

9		
Health	Resident Rights Deficiencies	Provide care in a way that keeps or builds each resident's dignity and self respect.
Health	Environmental Deficiencies	Provide needed housekeeping and maintenance.
Health	Quality Care Deficiencies	Give each resident care and services to get or keep the highest quality of life possible.
Health	Quality Care Deficiencies	Make sure that each residents' abilities to take care of themselves does not lessen, unless a change cannot be avoided.
Health	Quality Care Deficiencies	Give proper treatment to residents with feeding tubes to prevent problems (such as aspiration pneumonia, diarrhea, vomiting, dehydration, metabolic abnormalities, nasal-pharyngeal ulcers) and help restore eating skills, if possible.
Health	Nutrition and Dietary Deficiencies	Provide food in a way that meets a resident's needs.
Health	Pharmacy Service Deficiencies	Properly mark drugs and other similar products.
Health	Environmental Deficiencies	Have a program to keep infection from spreading.
Health	Environmental Deficiencies	Provide rooms that are big enough for each resident.
Fire Safety	Building Construction Deficiencies	approved construction type or materials.

Page 19 of 372 05/31/2011

Based on Nursing Home Compare - Survey Deficiency

Isolated	Minimal harm or potential for actual harm
Isolated	Minimal harm or potential for actual harm
Isolated	Minimal harm or potential for actual harm
Isolated	Minimal harm or potential for actual harm
Isolated	Minimal harm or potential for actual harm
Isolated	Minimal harm or potential for actual harm
Isolated	Minimal harm or potential for actual harm
Isolated	Minimal harm or potential for actual harm
Pattern	Potential for minimal harm
Isolated	Minimal harm or potential for actual harm

Page 20 of 372 05/31/2011

Based on Nursing Home Compare - Survey Deficiency

3	, ,	
055361	VISTA PACIFICA CONVALESCENT HOSPITAL	3662 PACIFIC AVENUE
055361	VISTA PACIFICA CONVALESCENT HOSPITAL	3662 PACIFIC AVENUE
055361	VISTA PACIFICA CONVALESCENT HOSPITAL	3662 PACIFIC AVENUE
055361	VISTA PACIFICA CONVALESCENT HOSPITAL	3662 PACIFIC AVENUE
055361	VISTA PACIFICA CONVALESCENT HOSPITAL	3662 PACIFIC AVENUE
055361	VISTA PACIFICA CONVALESCENT HOSPITAL	3662 PACIFIC AVENUE
055361	VISTA PACIFICA CONVALESCENT HOSPITAL	3662 PACIFIC AVENUE
055361	VISTA PACIFICA CONVALESCENT HOSPITAL	3662 PACIFIC AVENUE
055361	VISTA PACIFICA CONVALESCENT HOSPITAL	3662 PACIFIC AVENUE
055361	VISTA PACIFICA CONVALESCENT HOSPITAL	3662 PACIFIC AVENUE
055361	VISTA PACIFICA CONVALESCENT HOSPITAL	3662 PACIFIC AVENUE

Page 21 of 372 05/31/2011

Based on Nursing Home Compare - Survey Deficiency

Bacca on Harding Home					
RIVERSIDE	CA	92509	(951) 682-4833	07/22/2009	09/01/2009
RIVERSIDE	CA	92509	(951) 682-4833	07/22/2009	09/01/2009
RIVERSIDE	CA	92509	(951) 682-4833	07/22/2009	09/01/2009
RIVERSIDE	CA	92509	(951) 682-4833	07/22/2009	09/01/2009
RIVERSIDE	CA	92509	(951) 682-4833	07/22/2009	09/01/2009
RIVERSIDE	CA	92509	(951) 682-4833	07/22/2009	09/01/2009
RIVERSIDE	CA	92509	(951) 682-4833	07/20/2010	11/01/2010
RIVERSIDE	CA	92509	(951) 682-4833	07/20/2010	11/01/2010
RIVERSIDE	CA	92509	(951) 682-4833	07/20/2010	01/05/2011
RIVERSIDE	CA	92509	(951) 682-4833	07/20/2010	11/01/2010
RIVERSIDE	CA	92509	(951) 682-4833	07/20/2010	11/01/2010

Page 22 of 372 05/31/2011

Based on Nursing Home Compare - Survey Deficiency

•		
Fire Safety	Corridor Walls and Doors Deficiencies	corridor and hallway doors that block smoke.
Fire Safety	Emergency Plans and Fire Drills Deficiencies	record of quarterly fire drills for each shift under varying conditions.
Fire Safety	Fire Alarm Systems Deficiencies	a fire alarm system that can be heard throughout the facility.
Fire Safety	Automatic Sprinkler Systems Deficiencies	portable fire extinguishers.
Fire Safety	Miscellaneous Deficiencies	fire safety features required by current fire safety codes.
Fire Safety	Electrical Deficiencies	properly installed electrical wiring and equipment.
Health	Mistreatment Deficiencies	Protect residents from mistreatment, neglect, and/or theft of personal property.
Health	Mistreatment Deficiencies	Write and use policies that forbid mistreatment, neglect and abuse of residents and theft of residents' property.
Health	Resident Assessment Deficiencies	Make a complete assessment that covers all questions for areas that are listed in official regulations.
Health	Quality Care Deficiencies	Give each resident care and services to get or keep the highest quality of life possible.
Health	Pharmacy Service Deficiencies	<ol> <li>Make sure that residents who take drugs are not given too many doses or for too long;</li> <li>make sure that the use of drugs is carefully</li> </ol>

Page 23 of 372 05/31/2011

Based on Nursing Home Compare - Survey Deficiency

0 1	
Isolated	Minimal harm or potential for actual harm
Isolated	Minimal harm or potential for actual harm
Isolated	Minimal harm or potential for actual harm
Isolated	Minimal harm or potential for actual harm
Isolated	Minimal harm or potential for actual harm
Isolated	Minimal harm or potential for actual harm
Isolated	Actual harm
Isolated	Minimal harm or potential for actual harm
Isolated	Minimal harm or potential for actual harm
Pattern	Minimal harm or potential for actual harm
Pattern	Minimal harm or potential for actual harm

Page 24 of 372 05/31/2011

Based on Nursing Home Compare - Survey Deficiency

055361	VISTA PACIFICA CONVALESCENT HOSPITAL	3662 PACIFIC AVENUE
055361	VISTA PACIFICA CONVALESCENT HOSPITAL	3662 PACIFIC AVENUE
055361	VISTA PACIFICA CONVALESCENT HOSPITAL	3662 PACIFIC AVENUE
055361	VISTA PACIFICA CONVALESCENT HOSPITAL	3662 PACIFIC AVENUE
055361	VISTA PACIFICA CONVALESCENT HOSPITAL	3662 PACIFIC AVENUE
055361	VISTA PACIFICA CONVALESCENT HOSPITAL	3662 PACIFIC AVENUE
055361	VISTA PACIFICA CONVALESCENT HOSPITAL	3662 PACIFIC AVENUE
055361	VISTA PACIFICA CONVALESCENT HOSPITAL	3662 PACIFIC AVENUE
055361	VISTA PACIFICA CONVALESCENT HOSPITAL	3662 PACIFIC AVENUE
055361	VISTA PACIFICA CONVALESCENT HOSPITAL	3662 PACIFIC AVENUE
055361	VISTA PACIFICA CONVALESCENT HOSPITAL	3662 PACIFIC AVENUE

Page 25 of 372 05/31/2011

Based on Nursing Home Compare - Survey Deficiency

0	ounpaid daivey	,			
RIVERSIDE	CA	92509	(951) 682-4833	07/20/2010	11/01/2010
RIVERSIDE	CA	92509	(951) 682-4833	07/20/2010	01/05/2011
RIVERSIDE	CA	92509	(951) 682-4833	07/20/2010	11/01/2010
RIVERSIDE	CA	92509	(951) 682-4833	07/20/2010	11/01/2010
RIVERSIDE	CA	92509	(951) 682-4833	07/20/2010	11/01/2010
RIVERSIDE	CA	92509	(951) 682-4833	07/20/2010	11/01/2010
RIVERSIDE	CA	92509	(951) 682-4833	07/20/2010	11/01/2010
RIVERSIDE	CA	92509	(951) 682-4833	07/20/2010	11/01/2010
RIVERSIDE	CA	92509	(951) 682-4833	07/20/2010	01/05/2011
RIVERSIDE	CA	92509	(951) 682-4833	07/20/2010	11/01/2010
RIVERSIDE	CA	92509	(951) 682-4833	07/28/2010	08/12/2010

Page 26 of 372 05/31/2011

Based on Nursing Home Compare - Survey Deficiency

		watched; or 3) stop or change drugs that cause unwanted effects.
Health	Quality Care Deficiencies	Use a registered nurse at least 8 hours a day, 7 days a week.
Health	Nutrition and Dietary Deficiencies	Store, cook, and give out food in a safe and clean way.
Health	Pharmacy Service Deficiencies	Have drugs and other similar products available, which are needed every day and in emergencies, and give them out properly.
Health	Pharmacy Service Deficiencies	At least once a month, have a licensed pharmacist check the drugs that each resident takes.
Health	Pharmacy Service Deficiencies	Properly mark drugs and other similar products.
Health	Environmental Deficiencies	Have a program to keep infection from spreading.
Health	Environmental Deficiencies	Provide rooms that are big enough for each resident.
Health	Environmental Deficiencies	Make sure that the nursing home area is safe, easy to use, clean and comfortable.
Health	Administration Deficiencies	Have a detailed, written plan for disasters and emergencies.
Health	Administration Deficiencies	Set up or keep a group of people to review and ensure quality.
Fire Safety	Corridor Walls and Doors Deficiencies	corridor and hallway doors that block smoke.

Page 27 of 372 05/31/2011

Based on Nursing Home Compare - Survey Deficiency

Based of Nulsing Florite Compare - Survey Deliciency			
Pattern	Minimal harm or potential for actual harm		
Pattern	Minimal harm or potential for actual harm		
Isolated	Minimal harm or potential for actual harm		
Pattern	Minimal harm or potential for actual harm		
Isolated	Minimal harm or potential for actual harm		
Widespread	Minimal harm or potential for actual harm		
Pattern	Potential for minimal harm		
Pattern	Minimal harm or potential for actual harm		
Isolated	Minimal harm or potential for actual harm		
Pattern	Minimal harm or potential for actual harm		
Isolated	Minimal harm or potential for actual		

Page 28 of 372 05/31/2011

Based on Nursing Home Compare - Survey Deficiency

055361	VISTA PACIFICA CONVALESCENT HOSPITAL	3662 PACIFIC AVENUE
055361	VISTA PACIFICA CONVALESCENT HOSPITAL	3662 PACIFIC AVENUE
055409	COMMUNITY CARE AND REHABILITATION CENTER	4070 JURUPA AVENUE
055409	COMMUNITY CARE AND REHABILITATION CENTER	4070 JURUPA AVENUE
055409	COMMUNITY CARE AND REHABILITATION CENTER	4070 JURUPA AVENUE
055409	COMMUNITY CARE AND REHABILITATION CENTER	4070 JURUPA AVENUE
055409	COMMUNITY CARE AND REHABILITATION CENTER	4070 JURUPA AVENUE
055409	COMMUNITY CARE AND REHABILITATION CENTER	4070 JURUPA AVENUE
055409	COMMUNITY CARE AND REHABILITATION CENTER	4070 JURUPA AVENUE
055409	COMMUNITY CARE AND REHABILITATION	4070 JURUPA AVENUE

Page 29 of 372 05/31/2011

Based on Nursing Home Compare - Survey Deficiency

RIVERSIDE	CA	92509	(951) 682-4833	07/28/2010	08/12/2010
RIVERSIDE	CA	92509	(951) 682-4833	07/28/2010	08/12/2010
RIVERSIDE	CA	92506	(951) 680-6500	04/17/2008	08/07/2008
RIVERSIDE	CA	92506	(951) 680-6500	04/17/2008	08/07/2008
RIVERSIDE	CA	92506	(951) 680-6500	04/17/2008	08/07/2008
RIVERSIDE	CA	92506	(951) 680-6500	04/17/2008	08/07/2008
RIVERSIDE	CA	92506	(951) 680-6500	04/17/2008	08/07/2008
RIVERSIDE	CA	92506	(951) 680-6500	04/17/2008	08/07/2008
RIVERSIDE	CA	92506	(951) 680-6500	04/17/2008	08/07/2008
RIVERSIDE	CA	92506	(951) 680-6500	04/17/2008	08/07/2008

Page 30 of 372 05/31/2011

Based on Nursing Home Compare - Survey Deficiency

Fire Safety	Emergency Plans and Fire Drills Deficiencies	record of quarterly fire drills for each shift under varying conditions.
Fire Safety	Electrical Deficiencies	properly installed electrical wiring and equipment.
Health	Resident Rights Deficiencies	Immediately tell the resident, doctor, and a family member if: the resident is injured, there is a major change in resident's physical/mental health, there is a need to alter treatment significantly, or the resident must be transferred or discharged.
Health	Resident Rights Deficiencies	Let residents give themselves their drugs if they are able.
Health	Mistreatment Deficiencies	Keep each resident free from physical restraints, unless needed for medical treatment.
Health	Resident Rights Deficiencies	Provide care in a way that keeps or builds each resident's dignity and self respect.
Health	Resident Rights Deficiencies	Provide services to meet the needs and preferences of each resident.
Health	Environmental Deficiencies	Provide needed housekeeping and maintenance.
Health	Resident Assessment Deficiencies	Do an assessment of the resident every year.
Health	Resident Assessment Deficiencies	Develop a complete care plan that meets all of

Page 31 of 372 05/31/2011

Based on Nursing Home Compare - Survey Deficiency

	harm
Isolated	Minimal harm or potential for actual harm
Isolated	Minimal harm or potential for actual harm
Isolated	Minimal harm or potential for actual harm

Isolated	Minimal harm or potential for actual harm
Isolated	Minimal harm or potential for actual harm
Isolated	Minimal harm or potential for actual harm
Isolated	Minimal harm or potential for actual harm
Pattern	Minimal harm or potential for actual harm
Pattern	Potential for minimal harm
Isolated	Minimal harm or potential for actual

Page 32 of 372 05/31/2011

Based on Nursing Home Compare - Survey Deficiency

Based on Nursing Home Compare - Surve	ey Deliciency	
	CENTER	
055409	COMMUNITY CARE AND REHABILITATION CENTER	4070 JURUPA AVENUE
055409	COMMUNITY CARE AND REHABILITATION CENTER	4070 JURUPA AVENUE
055409	COMMUNITY CARE AND REHABILITATION CENTER	4070 JURUPA AVENUE
055409	COMMUNITY CARE AND REHABILITATION CENTER	4070 JURUPA AVENUE
055409	COMMUNITY CARE AND REHABILITATION CENTER	4070 JURUPA AVENUE
055409	COMMUNITY CARE AND REHABILITATION CENTER	4070 JURUPA AVENUE
055409	COMMUNITY CARE AND REHABILITATION CENTER	4070 JURUPA AVENUE
055409	COMMUNITY CARE AND REHABILITATION CENTER	4070 JURUPA AVENUE

Page 33 of 372 05/31/2011

Based on Nursing Home Compare - Survey Deficiency

RIVERSIDE CA 92506 (951) 680-6500 04/17/2008 08/07/2008  RIVERSIDE CA 92506 (951) 680-6500 04/17/2008 08/07/2008
RIVERSIDE CA 92506 (951) 680-6500 04/17/2008 08/07/2008
RIVERSIDE CA 92506 (951) 680-6500 04/17/2008 08/07/2008
RIVERSIDE CA 92506 (951) 680-6500 04/17/2008 08/07/2008
RIVERSIDE CA 92506 (951) 680-6500 04/17/2008 08/07/2008
RIVERSIDE CA 92506 (951) 680-6500 04/17/2008 08/07/2008
RIVERSIDE CA 92506 (951) 680-6500 04/17/2008 08/07/2008
RIVERSIDE CA 92506 (951) 680-6500 04/17/2008 08/07/2008

Page 34 of 372 05/31/2011

Based on Nursing Home Compare - Survey Deficiency

Dased off Nursing	Tionie Compare - Ourvey Denoisincy	
		a resident's needs, with timetables and actions that can be measured.
Health	Resident Assessment Deficiencies	1) Develop a complete care plan within 7 days of each resident's admission; 2) prepare a care plan with the care team, including the primary nurse, doctor, resident or resident's family or representative; or 3) check and update the care plan.
Health	Quality Care Deficiencies	Make sure that residents who cannot care for themselves receive help with eating/drinking, grooming and hygiene.
Health	Quality Care Deficiencies	Make sure that each resident who enters the nursing home without a catheter is not given a catheter, unless it is necessary.
Health	Pharmacy Service Deficiencies	Keep the rate of medication errors (wrong drug, wrong dose, wrong time) to less than 5%.
Health	Nutrition and Dietary Deficiencies	Make sure that the attending doctor orders special diets.
Health	Nutrition and Dietary Deficiencies	Store, cook, and give out food in a safe and clean way.
Health	Pharmacy Service Deficiencies	Properly mark drugs and other similar products.
Health	Environmental Deficiencies	Have a program to keep infection from spreading.

Page 35 of 372 05/31/2011

Based on Nursing Home Compare - Survey Deficiency

	•		
		harm	
Isolated		Minimal harm or potential for actual harm	

Isolated	Minimal harm or potential for actual harm
Isolated	Minimal harm or potential for actual harm
Pattern	Minimal harm or potential for actual harm
Isolated	Minimal harm or potential for actual harm
Isolated	Minimal harm or potential for actual harm
Widespread	Minimal harm or potential for actual harm
Isolated	Minimal harm or potential for actual harm

Page 36 of 372 05/31/2011

Based on Nursing Home Compare - Survey Deficiency

055409	COMMUNITY CARE AND REHABILITATION CENTER	4070 JURUPA AVENUE
055409	COMMUNITY CARE AND REHABILITATION CENTER	4070 JURUPA AVENUE
055409	COMMUNITY CARE AND REHABILITATION CENTER	4070 JURUPA AVENUE
055409	COMMUNITY CARE AND REHABILITATION CENTER	4070 JURUPA AVENUE
055409	COMMUNITY CARE AND REHABILITATION CENTER	4070 JURUPA AVENUE
055409	COMMUNITY CARE AND REHABILITATION CENTER	4070 JURUPA AVENUE
055409	COMMUNITY CARE AND REHABILITATION CENTER	4070 JURUPA AVENUE
055409	COMMUNITY CARE AND REHABILITATION CENTER	4070 JURUPA AVENUE
055409	COMMUNITY CARE AND REHABILITATION CENTER	4070 JURUPA AVENUE
055409	COMMUNITY CARE AND REHABILITATION CENTER	4070 JURUPA AVENUE

Page 37 of 372 05/31/2011

Based on Nursing Home Compare - Survey Deficiency

RIVERSIDE	CA	92506	(951) 680-6500	04/17/2008	08/07/2008
RIVERSIDE	CA	92506	(951) 680-6500	04/17/2008	08/07/2008
RIVERSIDE	CA	92506	(951) 680-6500	04/17/2008	08/07/2008
RIVERSIDE	CA	92506	(951) 680-6500	04/23/2008	05/12/2008
RIVERSIDE	CA	92506	(951) 680-6500	04/23/2008	05/12/2008
RIVERSIDE	CA	92506	(951) 680-6500	04/23/2008	05/12/2008
RIVERSIDE	CA	92506	(951) 680-6500	04/23/2008	05/12/2008
RIVERSIDE	CA	92506	(951) 680-6500	04/23/2008	05/12/2008
RIVERSIDE	CA	92506	(951) 680-6500	04/23/2008	05/12/2008
RIVERSIDE	CA	92506	(951) 680-6500	05/08/2009	07/16/2009

Page 38 of 372 05/31/2011

Based on Nursing Home Compare - Survey Deficiency

Bacca on rearring morne	Compare - Survey Denciency	
Health	Environmental Deficiencies	Provide rooms that are big enough for each resident.
Health	Administration Deficiencies	Keep accurate and appropriate medical records.
Health	Administration Deficiencies	Have a detailed, written plan for disasters and emergencies.
Fire Safety	Smoke Compartmentation and Control Deficiencies	walls or barriers that prevent smoke from passing through and would resist fire for at least one hour.
Fire Safety	Smoke Compartmentation and Control Deficiencies	smoke barrier doors that can resist smoke for at least 20 minutes.
Fire Safety	Hazardous Area Deficiencies	construction that can resist fire for one hour or an approved fire extinguishing system.
Fire Safety	Automatic Sprinkler Systems Deficiencies	automatic sprinkler systems that have been maintained in working order.
Fire Safety	Smoking Regulations Deficiencies	posted "No-smoking" signs in areas where smoking is not permitted or did not provide ashtrays where smoking was allowed.
Fire Safety	Furnishings and Decorations Deficiencies	exits that are free from obstructions and can be used at all times.
Health	Resident Rights Deficiencies	Tell each resident who can get Medicaid benefits about 1) which items and services Medicaid covers and which the resident must pay for; or 2) how to apply for Medicaid, along with the names and addresses of State groups that can help.

Page 39 of 372 05/31/2011

Based on Nursing Home Compare - Survey Deficiency

Pattern	Potential for minimal harm
Isolated	Minimal harm or potential for actual harm
Isolated	Minimal harm or potential for actual harm
Isolated	Minimal harm or potential for actual harm
Isolated	Minimal harm or potential for actual harm
Isolated	Minimal harm or potential for actual harm
Widespread	Potential for minimal harm
Pattern	Potential for minimal harm
Widespread	Potential for minimal harm
Widespread	Potential for minimal harm

Page 40 of 372 05/31/2011

Based on Nursing Home Compare - Survey Deficiency

055409	COMMUNITY CARE AND REHABILITATION CENTER	4070 JURUPA AVENUE
055409	COMMUNITY CARE AND REHABILITATION CENTER	4070 JURUPA AVENUE
055409	COMMUNITY CARE AND REHABILITATION CENTER	4070 JURUPA AVENUE
055409	COMMUNITY CARE AND REHABILITATION CENTER	4070 JURUPA AVENUE
055409	COMMUNITY CARE AND REHABILITATION CENTER	4070 JURUPA AVENUE
055409	COMMUNITY CARE AND REHABILITATION CENTER	4070 JURUPA AVENUE
055409	COMMUNITY CARE AND REHABILITATION CENTER	4070 JURUPA AVENUE
055409	COMMUNITY CARE AND REHABILITATION CENTER	4070 JURUPA AVENUE
055409	COMMUNITY CARE AND REHABILITATION CENTER	4070 JURUPA AVENUE

Page 41 of 372 05/31/2011

Based on Nursing Home Compare - Survey Deficiency

RIVERSIDE	CA	92506	(951) 680-6500	05/08/2009	07/16/2009
RIVERSIDE	CA	92506	(951) 680-6500	05/08/2009	07/16/2009
RIVERSIDE	CA	92506	(951) 680-6500	05/08/2009	07/16/2009
RIVERSIDE	CA	92506	(951) 680-6500	05/08/2009	07/16/2009
RIVERSIDE	CA	92506	(951) 680-6500	05/08/2009	07/16/2009
RIVERSIDE	CA	92506	(951) 680-6500	05/08/2009	07/16/2009
RIVERSIDE	CA	92506	(951) 680-6500	05/08/2009	07/16/2009
RIVERSIDE	CA	92506	(951) 680-6500	05/08/2009	07/16/2009
RIVERSIDE	CA	92506	(951) 680-6500	05/08/2009	07/16/2009

Page 42 of 372 05/31/2011

Based on Nursing Home Compare - Survey Deficiency

		that can help.
Health	Resident Rights Deficiencies	Keep each resident's personal and medical records private and confidential.
Health	Mistreatment Deficiencies	Keep each resident free from physical restraints, unless needed for medical treatment.
Health	Resident Rights Deficiencies	Provide care in a way that keeps or builds each resident's dignity and self respect.
Health	Environmental Deficiencies	Provide needed housekeeping and maintenance.
Health	Environmental Deficiencies	Keep temperature levels comfortable and safe.
Health	Environmental Deficiencies	Keep sound levels comfortable.
Health	Quality Care Deficiencies	Give each resident care and services to get or keep the highest quality of life possible.
Health	Quality Care Deficiencies	Make sure that each resident who enters the nursing home without a catheter is not given a catheter, unless it is necessary.
Health	Quality Care Deficiencies	Give proper treatment to residents with feeding tubes to prevent problems (such as aspiration pneumonia, diarrhea, vomiting, dehydration, metabolic abnormalities, nasal-pharyngeal ulcers) and help restore eating skills, if possible.

Page 43 of 372 05/31/2011

Based on Nursing Home Compare - Survey Deficiency

Isolated	Minimal harm or potential for actual harm
Isolated	Minimal harm or potential for actual harm
Pattern	Minimal harm or potential for actual harm
Pattern	Minimal harm or potential for actual harm
Isolated	Minimal harm or potential for actual harm
Isolated	Minimal harm or potential for actual harm
Pattern	Minimal harm or potential for actual harm
Pattern	Minimal harm or potential for actual harm
Isolated	Minimal harm or potential for actual harm

Page 44 of 372 05/31/2011

Based on Nursing Home Compare - Survey Deficiency

based off Natisting Florite Compare - Surv	ey Deliciency	
055409	COMMUNITY CARE AND REHABILITATION CENTER	4070 JURUPA AVENUE
055409	COMMUNITY CARE AND REHABILITATION CENTER	4070 JURUPA AVENUE
055409	COMMUNITY CARE AND REHABILITATION CENTER	4070 JURUPA AVENUE
055409	COMMUNITY CARE AND REHABILITATION CENTER	4070 JURUPA AVENUE
055409	COMMUNITY CARE AND REHABILITATION CENTER	4070 JURUPA AVENUE
055409	COMMUNITY CARE AND REHABILITATION CENTER	4070 JURUPA AVENUE
055409	COMMUNITY CARE AND REHABILITATION CENTER	4070 JURUPA AVENUE
055409	COMMUNITY CARE AND REHABILITATION CENTER	4070 JURUPA AVENUE
055409	COMMUNITY CARE AND REHABILITATION CENTER	4070 JURUPA AVENUE
055409	COMMUNITY CARE AND REHABILITATION CENTER	4070 JURUPA AVENUE
055409	COMMUNITY CARE AND REHABILITATION CENTER	4070 JURUPA AVENUE
055409	COMMUNITY CARE AND REHABILITATION	4070 JURUPA AVENUE

Page 45 of 372 05/31/2011

Based on Nursing Home Compare - Survey Deficiency

	ompare curvey Benefories				
RIVERSIDE	CA	92506	(951) 680-6500	05/08/2009	07/16/2009
RIVERSIDE	CA	92506	(951) 680-6500	05/08/2009	07/16/2009
RIVERSIDE	CA	92506	(951) 680-6500	05/08/2009	07/16/2009
RIVERSIDE	CA	92506	(951) 680-6500	05/08/2009	07/16/2009
RIVERSIDE	CA	92506	(951) 680-6500	05/08/2009	07/16/2009
RIVERSIDE	CA	92506	(951) 680-6500	05/08/2009	07/16/2009
RIVERSIDE	CA	92506	(951) 680-6500	05/08/2009	07/16/2009
RIVERSIDE	CA	92506	(951) 680-6500	05/08/2009	07/16/2009
RIVERSIDE	CA	92506	(951) 680-6500	05/08/2009	07/16/2009
RIVERSIDE	CA	92506	(951) 680-6500	05/08/2009	07/16/2009
RIVERSIDE	CA	92506	(951) 680-6500	05/08/2009	07/16/2009
RIVERSIDE	CA	92506	(951) 680-6500	05/12/2009	06/18/2009

Page 46 of 372 05/31/2011

Based on Nursing Home Compare - Survey Deficiency

_		
Health	Environmental Deficiencies	Make sure that the nursing home area is free of dangers that cause accidents.
Health	Pharmacy Service Deficiencies	Make sure that residents are safe from serious medication errors.
Health	Nutrition and Dietary Deficiencies	Make sure that the attending doctor orders special diets.
Health	Nutrition and Dietary Deficiencies	Store, cook, and give out food in a safe and clean way.
Health	Pharmacy Service Deficiencies	At least once a month, have a licensed pharmacist check the drugs that each resident takes.
Health	Pharmacy Service Deficiencies	Properly mark drugs and other similar products.
Health	Environmental Deficiencies	Have a program to keep infection from spreading.
Health	Environmental Deficiencies	Provide rooms that are big enough for each resident.
Health	Environmental Deficiencies	Make sure that the nursing home area is safe, easy to use, clean and comfortable.
Health	Administration Deficiencies	Keep accurate and appropriate medical records.
Health	Administration Deficiencies	Keep clinical information safe, so that it will not be lost, destroyed or used by the wrong person.
Fire Safety	Building Construction Deficiencies	approved construction type or materials.

Page 47 of 372 05/31/2011

Based on Nursing Home Compare - Survey Deficiency

Isolated	Minimal harm or potential for actual harm
Pattern	Minimal harm or potential for actual harm
Isolated	Minimal harm or potential for actual harm
Isolated	Minimal harm or potential for actual harm
Isolated	Minimal harm or potential for actual harm
Isolated	Minimal harm or potential for actual harm
Isolated	Minimal harm or potential for actual harm
Pattern	Potential for minimal harm
Pattern	Minimal harm or potential for actual harm
Pattern	Minimal harm or potential for actual harm
Isolated	Minimal harm or potential for actual harm
Isolated	Minimal harm or potential for actual

Page 48 of 372 05/31/2011

Based on Nursing Home Compare - Survey Deficiency

Zacou cirrianong romo compare Cari	CENTER	
055409	COMMUNITY CARE AND REHABILITATION CENTER	4070 JURUPA AVENUE
055409	COMMUNITY CARE AND REHABILITATION CENTER	4070 JURUPA AVENUE
055409	COMMUNITY CARE AND REHABILITATION CENTER	4070 JURUPA AVENUE
055409	COMMUNITY CARE AND REHABILITATION CENTER	4070 JURUPA AVENUE
055409	COMMUNITY CARE AND REHABILITATION CENTER	4070 JURUPA AVENUE
055409	COMMUNITY CARE AND REHABILITATION CENTER	4070 JURUPA AVENUE
055409	COMMUNITY CARE AND REHABILITATION CENTER	4070 JURUPA AVENUE
055409	COMMUNITY CARE AND REHABILITATION CENTER	4070 JURUPA AVENUE
055409	COMMUNITY CARE AND REHABILITATION CENTER	4070 JURUPA AVENUE
055409	COMMUNITY CARE AND REHABILITATION CENTER	4070 JURUPA AVENUE
055409	COMMUNITY CARE AND REHABILITATION CENTER	4070 JURUPA AVENUE
055409	COMMUNITY CARE AND REHABILITATION CENTER	4070 JURUPA AVENUE

Page 49 of 372 05/31/2011

Based on Nursing Home Compare - Survey Deficiency

RIVERSIDE	CA	92506	(951) 680-6500	05/12/2009	06/18/2009
RIVERSIDE	CA	92506	(951) 680-6500	05/12/2009	06/18/2009
RIVERSIDE	CA	92506	(951) 680-6500	05/12/2009	06/18/2009
RIVERSIDE	CA	92506	(951) 680-6500	05/12/2009	06/18/2009
RIVERSIDE	CA	92506	(951) 680-6500	05/12/2009	06/18/2009
RIVERSIDE	CA	92506	(951) 680-6500	05/12/2009	06/18/2009
RIVERSIDE	CA	92506	(951) 680-6500	05/12/2009	06/18/2009
RIVERSIDE	CA	92506	(951) 680-6500	05/12/2009	06/18/2009
RIVERSIDE	CA	92506	(951) 680-6500	05/12/2009	06/18/2009
RIVERSIDE	CA	92506	(951) 680-6500	05/17/2010	06/25/2010
RIVERSIDE	CA	92506	(951) 680-6500	05/17/2010	06/25/2010
RIVERSIDE	CA	92506	(951) 680-6500	05/17/2010	06/25/2010

Page 50 of 372 05/31/2011

Based on Nursing Home Compare - Survey Deficiency

Fire Safety	Corridor Walls and Doors Deficiencies	corridor and hallway doors that block smoke.
Fire Safety	Smoke Compartmentation and Control Deficiencies	smoke barrier doors that can resist smoke for at least 20 minutes.
Fire Safety	Hazardous Area Deficiencies	construction that can resist fire for one hour or an approved fire extinguishing system.
Fire Safety	Emergency Plans and Fire Drills Deficiencies	did not have a written emergency evacuation plan.
Fire Safety	Emergency Plans and Fire Drills Deficiencies	record of quarterly fire drills for each shift under varying conditions.
Fire Safety	Automatic Sprinkler Systems Deficiencies	automatic sprinkler systems that have been maintained in working order.
Fire Safety	Automatic Sprinkler Systems Deficiencies	portable fire extinguishers.
Fire Safety	Medical Gases and Anesthetizing Areas Deficiencies	proper medical gas storage and administration areas.
Fire Safety	Electrical Deficiencies	properly installed electrical wiring and equipment.
Health	Resident Rights Deficiencies	Provide services to meet the needs and preferences of each resident.
Health	Quality Care Deficiencies	Give each resident care and services to get or keep the highest quality of life possible.
Health	Environmental Deficiencies	Make sure that the nursing home area is free of dangers that cause accidents.

Page 51 of 372 05/31/2011

Based on Nursing Home Compare - Survey Deficiency

based of Nursing Florite Compa	ile - Survey Deliciency
	harm
Isolated	Minimal harm or potential for actual harm
Isolated	Minimal harm or potential for actual harm
Isolated	Minimal harm or potential for actual harm
Isolated	Minimal harm or potential for actual harm
Widespread	Potential for minimal harm
Pattern	Minimal harm or potential for actual harm
Isolated	Minimal harm or potential for actual harm
Isolated	Minimal harm or potential for actual harm
Isolated	Minimal harm or potential for actual harm
Isolated	Minimal harm or potential for actual harm
Isolated	Minimal harm or potential for actual harm
Pattern	Minimal harm or potential for actual harm

Page 52 of 372 05/31/2011

Based on Nursing Home Compare - Survey Deficiency

055409	COMMUNITY CARE AND REHABILITATION CENTER	4070 JURUPA AVENUE
055409	COMMUNITY CARE AND REHABILITATION CENTER	4070 JURUPA AVENUE
055409	COMMUNITY CARE AND REHABILITATION CENTER	4070 JURUPA AVENUE
055409	COMMUNITY CARE AND REHABILITATION CENTER	4070 JURUPA AVENUE
055409	COMMUNITY CARE AND REHABILITATION CENTER	4070 JURUPA AVENUE
055409	COMMUNITY CARE AND REHABILITATION CENTER	4070 JURUPA AVENUE
055409	COMMUNITY CARE AND REHABILITATION CENTER	4070 JURUPA AVENUE
055409	COMMUNITY CARE AND REHABILITATION CENTER	4070 JURUPA AVENUE
055409	COMMUNITY CARE AND REHABILITATION CENTER	4070 JURUPA AVENUE
055409	COMMUNITY CARE AND REHABILITATION CENTER	4070 JURUPA AVENUE

Page 53 of 372 05/31/2011

Based on Nursing Home Compare - Survey Deficiency

RIVERSIDE	CA	92506	(951) 680-6500	05/17/2010	06/25/2010
RIVERSIDE	CA	92506	(951) 680-6500	05/17/2010	06/25/2010
RIVERSIDE	CA	92506	(951) 680-6500	05/17/2010	06/25/2010
RIVERSIDE	CA	92506	(951) 680-6500	05/17/2010	06/25/2010
RIVERSIDE	CA	92506	(951) 680-6500	05/17/2010	06/25/2010
RIVERSIDE	CA	92506	(951) 680-6500	05/17/2010	06/25/2010
RIVERSIDE	CA	92506	(951) 680-6500	05/17/2010	06/25/2010
RIVERSIDE	CA	92506	(951) 680-6500	05/17/2010	06/25/2010
RIVERSIDE	CA	92506	(951) 680-6500	05/17/2010	06/25/2010
RIVERSIDE	CA	92506	(951) 680-6500	05/17/2010	06/25/2010

Page 54 of 372 05/31/2011

Based on Nursing Home Compare - Survey Deficiency

Bacca chi rtarchig i ioni	b compare curvey beneficiney	
Health	Quality Care Deficiencies	Give each resident enough fluids to keep them healthy and prevent dehydration.
Health	Quality Care Deficiencies	Properly care for residents needing special services, including: injections, colostomy, ureostomy, ileostomy, tracheostomy care, tracheal suctioning, respiratory care, foot care, and prostheses.
Health	Pharmacy Service Deficiencies	Keep the rate of medication errors (wrong drug, wrong dose, wrong time) to less than 5%.
Health	Pharmacy Service Deficiencies	Make sure that residents are safe from serious medication errors.
Health	Nutrition and Dietary Deficiencies	Make sure that the attending doctor orders special diets.
Health	Nutrition and Dietary Deficiencies	Store, cook, and give out food in a safe and clean way.
Health	Quality Care Deficiencies	Give or get special rehabilitation if in the patient's plan of care.
Health	Pharmacy Service Deficiencies	Have drugs and other similar products available, which are needed every day and in emergencies, and give them out properly.
Health	Environmental Deficiencies	Have a program to keep infection from spreading.
Health	Environmental Deficiencies	Provide rooms that are big enough for each resident.

Page 55 of 372 05/31/2011

Based on Nursing Home Compare - Survey Deficiency

Isolated Minimal harm or potential for actual

harm

Isolated Minimal harm or potential for actual

harm

Pattern	Minimal harm or potential for actual harm
Isolated	Minimal harm or potential for actual harm
Isolated	Minimal harm or potential for actual harm
Isolated	Minimal harm or potential for actual harm
Isolated	Minimal harm or potential for actual harm
Isolated	Minimal harm or potential for actual harm
Pattern	Minimal harm or potential for actual harm
Pattern	Potential for minimal harm

Page 56 of 372 05/31/2011

Based on Nursing Home Compare - Survey Deficiency

055409	COMMUNITY CARE AND REHABILITATION CENTER	4070 JURUPA AVENUE
055409	COMMUNITY CARE AND REHABILITATION CENTER	4070 JURUPA AVENUE
055409	COMMUNITY CARE AND REHABILITATION CENTER	4070 JURUPA AVENUE
055409	COMMUNITY CARE AND REHABILITATION CENTER	4070 JURUPA AVENUE
055409	COMMUNITY CARE AND REHABILITATION CENTER	4070 JURUPA AVENUE
055409	COMMUNITY CARE AND REHABILITATION CENTER	4070 JURUPA AVENUE
055409	COMMUNITY CARE AND REHABILITATION CENTER	4070 JURUPA AVENUE
055409	COMMUNITY CARE AND REHABILITATION CENTER	4070 JURUPA AVENUE
055409	COMMUNITY CARE AND REHABILITATION CENTER	4070 JURUPA AVENUE
055409	COMMUNITY CARE AND REHABILITATION CENTER	4070 JURUPA AVENUE
055409	COMMUNITY CARE AND REHABILITATION CENTER	4070 JURUPA AVENUE
055409	COMMUNITY CARE AND REHABILITATION CENTER	4070 JURUPA AVENUE

Page 57 of 372 05/31/2011

Based on Nursing Home Compare - Survey Deficiency

0		,			
RIVERSIDE	CA	92506	(951) 680-6500	05/17/2010	06/25/2010
RIVERSIDE	CA	92506	(951) 680-6500	06/15/2010	06/29/2010
RIVERSIDE	CA	92506	(951) 680-6500	06/15/2010	06/29/2010
RIVERSIDE	CA	92506	(951) 680-6500	06/15/2010	06/29/2010
RIVERSIDE	CA	92506	(951) 680-6500	06/15/2010	06/29/2010
RIVERSIDE	CA	92506	(951) 680-6500	06/15/2010	06/29/2010
RIVERSIDE	CA	92506	(951) 680-6500	06/15/2010	06/29/2010
RIVERSIDE	CA	92506	(951) 680-6500	06/15/2010	06/29/2010
RIVERSIDE	CA	92506	(951) 680-6500	06/15/2010	06/29/2010
RIVERSIDE	CA	92506	(951) 680-6500	06/15/2010	06/29/2010
RIVERSIDE	CA	92506	(951) 680-6500	06/15/2010	06/29/2010
RIVERSIDE	CA	92506	(951) 680-6500	06/15/2010	06/29/2010

Page 58 of 372 05/31/2011

Based on Nursing Home Compare - Survey Deficiency

Health	Environmental Deficiencies	Make sure that the nursing home area is safe, easy to use, clean and comfortable.
Fire Safety	Building Construction Deficiencies	approved construction type or materials.
Fire Safety	Corridor Walls and Doors Deficiencies	corridor and hallway doors that block smoke.
Fire Safety	Smoke Compartmentation and Control Deficiencies	smoke barrier doors that can resist smoke for at least 20 minutes.
Fire Safety	Hazardous Area Deficiencies	construction that can resist fire for one hour or an approved fire extinguishing system.
Fire Safety	Fire Alarm Systems Deficiencies	an approved installation, maintenance and testing program for fire alarm systems.
Fire Safety	Automatic Sprinkler Systems Deficiencies	automatic sprinkler systems that have been maintained in working order.
Fire Safety	Automatic Sprinkler Systems Deficiencies	portable fire extinguishers.
Fire Safety	Building Service Equipment Deficiencies	heating and ventilation systems that have been properly installed according to the manufacturer's instructions.
Fire Safety	Furnishings and Decorations Deficiencies	restrictions on the use of highly flammable materials.
Fire Safety	Medical Gases and Anesthetizing Areas Deficiencies	proper medical gas storage and administration areas.
Fire Safety	Electrical Deficiencies	properly installed electrical wiring and equipment.

Page 59 of 372 05/31/2011

Based on Nursing Home Compare - Survey Deficiency

Pattern	Minimal harm or potential for actual harm
Isolated	Minimal harm or potential for actual harm
Isolated	Minimal harm or potential for actual harm
Pattern	Minimal harm or potential for actual harm
Isolated	Minimal harm or potential for actual harm
Widespread	Potential for minimal harm
Pattern	Minimal harm or potential for actual harm
Isolated	Minimal harm or potential for actual harm
Widespread	Minimal harm or potential for actual harm
Isolated	Minimal harm or potential for actual harm
Pattern	Minimal harm or potential for actual harm
Pattern	Minimal harm or potential for actual harm

Page 60 of 372 05/31/2011

Based on Nursing Home Compare - Survey Deficiency

055474	MAGNOLIA REHABILITATION & N CENTER		8133 MAGNOLIA AVENUE
055474	MAGNOLIA REHABILITATION & N CENTER		8133 MAGNOLIA AVENUE
055474	MAGNOLIA REHABILITATION & N CENTER		8133 MAGNOLIA AVENUE
055474	MAGNOLIA REHABILITATION & N CENTER		8133 MAGNOLIA AVENUE
055474	MAGNOLIA REHABILITATION & N CENTER		8133 MAGNOLIA AVENUE
055474	MAGNOLIA REHABILITATION & N CENTER		8133 MAGNOLIA AVENUE
055474	MAGNOLIA REHABILITATION & N CENTER		8133 MAGNOLIA AVENUE
055474	MAGNOLIA REHABILITATION & N CENTER		8133 MAGNOLIA AVENUE
055474	MAGNOLIA REHABILITATION & N CENTER		8133 MAGNOLIA AVENUE
055474	MAGNOLIA REHABILITATION & N CENTER		8133 MAGNOLIA AVENUE
055474	MAGNOLIA REHABILITATION & N	NURSING	8133 MAGNOLIA

Page 61 of 372 05/31/2011

Based on Nursing Home Compare - Survey Deficiency

based off Nursing Florite Co	ompare carry beneficity				
RIVERSIDE	CA	92504	(951) 688-4321	04/25/2008	05/28/2008
RIVERSIDE	CA	92504	(951) 688-4321	04/25/2008	05/28/2008
RIVERSIDE	CA	92504	(951) 688-4321	04/25/2008	05/28/2008
RIVERSIDE	CA	92504	(951) 688-4321	04/25/2008	05/28/2008
RIVERSIDE	CA	92504	(951) 688-4321	04/25/2008	05/28/2008
RIVERSIDE	CA	92504	(951) 688-4321	04/25/2008	05/28/2008
RIVERSIDE	CA	92504	(951) 688-4321	04/25/2008	05/28/2008
RIVERSIDE	CA	92504	(951) 688-4321	04/29/2008	05/27/2008
RIVERSIDE	CA	92504	(951) 688-4321	04/29/2008	05/27/2008
RIVERSIDE	CA	92504	(951) 688-4321	04/29/2008	05/27/2008
RIVERSIDE	CA	92504	(951) 688-4321	04/29/2008	05/27/2008

Page 62 of 372 05/31/2011

Based on Nursing Home Compare - Survey Deficiency

Health	Mistreatment Deficiencies	Keep each resident free from physical restraints, unless needed for medical treatment.
Health	Mistreatment Deficiencies	Write and use policies that forbid mistreatment, neglect and abuse of residents and theft of residents' property.
Health	Resident Rights Deficiencies	Provide care in a way that keeps or builds each resident's dignity and self respect.
Health	Quality Care Deficiencies	Give each resident care and services to get or keep the highest quality of life possible.
Health	Nutrition and Dietary Deficiencies	Make sure that residents are well nourished.
Health	Nutrition and Dietary Deficiencies	Make sure that the attending doctor orders special diets.
Health	Pharmacy Service Deficiencies	Have drugs and other similar products available, which are needed every day and in emergencies, and give them out properly.
Fire Safety	Building Construction Deficiencies	approved construction type or materials.
Fire Safety	Smoke Compartmentation and Control Deficiencies	walls or barriers that prevent smoke from passing through and would resist fire for at least one hour.
Fire Safety	Fire Alarm Systems Deficiencies	an approved installation, maintenance and testing program for fire alarm systems.
Fire Safety	Furnishings and Decorations Deficiencies	properly sized and located linen or trash

Page 63 of 372 05/31/2011

Based on Nursing Home Compare - Survey Deficiency

0 1	,
Isolated	Minimal harm or potential for actual harm
Pattern	Minimal harm or potential for actual harm
Pattern	Minimal harm or potential for actual harm
Pattern	Minimal harm or potential for actual harm
Pattern	Minimal harm or potential for actual harm
Isolated	Minimal harm or potential for actual harm
Isolated	Minimal harm or potential for actual harm
Pattern	Minimal harm or potential for actual harm
Isolated	Minimal harm or potential for actual harm
Pattern	Minimal harm or potential for actual harm
Isolated	Minimal harm or potential for actual

Page 64 of 372 05/31/2011

Based on Nursing Home Compare - Survey Deficiency

	CENTER	AVENUE
055474	MAGNOLIA REHABILITATION & NURSING CENTER	8133 MAGNOLIA AVENUE
055474	MAGNOLIA REHABILITATION & NURSING CENTER	8133 MAGNOLIA AVENUE
055474	MAGNOLIA REHABILITATION & NURSING CENTER	8133 MAGNOLIA AVENUE
055474	MAGNOLIA REHABILITATION & NURSING CENTER	8133 MAGNOLIA AVENUE
055474	MAGNOLIA REHABILITATION & NURSING CENTER	8133 MAGNOLIA AVENUE
055474	MAGNOLIA REHABILITATION & NURSING CENTER	8133 MAGNOLIA AVENUE
055474	MAGNOLIA REHABILITATION & NURSING CENTER	8133 MAGNOLIA AVENUE
055474	MAGNOLIA REHABILITATION & NURSING CENTER	8133 MAGNOLIA AVENUE
055474	MAGNOLIA REHABILITATION & NURSING CENTER	8133 MAGNOLIA AVENUE
055474	MAGNOLIA REHABILITATION & NURSING	8133 MAGNOLIA

Page 65 of 372 05/31/2011

Based on Nursing Home Compare - Survey Deficiency

RIVERSIDE	CA	92504	(951) 688-4321	04/29/2008	05/27/2008
RIVERSIDE	CA	92504	(951) 688-4321	06/05/2009	07/17/2009
RIVERSIDE	CA	92504	(951) 688-4321	06/05/2009	07/17/2009
RIVERSIDE	CA	92504	(951) 688-4321	06/05/2009	07/17/2009
RIVERSIDE	CA	92504	(951) 688-4321	06/05/2009	07/17/2009
RIVERSIDE	CA	92504	(951) 688-4321	06/05/2009	07/17/2009
RIVERSIDE	CA	92504	(951) 688-4321	06/05/2009	07/17/2009
RIVERSIDE	CA	92504	(951) 688-4321	06/05/2009	07/17/2009
RIVERSIDE	CA	92504	(951) 688-4321	06/05/2009	07/17/2009
RIVERSIDE	CA	92504	(951) 688-4321	06/05/2009	07/17/2009

Page 66 of 372 05/31/2011

Based on Nursing Home Compare - Survey Deficiency

Ü		
		receptacles.
Fire Safety	Medical Gases and Anesthetizing Areas Deficiencies	proper medical gas storage and administration areas.
Health	Resident Rights Deficiencies	Allow residents to easily see the results of the nursing home's most recent survey.
Health	Mistreatment Deficiencies	Keep each resident free from physical restraints, unless needed for medical treatment.
Health	Mistreatment Deficiencies	Write and use policies that forbid mistreatment, neglect and abuse of residents and theft of residents' property.
Health	Resident Rights Deficiencies	Provide care in a way that keeps or builds each resident's dignity and self respect.
Health	Environmental Deficiencies	Provide needed housekeeping and maintenance.
Health	Resident Assessment Deficiencies	Make sure all assessments are accurate, coordinated by an RN, done by the right professional, and are signed by the person completing them.
Health	Resident Assessment Deficiencies	Develop a complete care plan that meets all of a resident's needs, with timetables and actions that can be measured.
Health	Quality Care Deficiencies	Give each resident care and services to get or keep the highest quality of life possible.
Health	Quality Care Deficiencies	Properly care for residents needing special

Page 67 of 372 05/31/2011

Based on Nursing Home Compare - Survey Deficiency

0 1	
	harm
Isolated	Minimal harm or potential for actual harm
Pattern	Potential for minimal harm
Pattern	Minimal harm or potential for actual harm
Isolated	Minimal harm or potential for actual harm
Isolated	Minimal harm or potential for actual harm
Pattern	Minimal harm or potential for actual harm
Isolated	Minimal harm or potential for actual harm
Isolated	Minimal harm or potential for actual harm
Isolated	Minimal harm or potential for actual harm
Isolated	Minimal harm or potential for actual

Page 68 of 372 05/31/2011

Based on Nursing Home Compare - Survey Deficiency

Based on Nursing Home Compare - Surve	by Deliciency		
	CENTER		AVENUE
055474	MAGNOLIA REHABILITATION CENTER	& NURSING	8133 MAGNOLIA AVENUE
055474	MAGNOLIA REHABILITATION CENTER	& NURSING	8133 MAGNOLIA AVENUE
055474	MAGNOLIA REHABILITATION CENTER	& NURSING	8133 MAGNOLIA AVENUE
055474	MAGNOLIA REHABILITATION CENTER	& NURSING	8133 MAGNOLIA AVENUE
055474	MAGNOLIA REHABILITATION CENTER	& NURSING	8133 MAGNOLIA AVENUE
055474	MAGNOLIA REHABILITATION CENTER	& NURSING	8133 MAGNOLIA AVENUE
055474	MAGNOLIA REHABILITATION CENTER	& NURSING	8133 MAGNOLIA AVENUE
055474	MAGNOLIA REHABILITATION CENTER	& NURSING	8133 MAGNOLIA AVENUE

Page 69 of 372 05/31/2011

Based on Nursing Home Compare - Survey Deficiency

Based on Nursing Home	Compare - Survey Di	enciency			
RIVERSIDE	CA	92504	(951) 688-4321	06/05/2009	07/17/2009
RIVERSIDE	CA	92504	(951) 688-4321	06/05/2009	07/17/2009
RIVERSIDE	CA	92504	(951) 688-4321	06/05/2009	07/17/2009
RIVERSIDE	CA	92504	(951) 688-4321	06/05/2009	07/17/2009
RIVERSIDE	CA	92504	(951) 688-4321	06/05/2009	07/17/2009
RIVERSIDE	CA	92504	(951) 688-4321	06/05/2009	07/17/2009
RIVERSIDE	CA	92504	(951) 688-4321	06/05/2009	07/17/2009
RIVERSIDE	CA	92504	(951) 688-4321	06/05/2009	07/17/2009

Page 70 of 372 05/31/2011

Based on Nursing Home Compare - Survey Deficiency

Based on Nursing Home	Compare - Survey Deticiency	
		services, including: injections, colostomy, ureostomy, ileostomy, tracheostomy care, tracheal suctioning, respiratory care, foot care, and prostheses.
Health	Pharmacy Service Deficiencies	<ol> <li>Make sure that residents who take drugs are not given too many doses or for too long;</li> <li>make sure that the use of drugs is carefully watched; or 3) stop or change drugs that cause unwanted effects.</li> </ol>
Health	Nutrition and Dietary Deficiencies	Make sure that the attending doctor orders special diets.
Health	Nutrition and Dietary Deficiencies	Store, cook, and give out food in a safe and clean way.
Health	Pharmacy Service Deficiencies	Properly mark drugs and other similar products.
Health	Environmental Deficiencies	Have a program to keep infection from spreading.
Health	Environmental Deficiencies	Keep all essential equipment working safely.
Health	Environmental Deficiencies	Make sure each resident has 1) at least one window to the outside in a room; 2) a room at or above ground level; 3) an adequate bed; 4) furniture that meets the resident's needs; or 5) enough closet space.
Health	Environmental Deficiencies	Make sure that the nursing home area is safe, easy to use, clean and comfortable.

Page 71 of 372 05/31/2011

Based on Nursing Home Compare - Survey Deficiency

	harm
Isolated	Minimal harm or potential for actual harm

Isolated	Minimal harm or potential for actual harm
Isolated	Minimal harm or potential for actual harm
Pattern	Minimal harm or potential for actual harm
Isolated	Minimal harm or potential for actual harm
Isolated	Minimal harm or potential for actual harm
Isolated	Minimal harm or potential for actual harm

Isolated	Minimal harm or potential for actual
	harm

Page 72 of 372 05/31/2011

Based on Nursing Home Compare - Survey Deficiency

CENTER  MAGNOLIA REHABILITATION & NURSING  O55474  MAGNOLIA REHABILITATION & NURSING  O55474  MAGNOLIA REHABILITATION & NURSING  CENTER  MAGNOLIA REHABILITATION & NURSING  O55474  MAGNOLIA REHABILITATION & NURSING  CENTER  MAGNOLIA REHABILITATION & NURSING  CENTER  MAGNOLIA REHABILITATION & NURSING  CENTER  MAGNOLIA REHABILITATION & NURSING  O55474  MAGNOLIA REHABILITATION & NURSING  CENTER  MAGNOLIA REHABILITATION & NURSING  O55474  MAGNOLIA REHABILITATION & NURSING
CENTER AVENUE  055474 MAGNOLIA REHABILITATION & NURSING AVENUE  055474 MAGNOLIA REHABILITATION & NURSING 8133 MAGNOLIA AVENUE
CENTER  MAGNOLIA REHABILITATION & NURSING CENTER  MAGNOLIA REHABILITATION & NURSING MAGNOLIA REHABILITATION & NURSING CENTER  MAGNOLIA REHABILITATION & NURSING MAGNOLIA REHABILITATION & NURSING CENTER  MAGNOLIA REHABILITATION & NURSING MAGNOLIA CENTER  MAGNOLIA REHABILITATION & NURSING MAGNOLIA  MAGNOLIA REHABILITATION & NURSING  8133 MAGNOLIA  8133 MAGNOLIA
CENTER  MAGNOLIA REHABILITATION & NURSING CENTER  MAGNOLIA REHABILITATION & NURSING MAGNOLIA REHABILITATION & NURSING CENTER  MAGNOLIA REHABILITATION & NURSING MAGNOLIA REHABILITATION & NURSING MAGNOLIA REHABILITATION & NURSING  8133 MAGNOLIA
CENTER AVENUE  055474 MAGNOLIA REHABILITATION & NURSING 8133 MAGNOLIA CENTER AVENUE  055474 MAGNOLIA REHABILITATION & NURSING 8133 MAGNOLIA
CENTER AVENUE 055474 MAGNOLIA REHABILITATION & NURSING 8133 MAGNOLIA
CENTER AVENUE
055474 MAGNOLIA REHABILITATION & NURSING 8133 MAGNOLIA CENTER AVENUE
055474 MAGNOLIA REHABILITATION & NURSING 8133 MAGNOLIA CENTER AVENUE
055474 MAGNOLIA REHABILITATION & NURSING 8133 MAGNOLIA CENTER AVENUE
055474 MAGNOLIA REHABILITATION & NURSING 8133 MAGNOLIA CENTER AVENUE
055474 MAGNOLIA REHABILITATION & NURSING 8133 MAGNOLIA CENTER AVENUE
055474 MAGNOLIA REHABILITATION & NURSING 8133 MAGNOLIA

Page 73 of 372 05/31/2011

Based on Nursing Home Compare - Survey Deficiency

		*			
RIVERSIDE	CA	92504	(951) 688-4321	06/05/2009	07/17/2009
RIVERSIDE	CA	92504	(951) 688-4321	06/10/2009	07/07/2009
RIVERSIDE	CA	92504	(951) 688-4321	06/10/2009	07/07/2009
RIVERSIDE	CA	92504	(951) 688-4321	06/10/2009	07/07/2009
RIVERSIDE	CA	92504	(951) 688-4321	06/10/2009	07/07/2009
RIVERSIDE	CA	92504	(951) 688-4321	06/10/2009	07/07/2009
RIVERSIDE	CA	92504	(951) 688-4321	06/10/2009	07/07/2009
RIVERSIDE	CA	92504	(951) 688-4321	06/10/2009	07/07/2009
RIVERSIDE	CA	92504	(951) 688-4321	06/10/2009	07/07/2009
RIVERSIDE	CA	92504	(951) 688-4321	06/10/2009	07/07/2009
RIVERSIDE	CA	92504	(951) 688-4321	06/10/2009	07/07/2009
RIVERSIDE	CA	92504	(951) 688-4321	06/10/2009	07/07/2009

Page 74 of 372 05/31/2011

Based on Nursing Home Compare - Survey Deficiency

		easy to use, clean and comfortable.
Health	Administration Deficiencies	Keep accurate and appropriate medical records.
Fire Safety	Building Construction Deficiencies	approved construction type or materials.
Fire Safety	Corridor Walls and Doors Deficiencies	corridor and hallway doors that block smoke.
Fire Safety	Smoke Compartmentation and Control Deficiencies	walls or barriers that prevent smoke from passing through and would resist fire for at least one hour.
Fire Safety	Smoke Compartmentation and Control Deficiencies	smoke barrier doors that can resist smoke for at least 20 minutes.
Fire Safety	Hazardous Area Deficiencies	construction that can resist fire for one hour or an approved fire extinguishing system.
Fire Safety	Emergency Plans and Fire Drills Deficiencies	record of quarterly fire drills for each shift under varying conditions.
Fire Safety	Fire Alarm Systems Deficiencies	a fire alarm system that can be heard throughout the facility.
Fire Safety	Automatic Sprinkler Systems Deficiencies	automatic sprinkler systems that have been maintained in working order.
Fire Safety	Automatic Sprinkler Systems Deficiencies	portable fire extinguishers.
Fire Safety	Miscellaneous Deficiencies	fire safety features required by current fire safety codes.
Fire Safety	Medical Gases and Anesthetizing Areas	no-smoking signs where oxygen is used.

Page 75 of 372 05/31/2011

Based on Nursing Home Compare - Survey Deficiency

J	harm
Isolated	Minimal harm or potential for actual harm
Pattern	Minimal harm or potential for actual harm
Isolated	Minimal harm or potential for actual harm
Pattern	Minimal harm or potential for actual harm
Isolated	Minimal harm or potential for actual harm
Isolated	Minimal harm or potential for actual harm
Pattern	Minimal harm or potential for actual harm
Pattern	Minimal harm or potential for actual harm
Isolated	Minimal harm or potential for actual harm
Isolated	Minimal harm or potential for actual harm
Pattern	Minimal harm or potential for actual harm
Pattern	Minimal harm or potential for actual

Page 76 of 372 05/31/2011

Based on Nursing Home Compare - Survey Deficiency

zacou ciritarenig ricino compano ca	ive, beneficiery	
	CENTER	AVENUE
055474	MAGNOLIA REHABILITATION & NURSING CENTER	8133 MAGNOLIA AVENUE
055474	MAGNOLIA REHABILITATION & NURSING CENTER	8133 MAGNOLIA AVENUE
055474	MAGNOLIA REHABILITATION & NURSING CENTER	8133 MAGNOLIA AVENUE
055474	MAGNOLIA REHABILITATION & NURSING CENTER	8133 MAGNOLIA AVENUE
055474	MAGNOLIA REHABILITATION & NURSING CENTER	8133 MAGNOLIA AVENUE
055474	MAGNOLIA REHABILITATION & NURSING CENTER	8133 MAGNOLIA AVENUE
055474	MAGNOLIA REHABILITATION & NURSING CENTER	8133 MAGNOLIA AVENUE
055474	MAGNOLIA REHABILITATION & NURSING CENTER	8133 MAGNOLIA AVENUE
055474	MAGNOLIA REHABILITATION & NURSING CENTER	8133 MAGNOLIA AVENUE
055474	MAGNOLIA REHABILITATION & NURSING CENTER	8133 MAGNOLIA AVENUE

Page 77 of 372 05/31/2011

Based on Nursing Home Compare - Survey Deficiency

RIVERSIDE CA 92504 (951) 688-4321 06/10/2009 07/07/2009  RIVERSIDE CA 92504 (951) 688-4321 06/15/2010 08/06/2010  RIVERSIDE CA 92504 (951) 688-4321 07/02/2010 07/22/2010  RIVERSIDE CA 92504 (951) 688-4321 07/02/2010 07/22/2010						
RIVERSIDE CA 92504 (951) 688-4321 06/15/2010 08/06/2010						
RIVERSIDE CA 92504 (951) 688-4321 06/15/2010 08/06/2010	RIVERSIDE	CA	92504	(951) 688-4321	06/10/2009	07/07/2009
RIVERSIDE CA 92504 (951) 688-4321 06/15/2010 08/06/2010	RIVERSIDE	CA	92504	(951) 688-4321	06/15/2010	08/06/2010
RIVERSIDE CA 92504 (951) 688-4321 06/15/2010 08/06/2010  RIVERSIDE CA 92504 (951) 688-4321 07/02/2010 07/22/2010	RIVERSIDE	CA	92504	(951) 688-4321	06/15/2010	08/06/2010
RIVERSIDE CA 92504 (951) 688-4321 06/15/2010 08/06/2010  RIVERSIDE CA 92504 (951) 688-4321 06/15/2010 08/06/2010  RIVERSIDE CA 92504 (951) 688-4321 06/15/2010 08/06/2010  RIVERSIDE CA 92504 (951) 688-4321 07/02/2010 07/22/2010	RIVERSIDE	CA	92504	(951) 688-4321	06/15/2010	08/06/2010
RIVERSIDE CA 92504 (951) 688-4321 06/15/2010 08/06/2010  RIVERSIDE CA 92504 (951) 688-4321 06/15/2010 08/06/2010  RIVERSIDE CA 92504 (951) 688-4321 07/02/2010 07/22/2010	RIVERSIDE	CA	92504	(951) 688-4321	06/15/2010	08/06/2010
RIVERSIDE CA 92504 (951) 688-4321 06/15/2010 08/06/2010  RIVERSIDE CA 92504 (951) 688-4321 07/02/2010 07/22/2010	RIVERSIDE	CA	92504	(951) 688-4321	06/15/2010	08/06/2010
RIVERSIDE CA 92504 (951) 688-4321 07/02/2010 07/22/2010	RIVERSIDE	CA	92504	(951) 688-4321	06/15/2010	08/06/2010
` '	RIVERSIDE	CA	92504	(951) 688-4321	06/15/2010	08/06/2010
RIVERSIDE CA 92504 (951) 688-4321 07/02/2010 07/22/2010	RIVERSIDE	CA	92504	(951) 688-4321	07/02/2010	07/22/2010
	RIVERSIDE	CA	92504	(951) 688-4321	07/02/2010	07/22/2010

Page 78 of 372 05/31/2011

Based on Nursing Home Compare - Survey Deficiency

Dadoca on Ivaroning Florino	Compare - Survey Deliciency	
	Deficiencies	
Fire Safety	Electrical Deficiencies	properly installed electrical wiring and equipment.
Health	Resident Rights Deficiencies	Let each resident choose a personal doctor.
Health	Resident Rights Deficiencies	Help and prepare each resident for a safe and easy discharge and transfer from the nursing home.
Health	Resident Rights Deficiencies	Tell the resident or the resident's representative in writing how long the nursing home will hold the resident's bed when the resident temporarily leaves the facility.
Health	Quality Care Deficiencies	Provide social services for related medical problems to help each resident achieve the highest possible quality of life.
Health	Nutrition and Dietary Deficiencies	Store, cook, and give out food in a safe and clean way.
Health	Pharmacy Service Deficiencies	Properly mark drugs and other similar products.
Health	Environmental Deficiencies	Have a program to keep infection from spreading.
Fire Safety	Building Construction Deficiencies	approved construction type or materials.
Fire Safety	Corridor Walls and Doors Deficiencies	corridor and hallway doors that block smoke.

Page 79 of 372 05/31/2011

Based on Nursing Home Compare - Survey Deficiency

3	
	harm
Isolated	Minimal harm or potential for actual harm
Isolated	Minimal harm or potential for actual harm
Isolated	Minimal harm or potential for actual harm
Isolated	Minimal harm or potential for actual harm
Isolated	Minimal harm or potential for actual harm
Pattern	Minimal harm or potential for actual harm
Isolated	Minimal harm or potential for actual harm
Pattern	Minimal harm or potential for actual harm
Isolated	Minimal harm or potential for actual harm
Isolated	Minimal harm or potential for actual harm

Page 80 of 372 05/31/2011

Based on Nursing Home Compare - Survey Deficiency

055474	MAGNOLIA REHABILITATION & NURSING CENTER	8133 MAGNOLIA AVENUE
055474	MAGNOLIA REHABILITATION & NURSING CENTER	8133 MAGNOLIA AVENUE
055474	MAGNOLIA REHABILITATION & NURSING CENTER	8133 MAGNOLIA AVENUE
055474	MAGNOLIA REHABILITATION & NURSING CENTER	8133 MAGNOLIA AVENUE
055542	MISSION CARE CENTER	8487 MAGNOLIA AVENUE
055542	MISSION CARE CENTER	8487 MAGNOLIA AVENUE
055542	MISSION CARE CENTER	8487 MAGNOLIA AVENUE
055542	MISSION CARE CENTER	8487 MAGNOLIA AVENUE
055542	MISSION CARE CENTER	8487 MAGNOLIA AVENUE

Page 81 of 372 05/31/2011

Based on Nursing Home Compare - Survey Deficiency

Bacca cirrareing monie of	ompare - ourvey benotericy				
RIVERSIDE	CA	92504	(951) 688-4321	07/02/2010	07/22/2010
RIVERSIDE	CA	92504	(951) 688-4321	07/02/2010	07/22/2010
RIVERSIDE	CA	92504	(951) 688-4321	07/02/2010	07/22/2010
RIVERSIDE	CA	92504	(951) 688-4321	07/02/2010	07/22/2010
RIVERSIDE	CA	92504	(951) 688-2222	10/06/2008	10/24/2008
RIVERSIDE	CA	92504	(951) 688-2222	10/06/2008	10/24/2008
RIVERSIDE	CA	92504	(951) 688-2222	10/06/2008	10/24/2008
RIVERSIDE	CA	92504	(951) 688-2222	10/06/2008	10/24/2008
RIVERSIDE	CA	92504	(951) 688-2222	10/06/2008	10/24/2008

Page 82 of 372 05/31/2011

Based on Nursing Home Compare - Survey Deficiency

Fire Safety	Smoke Compartmentation and Control Deficiencies	smoke barrier doors that can resist smoke for at least 20 minutes.
Fire Safety	Automatic Sprinkler Systems Deficiencies	automatic sprinkler systems that have been maintained in working order.
Fire Safety	Miscellaneous Deficiencies	fire safety features required by current fire safety codes.
Fire Safety	Electrical Deficiencies	properly installed electrical wiring and equipment.
Health	Resident Rights Deficiencies	Let residents give themselves their drugs if they are able.
Health	Mistreatment Deficiencies	Write and use policies that forbid mistreatment, neglect and abuse of residents and theft of residents' property.
Health	Quality Care Deficiencies	Give each resident care and services to get or keep the highest quality of life possible.
Health	Quality Care Deficiencies	Make sure that residents receive treatment/services to continue to be able to care for themselves, unless a change is unavoidable.
Health	Quality Care Deficiencies	Give proper treatment to residents with feeding tubes to prevent problems (such as aspiration pneumonia, diarrhea, vomiting, dehydration, metabolic abnormalities, nasal-pharyngeal ulcers) and help restore eating skills, if possible.

Page 83 of 372 05/31/2011

Based on Nursing Home Compare - Survey Deficiency

Isolated	Minimal harm or potential for actual harm
Isolated	Minimal harm or potential for actual harm
Isolated	Minimal harm or potential for actual harm
Isolated	Minimal harm or potential for actual harm
Isolated	Minimal harm or potential for actual harm
Isolated	Minimal harm or potential for actual harm
Isolated	Minimal harm or potential for actual harm
Isolated	Minimal harm or potential for actual harm
Isolated	Minimal harm or potential for actual harm

Page 84 of 372 05/31/2011

Based on Nursing Home Compare - Survey Deficiency

055542	MISSION CARE CENTER	8487 MAGNOLIA AVENUE
055542	MISSION CARE CENTER	8487 MAGNOLIA AVENUE
055542	MISSION CARE CENTER	8487 MAGNOLIA AVENUE
055542	MISSION CARE CENTER	8487 MAGNOLIA AVENUE
055542	MISSION CARE CENTER	8487 MAGNOLIA AVENUE
055542	MISSION CARE CENTER	8487 MAGNOLIA AVENUE
055542	MISSION CARE CENTER	8487 MAGNOLIA AVENUE
055542	MISSION CARE CENTER	8487 MAGNOLIA AVENUE
055542	MISSION CARE CENTER	8487 MAGNOLIA AVENUE
055542	MISSION CARE CENTER	8487 MAGNOLIA AVENUE

Page 85 of 372 05/31/2011

Based on Nursing Home Compare - Survey Deficiency

RIVERSIDE	CA	92504	(951) 688-2222	10/06/2008	10/24/2008
RIVERSIDE	CA	92504	(951) 688-2222	10/06/2008	10/24/2008
RIVERSIDE	CA	92504	(951) 688-2222	10/06/2008	10/24/2008
RIVERSIDE	CA	92504	(951) 688-2222	10/06/2008	10/24/2008
RIVERSIDE	CA	92504	(951) 688-2222	10/06/2008	10/24/2008
RIVERSIDE	CA	92504	(951) 688-2222	10/20/2008	11/13/2008
RIVERSIDE	CA	92504	(951) 688-2222	10/20/2008	11/13/2008
RIVERSIDE	CA	92504	(951) 688-2222	10/20/2008	11/13/2008
RIVERSIDE	CA	92504	(951) 688-2222	10/20/2008	11/13/2008
RIVERSIDE	CA	92504	(951) 688-2222	10/20/2008	11/13/2008

Page 86 of 372 05/31/2011

Based on Nursing Home Compare - Survey Deficiency

Health	Pharmacy Service Deficiencies	<ol> <li>Make sure that residents who take drugs are not given too many doses or for too long;</li> <li>make sure that the use of drugs is carefully watched; or 3) stop or change drugs that cause unwanted effects.</li> </ol>
Health	Nutrition and Dietary Deficiencies	Store, cook, and give out food in a safe and clean way.
Health	Environmental Deficiencies	Provide rooms that are big enough for each resident.
Health	Environmental Deficiencies	Make sure that a working call system is available in each resident's room or bathroom and bathing area.
Health	Administration Deficiencies	Keep accurate and appropriate medical records.
Fire Safety	Building Construction Deficiencies	approved construction type or materials.
Fire Safety	Smoke Compartmentation and Control Deficiencies	walls or barriers that prevent smoke from passing through and would resist fire for at least one hour.
Fire Safety	Hazardous Area Deficiencies	construction that can resist fire for one hour or an approved fire extinguishing system.
Fire Safety	Automatic Sprinkler Systems Deficiencies	automatic sprinkler systems that have been maintained in working order.
Fire Safety	Smoking Regulations Deficiencies	posted "No-smoking" signs in areas where smoking is not permitted or did not provide ashtrays where smoking was allowed.

Page 87 of 372 05/31/2011

Based on Nursing Home Compare - Survey Deficiency

Isolated	Minimal harm or	potential for actual

harm

Widespread	Minimal harm or potential for actual harm
Pattern	Potential for minimal harm
Isolated	Minimal harm or potential for actual harm
Isolated	Minimal harm or potential for actual harm
Isolated	Minimal harm or potential for actual harm
Isolated	Minimal harm or potential for actual harm
Pattern	Potential for minimal harm
Widespread	Potential for minimal harm
Isolated	Minimal harm or potential for actual harm

Page 88 of 372 05/31/2011

Based on Nursing Home Compare - Survey Deficiency

055542	MISSION CARE CENTER	8487 MAGNOLIA AVENUE
055542	MISSION CARE CENTER	8487 MAGNOLIA AVENUE
055542	MISSION CARE CENTER	8487 MAGNOLIA AVENUE
055542	MISSION CARE CENTER	8487 MAGNOLIA AVENUE
055542	MISSION CARE CENTER	8487 MAGNOLIA AVENUE
055542	MISSION CARE CENTER	8487 MAGNOLIA AVENUE
055542	MISSION CARE CENTER	8487 MAGNOLIA AVENUE
055542	MISSION CARE CENTER	8487 MAGNOLIA AVENUE

Page 89 of 372 05/31/2011

Based on Nursing Home Compare - Survey Deficiency

RIVERSIDE	CA	92504	(951) 688-2222	10/20/2008	11/13/2008
RIVERSIDE	CA	92504	(951) 688-2222	11/05/2009	12/11/2009
RIVERSIDE	CA	92504	(951) 688-2222	11/05/2009	12/11/2009
RIVERSIDE	CA	92504	(951) 688-2222	11/05/2009	12/11/2009
RIVERSIDE	CA	92504	(951) 688-2222	11/05/2009	12/11/2009
RIVERSIDE	CA	92504	(951) 688-2222	11/05/2009	12/11/2009
RIVERSIDE	CA	92504	(951) 688-2222	11/05/2009	12/11/2009
RIVERSIDE	CA	92504	(951) 688-2222	11/05/2009	12/11/2009

Page 90 of 372 05/31/2011

Based on Nursing Home Compare - Survey Deficiency

		ashtrays where smoking was allowed.
Fire Safety	Furnishings and Decorations Deficiencies	exits that are free from obstructions and can be used at all times.
Health	Environmental Deficiencies	Keep safe, clean and homelike surroundings.
Health	Resident Assessment Deficiencies	Make sure all assessments are accurate, coordinated by an RN, done by the right professional, and are signed by the person completing them.
Health	Resident Assessment Deficiencies	Develop a complete care plan that meets all of a resident's needs, with timetables and actions that can be measured.
Health	Resident Assessment Deficiencies	1) Develop a complete care plan within 7 days of each resident's admission; 2) prepare a care plan with the care team, including the primary nurse, doctor, resident or resident's family or representative; or 3) check and update the care plan.
Health	Resident Assessment Deficiencies	Keep assessments completed in the preceding 15 months in the resident's active record.
Health	Quality Care Deficiencies	Give each resident care and services to get or keep the highest quality of life possible.
Health	Quality Care Deficiencies	Properly care for residents needing special services, including: injections, colostomy, ureostomy, ileostomy, tracheostomy care, tracheal suctioning, respiratory care, foot care,

Page 91 of 372 05/31/2011

Based on Nursing Home Compare - Survey Deficiency

Isolated	Minimal harm or potential for actual harm
Pattern	Minimal harm or potential for actual harm
Isolated	Minimal harm or potential for actual harm
Isolated	Minimal harm or potential for actual harm
Isolated	Minimal harm or potential for actual harm

Isolated	Minimal harm or potential for actual harm
Isolated	Minimal harm or potential for actual harm
Isolated	Minimal harm or potential for actual harm

Page 92 of 372 05/31/2011

Based on Nursing Home Compare - Survey Deficiency

20000 011 1 to 100 10 10 10 10 10 10 10 10 10 10 10 10	. 6, 2 6.16.6.16,	
055542	MISSION CARE CENTER	8487 MAGNOLIA AVENUE
055542	MISSION CARE CENTER	8487 MAGNOLIA AVENUE
055542	MISSION CARE CENTER	8487 MAGNOLIA AVENUE
055542	MISSION CARE CENTER	8487 MAGNOLIA AVENUE
055542	MISSION CARE CENTER	8487 MAGNOLIA AVENUE
055542	MISSION CARE CENTER	8487 MAGNOLIA AVENUE
055542	MISSION CARE CENTER	8487 MAGNOLIA AVENUE
055542	MISSION CARE CENTER	8487 MAGNOLIA AVENUE
055542	MISSION CARE CENTER	8487 MAGNOLIA AVENUE
055542	MISSION CARE CENTER	8487 MAGNOLIA AVENUE
055542	MISSION CARE CENTER	8487 MAGNOLIA AVENUE

Page 93 of 372 05/31/2011

Based on Nursing Home Compare - Survey Deficiency

RIVERSIDE	CA	92504	(951) 688-2222	11/05/2009	12/11/2009
RIVERSIDE	CA	92504	(951) 688-2222	11/05/2009	12/11/2009
RIVERSIDE	CA	92504	(951) 688-2222	11/05/2009	12/11/2009
RIVERSIDE	CA	92504	(951) 688-2222	11/05/2009	12/11/2009
RIVERSIDE	CA	92504	(951) 688-2222	11/05/2009	12/11/2009
RIVERSIDE	CA	92504	(951) 688-2222	11/18/2009	12/17/2009
RIVERSIDE	CA	92504	(951) 688-2222	11/18/2009	12/17/2009
RIVERSIDE	CA	92504	(951) 688-2222	11/18/2009	12/17/2009
RIVERSIDE	CA	92504	(951) 688-2222	11/18/2009	12/17/2009
RIVERSIDE	CA	92504	(951) 688-2222	11/18/2009	12/17/2009
RIVERSIDE	CA	92504	(951) 688-2222	11/18/2009	12/17/2009

Page 94 of 372 05/31/2011

Based on Nursing Home Compare - Survey Deficiency

9		
		tracheal suctioning, respiratory care, foot care, and prostheses.
Health	Nutrition and Dietary Deficiencies	Make sure that residents are well nourished.
Health	Nutrition and Dietary Deficiencies	Store, cook, and give out food in a safe and clean way.
Health	Pharmacy Service Deficiencies	Properly mark drugs and other similar products.
Health	Environmental Deficiencies	Have a program to keep infection from spreading.
Health	Environmental Deficiencies	Provide rooms that are big enough for each resident.
Fire Safety	Smoke Compartmentation and Control Deficiencies	smoke barrier doors that can resist smoke for at least 20 minutes.
Fire Safety	Emergency Plans and Fire Drills Deficiencies	record of quarterly fire drills for each shift under varying conditions.
Fire Safety	Fire Alarm Systems Deficiencies	an approved installation, maintenance and testing program for fire alarm systems.
Fire Safety	Fire Alarm Systems Deficiencies	properly maintained smoke detectors.
Fire Safety	Automatic Sprinkler Systems Deficiencies	automatic sprinkler systems that have been maintained in working order.
Fire Safety	Building Service Equipment Deficiencies	heating and ventilation systems that have been properly installed according to the manufacturer's instructions.

Page 95 of 372 05/31/2011

Based on Nursing Home Compare - Survey Deficiency

0 1	,
Isolated	Minimal harm or potential for actual harm
Pattern	Minimal harm or potential for actual harm
Pattern	Minimal harm or potential for actual harm
Isolated	Minimal harm or potential for actual harm
Pattern	Potential for minimal harm
Widespread	Minimal harm or potential for actual harm
Widespread	Potential for minimal harm
Widespread	Minimal harm or potential for actual harm
Widespread	Potential for minimal harm
Pattern	Minimal harm or potential for actual harm
Widespread	Potential for minimal harm

Page 96 of 372 05/31/2011

Based on Nursing Home Compare - Survey Deficiency

055542	MISSION CARE CENTER	8487 MAGNOLIA AVENUE
055542	MISSION CARE CENTER	8487 MAGNOLIA AVENUE
055542	MISSION CARE CENTER	8487 MAGNOLIA AVENUE
055542	MISSION CARE CENTER	8487 MAGNOLIA AVENUE
055542	MISSION CARE CENTER	8487 MAGNOLIA AVENUE
055542	MISSION CARE CENTER	8487 MAGNOLIA AVENUE
055542	MISSION CARE CENTER	8487 MAGNOLIA AVENUE
055542	MISSION CARE CENTER	8487 MAGNOLIA AVENUE
055542	MISSION CARE CENTER	8487 MAGNOLIA AVENUE
055542	MISSION CARE CENTER	8487 MAGNOLIA AVENUE

Page 97 of 372 05/31/2011

Based on Nursing Home Compare - Survey Deficiency

3	ompare Garrey Beneforier				
RIVERSIDE	CA	92504	(951) 688-2222	11/18/2009	12/17/2009
RIVERSIDE	CA	92504	(951) 688-2222	11/18/2009	12/17/2009
RIVERSIDE	CA	92504	(951) 688-2222	11/18/2009	12/17/2009
RIVERSIDE	CA	92504	(951) 688-2222	11/18/2009	12/17/2009
RIVERSIDE	CA	92504	(951) 688-2222	10/29/2010	12/23/2010
RIVERSIDE	CA	92504	(951) 688-2222	10/29/2010	12/23/2010
RIVERSIDE	CA	92504	(951) 688-2222	10/29/2010	12/23/2010
RIVERSIDE	CA	92504	(951) 688-2222	10/29/2010	12/23/2010
RIVERSIDE	CA	92504	(951) 688-2222	10/29/2010	12/23/2010
RIVERSIDE	CA	92504	(951) 688-2222	10/29/2010	12/23/2010

Page 98 of 372 05/31/2011

Based on Nursing Home Compare - Survey Deficiency

Fire Safety	Building Service Equipment Deficiencies	properly protected cooking facilities.
Fire Safety	Electrical Deficiencies	the appropriate emergency electrical equipment.
Fire Safety	Electrical Deficiencies	properly installed electrical wiring and equipment.
Fire Safety	Hazardous Area Deficiencies	properly installed hallway dispensers for alcohol-based hand rub.
Health	Resident Rights Deficiencies	Tell each resident who can get Medicaid benefits about 1) which items and services Medicaid covers and which the resident must pay for; or 2) how to apply for Medicaid, along with the names and addresses of State groups that can help.
Health	Mistreatment Deficiencies	Keep each resident free from physical restraints, unless needed for medical treatment.
Health	Mistreatment Deficiencies	Write and use policies that forbid mistreatment, neglect and abuse of residents and theft of residents' property.
Health	Resident Rights Deficiencies	Provide services to meet the needs and preferences of each resident.
Health	Quality Care Deficiencies	Provide activities to meet the needs of each resident.
Health	Resident Assessment Deficiencies	Develop a complete care plan that meets all of a resident's needs, with timetables and actions

Page 99 of 372 05/31/2011

Based on Nursing Home Compare - Survey Deficiency

Isolated Minimal harm or potential for actual harm  Pattern Minimal harm or potential for actual harm  Pattern Minimal harm or potential for actual harm  Isolated Minimal harm or potential for actual harm		
harm  Pattern  Minimal harm or potential for actual harm  Isolated  Minimal harm or potential for actual	Isolated	
Isolated Minimal harm or potential for actual harm  Isolated Minimal harm or potential for actual	Pattern	•
Isolated Minimal harm or potential for actual harm  Isolated Minimal harm or potential for actual	Pattern	
Isolated  Minimal harm or potential for actual harm	Isolated	·
Isolated  Minimal harm or potential for actual harm  Isolated  Minimal harm or potential for actual	Isolated	•
Isolated  Minimal harm or potential for actual harm  Isolated  Minimal harm or potential for actual harm  Isolated  Minimal harm or potential for actual harm	Isolated	•
harm  Isolated Minimal harm or potential for actual harm  Isolated Minimal harm or potential for actual	Isolated	•
lsolated Minimal harm or potential for actual	Isolated	·
	Isolated	
	Isolated	·

Page 100 of 372 05/31/2011

Based on Nursing Home Compare - Survey Deficiency

		AVENUE
055542	MISSION CARE CENTER	8487 MAGNOLIA AVENUE
055542	MISSION CARE CENTER	8487 MAGNOLIA AVENUE
055542	MISSION CARE CENTER	8487 MAGNOLIA AVENUE
055542	MISSION CARE CENTER	8487 MAGNOLIA AVENUE
055542	MISSION CARE CENTER	8487 MAGNOLIA AVENUE
055542	MISSION CARE CENTER	8487 MAGNOLIA AVENUE
055542	MISSION CARE CENTER	8487 MAGNOLIA AVENUE
055542	MISSION CARE CENTER	8487 MAGNOLIA AVENUE
055542	MISSION CARE CENTER	8487 MAGNOLIA AVENUE

Page 101 of 372 05/31/2011

Based on Nursing Home Compare - Survey Deficiency

RIVERSIDE	CA	92504	(951) 688-2222	10/29/2010	12/23/2010
RIVERSIDE	CA	92504	(951) 688-2222	10/29/2010	12/23/2010
RIVERSIDE	CA	92504	(951) 688-2222	10/29/2010	12/23/2010
RIVERSIDE	CA	92504	(951) 688-2222	10/29/2010	12/23/2010
RIVERSIDE	CA	92504	(951) 688-2222	10/29/2010	12/23/2010
RIVERSIDE	CA	92504	(951) 688-2222	10/29/2010	12/23/2010
RIVERSIDE	CA	92504	(951) 688-2222	10/29/2010	12/23/2010
RIVERSIDE	CA	92504	(951) 688-2222	10/29/2010	12/23/2010
RIVERSIDE	CA	92504	(951) 688-2222	10/29/2010	12/23/2010

Page 102 of 372 05/31/2011

Based on Nursing Home Compare - Survey Deficiency

		a resident's needs, with timetables and actions that can be measured.
Health	Quality Care Deficiencies	Make sure that each resident's nutritional needs were met.
Health	Quality Care Deficiencies	Properly care for residents needing special services, including: injections, colostomy, ureostomy, ileostomy, tracheostomy care, tracheal suctioning, respiratory care, foot care, and prostheses.
Health	Nutrition and Dietary Deficiencies	Make sure that the attending doctor orders special diets.
Health	Nutrition and Dietary Deficiencies	Store, cook, and give out food in a safe and clean way.
Health	Environmental Deficiencies	Get rid of garbage properly.
Health	Pharmacy Service Deficiencies	Have drugs and other similar products available, which are needed every day and in emergencies, and give them out properly.
Health	Environmental Deficiencies	Have a program to keep infection from spreading.
Health	Environmental Deficiencies	Make sure that a working call system is available in each resident's room or bathroom and bathing area.
Health	Environmental Deficiencies	Make sure that the nursing home area is safe, easy to use, clean and comfortable.

Page 103 of 372 05/31/2011

Based on Nursing Home Compare - Survey Deficiency

ŀ	2	וב	rı	n
- 1	10	11	ı	ш

Isolated	Minimal harm or potential for actual harm
Pattern	Minimal harm or potential for actual harm
Isolated	Minimal harm or potential for actual harm
Isolated	Minimal harm or potential for actual harm
Isolated	Minimal harm or potential for actual harm
Isolated	Minimal harm or potential for actual harm
Isolated	Minimal harm or potential for actual harm
Isolated	Minimal harm or potential for actual harm
Isolated	Minimal harm or potential for actual harm

Page 104 of 372 05/31/2011

Based on Nursing Home Compare - Survey Deficiency

055542	MISSION CARE CENTER	8487 MAGNOLIA AVENUE
055542	MISSION CARE CENTER	8487 MAGNOLIA AVENUE
055542	MISSION CARE CENTER	8487 MAGNOLIA AVENUE
055542	MISSION CARE CENTER	8487 MAGNOLIA AVENUE
055542	MISSION CARE CENTER	8487 MAGNOLIA AVENUE
055542	MISSION CARE CENTER	8487 MAGNOLIA AVENUE
055542	MISSION CARE CENTER	8487 MAGNOLIA AVENUE
055542	MISSION CARE CENTER	8487 MAGNOLIA AVENUE
055542	MISSION CARE CENTER	8487 MAGNOLIA AVENUE
056162	EXTENDED CARE HOSPITAL OF RIVERSIDE	8171 MAGNOLIA AVENUE

056162	EXTENDED CARE HOSPITAL OF RIVERSIDE	8171 MAGNOLIA

Page 105 of 372 05/31/2011

Based on Nursing Home Compare - Survey Deficiency

RIVERSIDE	CA	92504	(951) 688-2222	10/29/2010	12/23/2010
RIVERSIDE	CA	92504	(951) 688-2222	11/01/2010	11/29/2010
RIVERSIDE	CA	92504	(951) 688-2222	11/01/2010	11/29/2010
RIVERSIDE	CA	92504	(951) 688-2222	11/01/2010	11/29/2010
RIVERSIDE	CA	92504	(951) 688-2222	11/01/2010	11/29/2010
RIVERSIDE	CA	92504	(951) 688-2222	11/01/2010	11/29/2010
RIVERSIDE	CA	92504	(951) 688-2222	11/01/2010	11/29/2010
RIVERSIDE	CA	92504	(951) 688-2222	11/01/2010	11/29/2010
RIVERSIDE	CA	92504	(951) 688-2222	11/01/2010	11/29/2010
RIVERSIDE	CA	92504	(951) 687-3842	05/15/2008	06/16/2008

	RIVERSIDE	CA	92504	(951) 687-3842	05/15/2008	06/16/2008	
--	-----------	----	-------	----------------	------------	------------	--

Page 106 of 372 05/31/2011

Based on Nursing Home Compare - Survey Deficiency

Health	Administration Deficiencies	Set up or keep a group of people to review and ensure quality.
Fire Safety	Exits and Egress Deficiencies	rooms that can be unlocked from inside without a key.
Fire Safety	Illumination and Emergency Power Deficiencies	properly located and lighted "Exit" signs.
Fire Safety	Fire Alarm Systems Deficiencies	an approved installation, maintenance and testing program for fire alarm systems.
Fire Safety	Automatic Sprinkler Systems Deficiencies	automatic sprinkler systems that have been maintained in working order.
Fire Safety	Automatic Sprinkler Systems Deficiencies	portable fire extinguishers.
Fire Safety	Medical Gases and Anesthetizing Areas Deficiencies	proper medical gas storage and administration areas.
Fire Safety	Electrical Deficiencies	weekly inspections and monthly testing of generators.
Fire Safety	Electrical Deficiencies	properly installed electrical wiring and equipment.
Health	Resident Rights Deficiencies	Tell each resident who can get Medicaid benefits about 1) which items and services Medicaid covers and which the resident must pay for; or 2) how to apply for Medicaid, along with the names and addresses of State groups that can help.
Health	Resident Rights Deficiencies	Quickly give a resident's personal money to

Page 107 of 372 05/31/2011

Based on Nursing Home Compare - Survey Deficiency

Pattern	Minimal harm or potential for actual harm
Isolated	Minimal harm or potential for actual harm
Isolated	Minimal harm or potential for actual harm
Pattern	Minimal harm or potential for actual harm
Pattern	Minimal harm or potential for actual harm
Isolated	Minimal harm or potential for actual harm
Isolated	Minimal harm or potential for actual harm
Pattern	Minimal harm or potential for actual harm
Pattern	Minimal harm or potential for actual harm
Pattern	Minimal harm or potential for actual harm

Isolated	Minimal harm or potential for actual	

Page 108 of 372 05/31/2011

Based on Nursing Home Compare - Survey Deficiency

Based on Nursing Home Compare - Surv	vey Deficiency	
		AVENUE
056162	EXTENDED CARE HOSPITAL OF RIVERSIDE	8171 MAGNOLIA AVENUE
056162	EXTENDED CARE HOSPITAL OF RIVERSIDE	8171 MAGNOLIA AVENUE
056162	EXTENDED CARE HOSPITAL OF RIVERSIDE	8171 MAGNOLIA AVENUE
056162	EXTENDED CARE HOSPITAL OF RIVERSIDE	8171 MAGNOLIA AVENUE
056162	EXTENDED CARE HOSPITAL OF RIVERSIDE	8171 MAGNOLIA AVENUE
056162	EXTENDED CARE HOSPITAL OF RIVERSIDE	8171 MAGNOLIA AVENUE
056162	EXTENDED CARE HOSPITAL OF RIVERSIDE	8171 MAGNOLIA AVENUE
056162	EXTENDED CARE HOSPITAL OF RIVERSIDE	8171 MAGNOLIA AVENUE
056162	EXTENDED CARE HOSPITAL OF RIVERSIDE	8171 MAGNOLIA AVENUE

Page 109 of 372 05/31/2011

Based on Nursing Home Compare - Survey Deficiency

Bacca on randing mone					
RIVERSIDE	CA	92504	(951) 687-3842	05/15/2008	06/16/2008
RIVERSIDE	CA	92504	(951) 687-3842	05/15/2008	06/16/2008
RIVERSIDE	CA	92504	(951) 687-3842	05/15/2008	06/16/2008
RIVERSIDE	CA	92504	(951) 687-3842	05/15/2008	06/16/2008
RIVERSIDE	CA	92504	(951) 687-3842	05/15/2008	06/16/2008
RIVERSIDE	CA	92504	(951) 687-3842	05/15/2008	06/16/2008
RIVERSIDE	CA	92504	(951) 687-3842	05/15/2008	06/16/2008
RIVERSIDE	CA	92504	(951) 687-3842	05/15/2008	06/16/2008
RIVERSIDE	CA	92504	(951) 687-3842	05/15/2008	06/16/2008

Page 110 of 372 05/31/2011

Based on Nursing Home Compare - Survey Deficiency

		the heads of his or her estate after the resident's death.
Health	Resident Rights Deficiencies	Allow residents to easily see the results of the nursing home's most recent survey.
Health	Resident Rights Deficiencies	Provide care in a way that keeps or builds each resident's dignity and self respect.
Health	Resident Assessment Deficiencies	1) Develop a complete care plan within 7 days of each resident's admission; 2) prepare a care plan with the care team, including the primary nurse, doctor, resident or resident's family or representative; or 3) check and update the care plan.
Health	Quality Care Deficiencies	Give each resident care and services to get or keep the highest quality of life possible.
Health	Nutrition and Dietary Deficiencies	Make sure that residents are well nourished.
Health	Nutrition and Dietary Deficiencies	Make sure that the attending doctor orders special diets.
Health	Nutrition and Dietary Deficiencies	Store, cook, and give out food in a safe and clean way.
Health	Pharmacy Service Deficiencies	Have drugs and other similar products available, which are needed every day and in emergencies, and give them out properly.
Health	Pharmacy Service Deficiencies	Properly mark drugs and other similar products.

Page 111 of 372 05/31/2011

Based on Nursing Home Compare - Survey Deficiency

	harm
Widespread	Potential for minimal harm
Isolated	Minimal harm or potential for actual harm
Isolated	Minimal harm or potential for actual harm

Isolated	Minimal harm or potential for actual harm
Pattern	Potential for minimal harm
Isolated	Minimal harm or potential for actual harm
Widespread	Potential for minimal harm
Pattern	Minimal harm or potential for actual harm
Isolated	Minimal harm or potential for actual harm

Page 112 of 372 05/31/2011

Based on Nursing Home Compare - Survey Deficiency

Bacca on Harding Home Compare		
056162	EXTENDED CARE HOSPITAL OF RIVERSIDE	8171 MAGNOLIA AVENUE
056162	EXTENDED CARE HOSPITAL OF RIVERSIDE	8171 MAGNOLIA AVENUE
056162	EXTENDED CARE HOSPITAL OF RIVERSIDE	8171 MAGNOLIA AVENUE
056162	EXTENDED CARE HOSPITAL OF RIVERSIDE	8171 MAGNOLIA AVENUE
056162	EXTENDED CARE HOSPITAL OF RIVERSIDE	8171 MAGNOLIA AVENUE
056162	EXTENDED CARE HOSPITAL OF RIVERSIDE	8171 MAGNOLIA AVENUE
056162	EXTENDED CARE HOSPITAL OF RIVERSIDE	8171 MAGNOLIA AVENUE
056162	EXTENDED CARE HOSPITAL OF RIVERSIDE	8171 MAGNOLIA AVENUE
056162	EXTENDED CARE HOSPITAL OF RIVERSIDE	8171 MAGNOLIA AVENUE
056162	EXTENDED CARE HOSPITAL OF RIVERSIDE	8171 MAGNOLIA AVENUE
056162	EXTENDED CARE HOSPITAL OF RIVERSIDE	8171 MAGNOLIA AVENUE
056162	EXTENDED CARE HOSPITAL OF RIVERSIDE	8171 MAGNOLIA AVENUE
056162	EXTENDED CARE HOSPITAL OF RIVERSIDE	8171 MAGNOLIA

Page 113 of 372 05/31/2011

Based on Nursing Home Compare - Survey Deficiency

based off Nursing Florine	Compare Curvey D	renderioy			
RIVERSIDE	CA	92504	(951) 687-3842	06/04/2008	06/23/2008
RIVERSIDE	CA	92504	(951) 687-3842	06/04/2008	06/23/2008
RIVERSIDE	CA	92504	(951) 687-3842	06/04/2008	06/23/2008
RIVERSIDE	CA	92504	(951) 687-3842	06/04/2008	06/23/2008
RIVERSIDE	CA	92504	(951) 687-3842	06/04/2008	06/23/2008
RIVERSIDE	CA	92504	(951) 687-3842	06/04/2008	06/23/2008
RIVERSIDE	CA	92504	(951) 687-3842	06/04/2008	06/23/2008
RIVERSIDE	CA	92504	(951) 687-3842	06/04/2008	06/23/2008
RIVERSIDE	CA	92504	(951) 687-3842	06/04/2008	06/23/2008
RIVERSIDE	CA	92504	(951) 687-3842	06/04/2008	06/23/2008
RIVERSIDE	CA	92504	(951) 687-3842	06/19/2009	07/14/2009
RIVERSIDE	CA	92504	(951) 687-3842	06/19/2009	07/14/2009
RIVERSIDE	CA	92504	(951) 687-3842	06/19/2009	07/14/2009

Page 114 of 372 05/31/2011

Based on Nursing Home Compare - Survey Deficiency

Fire Safety	Corridor Walls and Doors Deficiencies	corridor and hallway doors that block smoke.
Fire Safety	Smoke Compartmentation and Control Deficiencies	smoke barrier doors that can resist smoke for at least 20 minutes.
Fire Safety	Hazardous Area Deficiencies	construction that can resist fire for one hour or an approved fire extinguishing system.
Fire Safety	Emergency Plans and Fire Drills Deficiencies	did not have a written emergency evacuation plan.
Fire Safety	Fire Alarm Systems Deficiencies	an approved installation, maintenance and testing program for fire alarm systems.
Fire Safety	Fire Alarm Systems Deficiencies	properly maintained smoke detectors.
Fire Safety	Automatic Sprinkler Systems Deficiencies	automatic sprinkler systems that have been maintained in working order.
Fire Safety	Automatic Sprinkler Systems Deficiencies	portable fire extinguishers.
Fire Safety	Electrical Deficiencies	weekly inspections and monthly testing of generators.
Fire Safety	Electrical Deficiencies	properly installed electrical wiring and equipment.
Health	Resident Rights Deficiencies	Provide care in a way that keeps or builds each resident's dignity and self respect.
Health	Environmental Deficiencies	Keep sound levels comfortable.
Health	Quality Care Deficiencies	Give each resident care and services to get or

Page 115 of 372 05/31/2011

Based on Nursing Home Compare - Survey Deficiency

0 1	
Pattern	Minimal harm or potential for actual harm
Isolated	Minimal harm or potential for actual harm
Isolated	Minimal harm or potential for actual harm
Pattern	Minimal harm or potential for actual harm
Isolated	Minimal harm or potential for actual harm
Widespread	Minimal harm or potential for actual harm
Isolated	Minimal harm or potential for actual harm
Isolated	Minimal harm or potential for actual harm
Isolated	Minimal harm or potential for actual harm
Pattern	Minimal harm or potential for actual harm
Isolated	Minimal harm or potential for actual harm
Isolated	Minimal harm or potential for actual harm
Isolated	Minimal harm or potential for actual

Page 116 of 372 05/31/2011

Based on Nursing Home Compare - Survey Deficiency

	,,	
		AVENUE
056162	EXTENDED CARE HOSPITAL OF RIVERSIDE	8171 MAGNOLIA AVENUE
056162	EXTENDED CARE HOSPITAL OF RIVERSIDE	8171 MAGNOLIA AVENUE
056162	EXTENDED CARE HOSPITAL OF RIVERSIDE	8171 MAGNOLIA AVENUE
056162	EXTENDED CARE HOSPITAL OF RIVERSIDE	8171 MAGNOLIA AVENUE
056162	EXTENDED CARE HOSPITAL OF RIVERSIDE	8171 MAGNOLIA AVENUE
056162	EXTENDED CARE HOSPITAL OF RIVERSIDE	8171 MAGNOLIA AVENUE
056162	EXTENDED CARE HOSPITAL OF RIVERSIDE	8171 MAGNOLIA AVENUE
056162	EXTENDED CARE HOSPITAL OF RIVERSIDE	8171 MAGNOLIA AVENUE
056162	EXTENDED CARE HOSPITAL OF RIVERSIDE	8171 MAGNOLIA AVENUE
056162	EXTENDED CARE HOSPITAL OF RIVERSIDE	8171 MAGNOLIA AVENUE

Page 117 of 372 05/31/2011

Based on Nursing Home Compare - Survey Deficiency

RIVERSIDE	CA	92504	(951) 687-3842	06/19/2009	07/14/2009
RIVERSIDE	CA	92504	(951) 687-3842	06/19/2009	07/14/2009
RIVERSIDE	CA	92504	(951) 687-3842	06/19/2009	07/14/2009
RIVERSIDE	CA	92504	(951) 687-3842	06/19/2009	07/14/2009
RIVERSIDE	CA	92504	(951) 687-3842	06/19/2009	07/14/2009
RIVERSIDE	CA	92504	(951) 687-3842	06/19/2009	07/14/2009
RIVERSIDE	CA	92504	(951) 687-3842	06/19/2009	07/14/2009
RIVERSIDE	CA	92504	(951) 687-3842	06/19/2009	07/14/2009
RIVERSIDE	CA	92504	(951) 687-3842	06/19/2009	07/14/2009
RIVERSIDE	CA	92504	(951) 687-3842	06/19/2009	07/14/2009

Page 118 of 372 05/31/2011

Based on Nursing Home Compare - Survey Deficiency

	and compare curvey beneficies	
		keep the highest quality of life possible.
Health	Environmental Deficiencies	Make sure that the nursing home area is free of dangers that cause accidents.
Health	Quality Care Deficiencies	Properly care for residents needing special services, including: injections, colostomy, ureostomy, ileostomy, tracheostomy care, tracheal suctioning, respiratory care, foot care, and prostheses.
Health	Nutrition and Dietary Deficiencies	Make sure that residents are well nourished.
Health	Nutrition and Dietary Deficiencies	Store, cook, and give out food in a safe and clean way.
Health	Environmental Deficiencies	Get rid of garbage properly.
Health	Pharmacy Service Deficiencies	Have drugs and other similar products available, which are needed every day and in emergencies, and give them out properly.
Health	Pharmacy Service Deficiencies	Properly mark drugs and other similar products.
Health	Environmental Deficiencies	Have a program to keep infection from spreading.
Health	Environmental Deficiencies	Make sure that the nursing home area is safe, easy to use, clean and comfortable.
Health	Environmental Deficiencies	Make sure there is a program to prevent/deal with mice, insects, or other pests.

Page 119 of 372 05/31/2011

Based on Nursing Home Compare - Survey Deficiency

	harm
Isolated	Minimal harm or potential for actual harm
Isolated	Minimal harm or potential for actual harm
Isolated	Minimal harm or potential for actual harm
Isolated	Minimal harm or potential for actual harm
Widespread	Potential for minimal harm
Isolated	Minimal harm or potential for actual harm
Isolated	Minimal harm or potential for actual harm
Isolated	Minimal harm or potential for actual harm
Isolated	Minimal harm or potential for actual harm
Isolated	Minimal harm or potential for actual harm

Page 120 of 372 05/31/2011

Based on Nursing Home Compare - Survey Deficiency

EXTENDED CARE HOSPITAL OF RIVERSIDE	8171 MAGNOLIA AVENUE
EXTENDED CARE HOSPITAL OF RIVERSIDE	8171 MAGNOLIA AVENUE
EXTENDED CARE HOSPITAL OF RIVERSIDE	8171 MAGNOLIA AVENUE
EXTENDED CARE HOSPITAL OF RIVERSIDE	8171 MAGNOLIA AVENUE
EXTENDED CARE HOSPITAL OF RIVERSIDE	8171 MAGNOLIA AVENUE
EXTENDED CARE HOSPITAL OF RIVERSIDE	8171 MAGNOLIA AVENUE
EXTENDED CARE HOSPITAL OF RIVERSIDE	8171 MAGNOLIA AVENUE
EXTENDED CARE HOSPITAL OF RIVERSIDE	8171 MAGNOLIA AVENUE
EXTENDED CARE HOSPITAL OF RIVERSIDE	8171 MAGNOLIA AVENUE
EXTENDED CARE HOSPITAL OF RIVERSIDE	8171 MAGNOLIA AVENUE
EXTENDED CARE HOSPITAL OF RIVERSIDE	8171 MAGNOLIA AVENUE
	EXTENDED CARE HOSPITAL OF RIVERSIDE  EXTENDED CARE HOSPITAL OF RIVERSIDE

Page 121 of 372 05/31/2011

Based on Nursing Home Compare - Survey Deficiency

RIVERSIDE	CA	92504	(951) 687-3842	06/19/2009	07/14/2009
RIVERSIDE	CA	92504	(951) 687-3842	06/25/2009	07/30/2009
RIVERSIDE	CA	92504	(951) 687-3842	06/25/2009	07/30/2009
RIVERSIDE	CA	92504	(951) 687-3842	06/25/2009	07/30/2009
RIVERSIDE	CA	92504	(951) 687-3842	06/25/2009	07/30/2009
RIVERSIDE	CA	92504	(951) 687-3842	06/25/2009	07/30/2009
RIVERSIDE	CA	92504	(951) 687-3842	06/25/2009	07/30/2009
RIVERSIDE	CA	92504	(951) 687-3842	06/25/2009	07/30/2009
RIVERSIDE	CA	92504	(951) 687-3842	06/11/2010	06/25/2010
RIVERSIDE	CA	92504	(951) 687-3842	06/11/2010	06/25/2010
RIVERSIDE	CA	92504	(951) 687-3842	06/11/2010	06/25/2010

Page 122 of 372 05/31/2011

Based on Nursing Home Compare - Survey Deficiency

Health	Administration Deficiencies	Keep clinical information safe, so that it will not be lost, destroyed or used by the wrong person.
Fire Safety	Corridor Walls and Doors Deficiencies	corridor and hallway doors that block smoke.
Fire Safety	Smoke Compartmentation and Control Deficiencies	smoke barrier doors that can resist smoke for at least 20 minutes.
Fire Safety	Fire Alarm Systems Deficiencies	an approved installation, maintenance and testing program for fire alarm systems.
Fire Safety	Fire Alarm Systems Deficiencies	properly maintained smoke detectors.
Fire Safety	Building Service Equipment Deficiencies	heating and ventilation systems that have been properly installed according to the manufacturer's instructions.
Fire Safety	Electrical Deficiencies	weekly inspections and monthly testing of generators.
Fire Safety	Electrical Deficiencies	properly installed electrical wiring and equipment.
Health	Resident Rights Deficiencies	Honor all of the resident's rights as a resident of the nursing home and as a citizen or resident of the United States.
Health	Resident Rights Deficiencies	Tell the resident completely about his or her health status.
Health	Resident Rights Deficiencies	Keep each resident's personal and medical records private and confidential.

Page 123 of 372 05/31/2011

Based on Nursing Home Compare - Survey Deficiency

Isolated	Minimal harm or potential for actual harm
Isolated	Minimal harm or potential for actual harm
Pattern	Minimal harm or potential for actual harm
Pattern	Minimal harm or potential for actual harm
Pattern	Minimal harm or potential for actual harm
Pattern	Minimal harm or potential for actual harm
Pattern	Minimal harm or potential for actual harm
Pattern	Minimal harm or potential for actual harm
Pattern	Minimal harm or potential for actual harm
Isolated	Minimal harm or potential for actual harm
Isolated	Minimal harm or potential for actual harm

Page 124 of 372 05/31/2011

Based on Nursing Home Compare - Survey Deficiency

056162	EXTENDED CARE HOSPITAL OF RIVERSIDE	8171 MAGNOLIA AVENUE
056162	EXTENDED CARE HOSPITAL OF RIVERSIDE	8171 MAGNOLIA AVENUE
056162	EXTENDED CARE HOSPITAL OF RIVERSIDE	8171 MAGNOLIA AVENUE
056162	EXTENDED CARE HOSPITAL OF RIVERSIDE	8171 MAGNOLIA AVENUE
056162	EXTENDED CARE HOSPITAL OF RIVERSIDE	8171 MAGNOLIA AVENUE
056162	EXTENDED CARE HOSPITAL OF RIVERSIDE	8171 MAGNOLIA AVENUE
056162	EXTENDED CARE HOSPITAL OF RIVERSIDE	8171 MAGNOLIA AVENUE

Page 125 of 372 05/31/2011

Based on Nursing Home Compare - Survey Deficiency

DIVERSIDE		•	(054) 607 2042	06/11/2010	06/25/2010
RIVERSIDE	CA	92504	(951) 687-3842	00/11/2010	00/23/2010
RIVERSIDE	CA	92504	(951) 687-3842	06/11/2010	06/25/2010
RIVERSIDE	CA	92504	(951) 687-3842	06/11/2010	06/25/2010
RIVERSIDE	CA	92504	(951) 687-3842	06/11/2010	06/25/2010
RIVERSIDE	CA	92504	(951) 687-3842	06/11/2010	06/25/2010
RIVERSIDE	CA	92504	(951) 687-3842	06/11/2010	06/25/2010
RIVERSIDE	CA	92504	(951) 687-3842	06/11/2010	06/25/2010

Page 126 of 372 05/31/2011

Based on Nursing Home Compare - Survey Deficiency

Health	Mistreatment Deficiencies	1) Hire only people who have no legal history of abusing, neglecting or mistreating residents; or 2) report and investigate any acts or reports of abuse, neglect or mistreatment of residents.
Health	Resident Rights Deficiencies	Provide services to meet the needs and preferences of each resident.
Health	Resident Assessment Deficiencies	Make sure all assessments are accurate, coordinated by an RN, done by the right professional, and are signed by the person completing them.
Health	Quality Care Deficiencies	Give each resident care and services to get or keep the highest quality of life possible.
Health	Quality Care Deficiencies	Make sure that residents with reduced range of motion get proper treatment and services to increase range of motion.
Health	Quality Care Deficiencies	Give proper treatment to residents with feeding tubes to prevent problems (such as aspiration pneumonia, diarrhea, vomiting, dehydration, metabolic abnormalities, nasal-pharyngeal ulcers) and help restore eating skills, if possible.
Health	Quality Care Deficiencies	Properly care for residents needing special services, including: injections, colostomy, ureostomy, ileostomy, tracheostomy care, tracheal suctioning, respiratory care, foot care, and prostheses.

Page 127 of 372 05/31/2011

Based on Nursing Home Compare - Survey Deficiency

Pattern	Minimal harm or potential for actual
	harm

Isolated	Minimal harm or potential for actual harm
Isolated	Minimal harm or potential for actual harm
Isolated	Minimal harm or potential for actual harm
Isolated	Minimal harm or potential for actual harm
Isolated	Minimal harm or potential for actual harm

Isolated	Minimal harm or potential for actual harm

Page 128 of 372 05/31/2011

Based on Nursing Home Compare - Survey Deficiency

056162	EXTENDED CARE HOSPITAL OF RIVERSIDE	8171 MAGNOLIA AVENUE
056162	EXTENDED CARE HOSPITAL OF RIVERSIDE	8171 MAGNOLIA AVENUE
056162	EXTENDED CARE HOSPITAL OF RIVERSIDE	8171 MAGNOLIA AVENUE
056162	EXTENDED CARE HOSPITAL OF RIVERSIDE	8171 MAGNOLIA AVENUE
056162	EXTENDED CARE HOSPITAL OF RIVERSIDE	8171 MAGNOLIA AVENUE
056162	EXTENDED CARE HOSPITAL OF RIVERSIDE	8171 MAGNOLIA AVENUE
056162	EXTENDED CARE HOSPITAL OF RIVERSIDE	8171 MAGNOLIA AVENUE
056162	EXTENDED CARE HOSPITAL OF RIVERSIDE	8171 MAGNOLIA AVENUE
056162	EXTENDED CARE HOSPITAL OF RIVERSIDE	8171 MAGNOLIA AVENUE
056162	EXTENDED CARE HOSPITAL OF RIVERSIDE	8171 MAGNOLIA AVENUE
056162	EXTENDED CARE HOSPITAL OF RIVERSIDE	8171 MAGNOLIA AVENUE
056162	EXTENDED CARE HOSPITAL OF RIVERSIDE	8171 MAGNOLIA AVENUE

Page 129 of 372 05/31/2011

Based on Nursing Home Compare - Survey Deficiency

based off Natisting Florite Of	ompare - ourvey bendlericy				
RIVERSIDE	CA	92504	(951) 687-3842	06/11/2010	06/25/2010
RIVERSIDE	CA	92504	(951) 687-3842	06/11/2010	06/25/2010
RIVERSIDE	CA	92504	(951) 687-3842	06/11/2010	06/25/2010
RIVERSIDE	CA	92504	(951) 687-3842	06/11/2010	06/25/2010
RIVERSIDE	CA	92504	(951) 687-3842	06/11/2010	06/25/2010
RIVERSIDE	CA	92504	(951) 687-3842	06/17/2010	07/15/2010
RIVERSIDE	CA	92504	(951) 687-3842	06/17/2010	07/15/2010
RIVERSIDE	CA	92504	(951) 687-3842	06/17/2010	07/15/2010
RIVERSIDE	CA	92504	(951) 687-3842	06/17/2010	07/15/2010
RIVERSIDE	CA	92504	(951) 687-3842	06/17/2010	07/15/2010
RIVERSIDE	CA	92504	(951) 687-3842	06/17/2010	07/15/2010
RIVERSIDE	CA	92504	(951) 687-3842	06/17/2010	07/15/2010

Page 130 of 372 05/31/2011

Based on Nursing Home Compare - Survey Deficiency

Health	Quality Care Deficiencies	Develop/implement required procedures for the administration of immunizations.
Health	Nutrition and Dietary Deficiencies	Store, cook, and give out food in a safe and clean way.
Health	Pharmacy Service Deficiencies	Have drugs and other similar products available, which are needed every day and in emergencies, and give them out properly.
Health	Environmental Deficiencies	Have a program to keep infection from spreading.
Health	Environmental Deficiencies	Make sure that the nursing home area is safe, easy to use, clean and comfortable.
Fire Safety	Corridor Walls and Doors Deficiencies	corridor and hallway doors that block smoke.
Fire Safety	Fire Alarm Systems Deficiencies	a fire alarm system that can be heard throughout the facility.
Fire Safety	Automatic Sprinkler Systems Deficiencies	automatic sprinkler systems that have been maintained in working order.
Fire Safety	Automatic Sprinkler Systems Deficiencies	portable fire extinguishers.
Fire Safety	Building Service Equipment Deficiencies	properly protected cooking facilities.
Fire Safety	Medical Gases and Anesthetizing Areas Deficiencies	proper medical gas storage and administration areas.
Fire Safety	Electrical Deficiencies	properly installed electrical wiring and equipment.

Page 131 of 372 05/31/2011

Based on Nursing Home Compare - Survey Deficiency

Isolated	Minimal harm or potential for actual harm
Pattern	Minimal harm or potential for actual harm
Isolated	Minimal harm or potential for actual harm
Isolated	Minimal harm or potential for actual harm
Isolated	Minimal harm or potential for actual harm
Isolated	Minimal harm or potential for actual harm
Isolated	Minimal harm or potential for actual harm
Isolated	Minimal harm or potential for actual harm
Isolated	Minimal harm or potential for actual harm
Pattern	Minimal harm or potential for actual harm
Isolated	Minimal harm or potential for actual harm
Pattern	Minimal harm or potential for actual harm

Page 132 of 372 05/31/2011

Based on Nursing Home Compare - Survey Deficiency

·		
056162	EXTENDED CARE HOSPITAL OF RIVERSIDE	8171 MAGNOLIA AVENUE
056315	CYPRESS GARDENS CONVALESCENT CENTER	9025 COLORADO AVENUE
056315	CYPRESS GARDENS CONVALESCENT CENTER	9025 COLORADO AVENUE
056315	CYPRESS GARDENS CONVALESCENT CENTER	9025 COLORADO AVENUE
056315	CYPRESS GARDENS CONVALESCENT CENTER	9025 COLORADO AVENUE
056315	CYPRESS GARDENS CONVALESCENT CENTER	9025 COLORADO AVENUE
056315	CYPRESS GARDENS CONVALESCENT CENTER	9025 COLORADO AVENUE
056315	CYPRESS GARDENS CONVALESCENT CENTER	9025 COLORADO AVENUE
056315	CYPRESS GARDENS CONVALESCENT CENTER	9025 COLORADO AVENUE
056315	CYPRESS GARDENS CONVALESCENT CENTER	9025 COLORADO AVENUE
056315	CYPRESS GARDENS CONVALESCENT CENTER	9025 COLORADO AVENUE

Page 133 of 372 05/31/2011

Based on Nursing Home Compare - Survey Deficiency

Bacca cirriarding monio	bomparo carvoy bom	ololloy			
RIVERSIDE	CA	92504	(951) 687-3842	06/17/2010	07/15/2010
RIVERSIDE	CA	92503	(951) 688-3643	11/06/2008	12/10/2008
RIVERSIDE	CA	92503	(951) 688-3643	11/06/2008	12/10/2008
RIVERSIDE	CA	92503	(951) 688-3643	11/06/2008	12/10/2008
RIVERSIDE	CA	92503	(951) 688-3643	11/06/2008	12/10/2008
RIVERSIDE	CA	92503	(951) 688-3643	11/06/2008	12/10/2008
RIVERSIDE	CA	92503	(951) 688-3643	11/06/2008	12/10/2008
RIVERSIDE	CA	92503	(951) 688-3643	11/06/2008	12/10/2008
RIVERSIDE	CA	92503	(951) 688-3643	11/06/2008	12/10/2008
RIVERSIDE	CA	92503	(951) 688-3643	11/06/2008	12/10/2008
RIVERSIDE	CA	92503	(951) 688-3643	11/06/2008	12/10/2008

Page 134 of 372 05/31/2011

Based on Nursing Home Compare - Survey Deficiency

Fire Safety	Hazardous Area Deficiencies	properly installed hallway dispensers for alcohol-based hand rub.
Health	Resident Rights Deficiencies	Provide care in a way that keeps or builds each resident's dignity and self respect.
Health	Environmental Deficiencies	Provide needed housekeeping and maintenance.
Health	Resident Assessment Deficiencies	Develop a complete care plan that meets all of a resident's needs, with timetables and actions that can be measured.
Health	Quality Care Deficiencies	Make sure that residents with reduced range of motion get proper treatment and services to increase range of motion.
Health	Environmental Deficiencies	Make sure that the nursing home area is free of dangers that cause accidents.
Health	Nutrition and Dietary Deficiencies	Store, cook, and give out food in a safe and clean way.
Health	Environmental Deficiencies	Keep all essential equipment working safely.
Health	Environmental Deficiencies	Make sure that a working call system is available in each resident's room or bathroom and bathing area.
Health	Environmental Deficiencies	Put firmly secured handrails on each side of hallways.
Health	Administration Deficiencies	Give or get lab tests to meet the needs of residents.

Page 135 of 372 05/31/2011

Based on Nursing Home Compare - Survey Deficiency

Isolated	Minimal harm or potential for actual harm
Isolated	Minimal harm or potential for actual harm
Pattern	Minimal harm or potential for actual harm
Isolated	Minimal harm or potential for actual harm
Isolated	Minimal harm or potential for actual harm
Pattern	Minimal harm or potential for actual harm
Isolated	Minimal harm or potential for actual harm
Pattern	Minimal harm or potential for actual harm
Isolated	Minimal harm or potential for actual harm
Isolated	Minimal harm or potential for actual harm
Isolated	Minimal harm or potential for actual harm

Page 136 of 372 05/31/2011

Based on Nursing Home Compare - Survey Deficiency

056315	CYPRESS GARDENS CONVALESCENT CENTER	9025 COLORADO AVENUE
056315	CYPRESS GARDENS CONVALESCENT CENTER	9025 COLORADO AVENUE
056315	CYPRESS GARDENS CONVALESCENT CENTER	9025 COLORADO AVENUE
056315	CYPRESS GARDENS CONVALESCENT CENTER	9025 COLORADO AVENUE
056315	CYPRESS GARDENS CONVALESCENT CENTER	9025 COLORADO AVENUE
056315	CYPRESS GARDENS CONVALESCENT CENTER	9025 COLORADO AVENUE
056315	CYPRESS GARDENS CONVALESCENT CENTER	9025 COLORADO AVENUE
056315	CYPRESS GARDENS CONVALESCENT CENTER	9025 COLORADO AVENUE
056315	CYPRESS GARDENS CONVALESCENT CENTER	9025 COLORADO AVENUE
056315	CYPRESS GARDENS CONVALESCENT CENTER	9025 COLORADO AVENUE
056315	CYPRESS GARDENS CONVALESCENT CENTER	9025 COLORADO AVENUE
056315	CYPRESS GARDENS CONVALESCENT CENTER	9025 COLORADO AVENUE

Page 137 of 372 05/31/2011

Based on Nursing Home Compare - Survey Deficiency

bacca cirrareing ricinic co	inpare curvey Beneforicy				
RIVERSIDE	CA	92503	(951) 688-3643	11/06/2008	12/10/2008
RIVERSIDE	CA	92503	(951) 688-3643	11/12/2008	12/15/2008
RIVERSIDE	CA	92503	(951) 688-3643	11/12/2008	12/15/2008
RIVERSIDE	CA	92503	(951) 688-3643	11/12/2008	12/15/2008
RIVERSIDE	CA	92503	(951) 688-3643	11/12/2008	12/15/2008
RIVERSIDE	CA	92503	(951) 688-3643	11/12/2008	12/15/2008
RIVERSIDE	CA	92503	(951) 688-3643	11/12/2008	12/15/2008
RIVERSIDE	CA	92503	(951) 688-3643	11/12/2008	12/15/2008
RIVERSIDE	CA	92503	(951) 688-3643	10/19/2009	11/30/2009
RIVERSIDE	CA	92503	(951) 688-3643	10/19/2009	11/30/2009
RIVERSIDE	CA	92503	(951) 688-3643	10/19/2009	11/30/2009
RIVERSIDE	CA	92503	(951) 688-3643	10/19/2009	11/30/2009

Page 138 of 372 05/31/2011

Based on Nursing Home Compare - Survey Deficiency

Health	Administration Deficiencies	Keep accurate and appropriate medical records.
Fire Safety	Building Construction Deficiencies	approved construction type or materials.
Fire Safety	Corridor Walls and Doors Deficiencies	corridor and hallway doors that block smoke.
Fire Safety	Hazardous Area Deficiencies	construction that can resist fire for one hour or an approved fire extinguishing system.
Fire Safety	Exits and Egress Deficiencies	exits that are accessible at all times.
Fire Safety	Fire Alarm Systems Deficiencies	an approved installation, maintenance and testing program for fire alarm systems.
Fire Safety	Medical Gases and Anesthetizing Areas Deficiencies	proper medical gas storage and administration areas.
Fire Safety	Electrical Deficiencies	properly installed electrical wiring and equipment.
Health	Environmental Deficiencies	Provide needed housekeeping and maintenance.
Health	Quality Care Deficiencies	Give each resident care and services to get or keep the highest quality of life possible.
Health	Quality Care Deficiencies	Give residents proper treatment to prevent new bed (pressure) sores or heal existing bed sores.
Health	Environmental Deficiencies	Make sure that the nursing home area is free of dangers that cause accidents.

Page 139 of 372 05/31/2011

Based on Nursing Home Compare - Survey Deficiency

Isolated Minimal harm or potential for actual

harm

Pattern Potential for minimal harm

Pattern	Potential for minimal harm
Isolated	Minimal harm or potential for actual harm
Isolated	Minimal harm or potential for actual harm
Widespread	Potential for minimal harm
Pattern	Minimal harm or potential for actual harm
Isolated	Minimal harm or potential for actual harm
Pattern	Potential for minimal harm
Isolated	Minimal harm or potential for actual harm
Isolated	Minimal harm or potential for actual harm
Isolated	Minimal harm or potential for actual harm

Page 140 of 372 05/31/2011

Based on Nursing Home Compare - Survey Deficiency

056315	CYPRESS GARDENS CONVALESCENT CENTER	9025 COLORADO AVENUE
056315	CYPRESS GARDENS CONVALESCENT CENTER	9025 COLORADO AVENUE
056315	CYPRESS GARDENS CONVALESCENT CENTER	9025 COLORADO AVENUE
056315	CYPRESS GARDENS CONVALESCENT CENTER	9025 COLORADO AVENUE
056315	CYPRESS GARDENS CONVALESCENT CENTER	9025 COLORADO AVENUE
056315	CYPRESS GARDENS CONVALESCENT CENTER	9025 COLORADO AVENUE
056315	CYPRESS GARDENS CONVALESCENT CENTER	9025 COLORADO AVENUE
056315	CYPRESS GARDENS CONVALESCENT CENTER	9025 COLORADO AVENUE
056315	CYPRESS GARDENS CONVALESCENT CENTER	9025 COLORADO AVENUE
056315	CYPRESS GARDENS CONVALESCENT CENTER	9025 COLORADO AVENUE

Page 141 of 372 05/31/2011

Based on Nursing Home Compare - Survey Deficiency

Bacca on Marching Fromic (					
RIVERSIDE	CA	92503	(951) 688-3643	10/19/2009	11/30/2009
RIVERSIDE	CA	92503	(951) 688-3643	10/19/2009	11/30/2009
RIVERSIDE	CA	92503	(951) 688-3643	10/19/2009	11/30/2009
RIVERSIDE	CA	92503	(951) 688-3643	10/19/2009	11/30/2009
RIVERSIDE	CA	92503	(951) 688-3643	10/19/2009	11/30/2009
RIVERSIDE	CA	92503	(951) 688-3643	10/19/2009	11/30/2009
RIVERSIDE	CA	92503	(951) 688-3643	10/19/2009	11/30/2009
RIVERSIDE	CA	92503	(951) 688-3643	10/22/2009	11/12/2009
RIVERSIDE	CA	92503	(951) 688-3643	10/22/2009	11/12/2009
RIVERSIDE	CA	92503	(951) 688-3643	10/22/2009	11/12/2009

Page 142 of 372 05/31/2011

Based on Nursing Home Compare - Survey Deficiency

Health	Quality Care Deficiencies	Properly care for residents needing special services, including: injections, colostomy, ureostomy, ileostomy, tracheostomy care, tracheal suctioning, respiratory care, foot care, and prostheses.
Health	Nutrition and Dietary Deficiencies	Prepare food that is nutritional, appetizing, tasty, attractive, well-cooked, and at the right temperature.
Health	Nutrition and Dietary Deficiencies	Make sure that the attending doctor orders special diets.
Health	Nutrition and Dietary Deficiencies	Store, cook, and give out food in a safe and clean way.
Health	Environmental Deficiencies	Make sure that the nursing home area is safe, easy to use, clean and comfortable.
Health	Administration Deficiencies	Keep accurate and appropriate medical records.
Health	Administration Deficiencies	Train all employees on what to do in an emergency.
Fire Safety	Building Construction Deficiencies	approved construction type or materials.
Fire Safety	Corridor Walls and Doors Deficiencies	corridors that are separated from common areas by walls constructed to limit the passage of smoke.
Fire Safety	Corridor Walls and Doors Deficiencies	corridor and hallway doors that block smoke.

Page 143 of 372 05/31/2011

Based on Nursing Home Compare - Survey Deficiency

*	
Isolated	Minimal harm or potential for actual harm
Isolated	Minimal harm or potential for actual harm
Isolated	Minimal harm or potential for actual harm
Isolated	Minimal harm or potential for actual harm
Pattern	Potential for minimal harm
Isolated	Minimal harm or potential for actual harm
Isolated	Minimal harm or potential for actual harm
Pattern	Minimal harm or potential for actual harm
Isolated	Minimal harm or potential for actual harm
Isolated	Minimal harm or potential for actual harm

Page 144 of 372 05/31/2011

Based on Nursing Home Compare - Survey Deficiency

0 1	,	
056315	CYPRESS GARDENS CONVALESCENT CENTER	9025 COLORADO AVENUE
056315	CYPRESS GARDENS CONVALESCENT CENTER	9025 COLORADO AVENUE
056315	CYPRESS GARDENS CONVALESCENT CENTER	9025 COLORADO AVENUE
056315	CYPRESS GARDENS CONVALESCENT CENTER	9025 COLORADO AVENUE
056315	CYPRESS GARDENS CONVALESCENT CENTER	9025 COLORADO AVENUE
056315	CYPRESS GARDENS CONVALESCENT CENTER	9025 COLORADO AVENUE
056315	CYPRESS GARDENS CONVALESCENT CENTER	9025 COLORADO AVENUE
056315	CYPRESS GARDENS CONVALESCENT CENTER	9025 COLORADO AVENUE
056315	CYPRESS GARDENS CONVALESCENT CENTER	9025 COLORADO AVENUE
056315	CYPRESS GARDENS CONVALESCENT CENTER	9025 COLORADO AVENUE
056315	CYPRESS GARDENS CONVALESCENT CENTER	9025 COLORADO AVENUE
056315	CYPRESS GARDENS CONVALESCENT CENTER	9025 COLORADO AVENUE

Page 145 of 372 05/31/2011

Based on Nursing Home Compare - Survey Deficiency

O O	,	,			
RIVERSIDE	CA	92503	(951) 688-3643	10/22/2009	11/12/2009
RIVERSIDE	CA	92503	(951) 688-3643	10/22/2009	11/12/2009
RIVERSIDE	CA	92503	(951) 688-3643	10/22/2009	11/12/2009
RIVERSIDE	CA	92503	(951) 688-3643	10/22/2009	11/12/2009
RIVERSIDE	CA	92503	(951) 688-3643	10/22/2009	11/12/2009
RIVERSIDE	CA	92503	(951) 688-3643	10/22/2009	11/12/2009
RIVERSIDE	CA	92503	(951) 688-3643	10/22/2009	11/12/2009
RIVERSIDE	CA	92503	(951) 688-3643	10/22/2009	11/12/2009
RIVERSIDE	CA	92503	(951) 688-3643	10/22/2009	11/12/2009
RIVERSIDE	CA	92503	(951) 688-3643	10/22/2009	11/12/2009
RIVERSIDE	CA	92503	(951) 688-3643	10/11/2010	01/13/2011
RIVERSIDE	CA	92503	(951) 688-3643	10/11/2010	01/13/2011

Page 146 of 372 05/31/2011

Based on Nursing Home Compare - Survey Deficiency

Fire Safety	Smoke Compartmentation and Control Deficiencies	smoke barrier doors that can resist smoke for at least 20 minutes.
Fire Safety	Hazardous Area Deficiencies	construction that can resist fire for one hour or an approved fire extinguishing system.
Fire Safety	Emergency Plans and Fire Drills Deficiencies	record of quarterly fire drills for each shift under varying conditions.
Fire Safety	Fire Alarm Systems Deficiencies	properly maintained smoke detectors.
Fire Safety	Automatic Sprinkler Systems Deficiencies	portable fire extinguishers.
Fire Safety	Furnishings and Decorations Deficiencies	restrictions on the use of highly flammable materials.
Fire Safety	Medical Gases and Anesthetizing Areas Deficiencies	proper medical gas storage and administration areas.
Fire Safety	Miscellaneous Deficiencies	fire safety features required by current fire safety codes.
Fire Safety	Medical Gases and Anesthetizing Areas Deficiencies	no-smoking signs where oxygen is used.
Fire Safety	Electrical Deficiencies	properly installed electrical wiring and equipment.
Health	Resident Rights Deficiencies	Give the resident's legal representative the same rights as the resident.
Health	Mistreatment Deficiencies	Keep each resident free from physical restraints, unless needed for medical treatment.

Page 147 of 372 05/31/2011

Based on Nursing Home Compare - Survey Deficiency

*	
Pattern	Minimal harm or potential for actual harm
Isolated	Minimal harm or potential for actual harm
Isolated	Minimal harm or potential for actual harm
Isolated	Minimal harm or potential for actual harm
Isolated	Minimal harm or potential for actual harm
Isolated	Minimal harm or potential for actual harm
Pattern	Minimal harm or potential for actual harm
Isolated	Minimal harm or potential for actual harm
Pattern	Minimal harm or potential for actual harm
Isolated	Minimal harm or potential for actual harm
Isolated	Minimal harm or potential for actual harm
Pattern	Minimal harm or potential for actual harm

Page 148 of 372 05/31/2011

Based on Nursing Home Compare - Survey Deficiency

based off Nursing Florife Compare - Surv	based of Nulsing Florite Compare - Survey Deliciency			
056315	CYPRESS GARDENS CONVALESCENT CENTER	9025 COLORADO AVENUE		
056315	CYPRESS GARDENS CONVALESCENT CENTER	9025 COLORADO AVENUE		
056315	CYPRESS GARDENS CONVALESCENT CENTER	9025 COLORADO AVENUE		
056315	CYPRESS GARDENS CONVALESCENT CENTER	9025 COLORADO AVENUE		
056315	CYPRESS GARDENS CONVALESCENT CENTER	9025 COLORADO AVENUE		
056315	CYPRESS GARDENS CONVALESCENT CENTER	9025 COLORADO AVENUE		
056315	CYPRESS GARDENS CONVALESCENT CENTER	9025 COLORADO AVENUE		
056315	CYPRESS GARDENS CONVALESCENT CENTER	9025 COLORADO AVENUE		
056315	CYPRESS GARDENS CONVALESCENT CENTER	9025 COLORADO AVENUE		
056315	CYPRESS GARDENS CONVALESCENT CENTER	9025 COLORADO AVENUE		

Page 149 of 372 05/31/2011

Based on Nursing Home Compare - Survey Deficiency

based off Natisting Floring	Compare Garvey L	Scholchoy			
RIVERSIDE	CA	92503	(951) 688-3643	10/11/2010	01/13/2011
RIVERSIDE	CA	92503	(951) 688-3643	10/11/2010	01/13/2011
RIVERSIDE	CA	92503	(951) 688-3643	10/11/2010	01/13/2011
RIVERSIDE	CA	92503	(951) 688-3643	10/11/2010	01/13/2011
RIVERSIDE	CA	92503	(951) 688-3643	10/11/2010	01/13/2011
RIVERSIDE	CA	92503	(951) 688-3643	10/11/2010	01/13/2011
RIVERSIDE	CA	92503	(951) 688-3643	10/11/2010	01/13/2011
RIVERSIDE	CA	92503	(951) 688-3643	10/11/2010	01/13/2011
RIVERSIDE	CA	92503	(951) 688-3643	10/11/2010	01/13/2011
RIVERSIDE	CA	92503	(951) 688-3643	10/11/2010	01/13/2011

Page 150 of 372 05/31/2011

Based on Nursing Home Compare - Survey Deficiency

Bacca on rearoning monne	Compare Carrey Denoisiney	
Health	Resident Rights Deficiencies	Provide services to meet the needs and preferences of each resident.
Health	Quality Care Deficiencies	Give each resident care and services to get or keep the highest quality of life possible.
Health	Quality Care Deficiencies	Give residents proper treatment to prevent new bed (pressure) sores or heal existing bed sores.
Health	Environmental Deficiencies	Make sure that the nursing home area is free of dangers that cause accidents.
Health	Quality Care Deficiencies	Make sure that each resident's nutritional needs were met.
Health	Pharmacy Service Deficiencies	<ol> <li>Make sure that residents who take drugs are not given too many doses or for too long;</li> <li>make sure that the use of drugs is carefully watched; or 3) stop or change drugs that cause unwanted effects.</li> </ol>
Health	Pharmacy Service Deficiencies	At least once a month, have a licensed pharmacist check the drugs that each resident takes.
Health	Pharmacy Service Deficiencies	Properly mark drugs and other similar products.
Health	Environmental Deficiencies	Have a program to keep infection from spreading.
Health	Environmental Deficiencies	Provide bedrooms that hold no more than 4 residents per room.

Page 151 of 372 05/31/2011

Based on Nursing Home Compare - Survey Deficiency

Isolated	Minimal harm or potential for actual
isolated	harm
Isolated	Minimal harm or potential for actual harm
Isolated	Minimal harm or potential for actual harm
Isolated	Minimal harm or potential for actual harm
Isolated	Minimal harm or potential for actual harm
Isolated	Minimal harm or potential for actual harm

Isolated	Minimal harm or potential for actual harm
Isolated	Minimal harm or potential for actual harm
Isolated	Minimal harm or potential for actual harm
Pattern	Potential for minimal harm

Page 152 of 372 05/31/2011

Based on Nursing Home Compare - Survey Deficiency

3	-,	
056315	CYPRESS GARDENS CONVALESCENT CENTER	9025 COLORADO AVENUE
056315	CYPRESS GARDENS CONVALESCENT CENTER	9025 COLORADO AVENUE
056315	CYPRESS GARDENS CONVALESCENT CENTER	9025 COLORADO AVENUE
056315	CYPRESS GARDENS CONVALESCENT CENTER	9025 COLORADO AVENUE
056315	CYPRESS GARDENS CONVALESCENT CENTER	9025 COLORADO AVENUE
056315	CYPRESS GARDENS CONVALESCENT CENTER	9025 COLORADO AVENUE
056315	CYPRESS GARDENS CONVALESCENT CENTER	9025 COLORADO AVENUE
056315	CYPRESS GARDENS CONVALESCENT CENTER	9025 COLORADO AVENUE
056485	ARLINGTON GARDENS CARE CENTER	3766 NYE AVENUE
056485	ARLINGTON GARDENS CARE CENTER	3766 NYE AVENUE
056485	ARLINGTON GARDENS CARE CENTER	3766 NYE AVENUE
056485	ARLINGTON GARDENS CARE CENTER	3766 NYE AVENUE

Page 153 of 372 05/31/2011

Based on Nursing Home Compare - Survey Deficiency

Bacca on Haroling Home	compare carrey b	onoronoy			
RIVERSIDE	CA	92503	(951) 688-3643	10/11/2010	01/13/2011
RIVERSIDE	CA	92503	(951) 688-3643	10/13/2010	11/04/2010
RIVERSIDE	CA	92503	(951) 688-3643	10/13/2010	11/04/2010
RIVERSIDE	CA	92503	(951) 688-3643	10/13/2010	11/04/2010
RIVERSIDE	CA	92503	(951) 688-3643	10/13/2010	11/04/2010
RIVERSIDE	CA	92503	(951) 688-3643	10/13/2010	11/04/2010
RIVERSIDE	CA	92503	(951) 688-3643	10/13/2010	11/04/2010
RIVERSIDE	CA	92503	(951) 688-3643	10/13/2010	11/04/2010
RIVERSIDE	CA	92505	(951) 689-2340	07/17/2008	08/30/2008
RIVERSIDE	CA	92505	(951) 689-2340	07/17/2008	08/30/2008
RIVERSIDE	CA	92505	(951) 689-2340	07/29/2008	08/25/2008
RIVERSIDE	CA	92505	(951) 689-2340	07/29/2008	08/25/2008

Page 154 of 372 05/31/2011

Based on Nursing Home Compare - Survey Deficiency

Health	Environmental Deficiencies	Make sure that the nursing home area is safe, easy to use, clean and comfortable.
Fire Safety	Building Construction Deficiencies	approved construction type or materials.
Fire Safety	Corridor Walls and Doors Deficiencies	corridors that are separated from common areas by walls constructed to limit the passage of smoke.
Fire Safety	Automatic Sprinkler Systems Deficiencies	automatic sprinkler systems that have been maintained in working order.
Fire Safety	Furnishings and Decorations Deficiencies	restrictions on the use of highly flammable materials.
Fire Safety	Medical Gases and Anesthetizing Areas Deficiencies	proper medical gas storage and administration areas.
Fire Safety	Electrical Deficiencies	properly installed electrical wiring and equipment.
Fire Safety	Hazardous Area Deficiencies	properly installed hallway dispensers for alcohol-based hand rub.
Health	Pharmacy Service Deficiencies	Make sure that residents are safe from serious medication errors.
Health	Environmental Deficiencies	Make sure that the nursing home area is safe, easy to use, clean and comfortable.
Fire Safety	Smoke Compartmentation and Control Deficiencies	smoke barrier doors that can resist smoke for at least 20 minutes.
Fire Safety	Automatic Sprinkler Systems Deficiencies	an approved automatic sprinkler system connected to the fire alarm system.

Page 155 of 372 05/31/2011

Based on Nursing Home Compare - Survey Deficiency

Isolated	Minimal harm or potential for actual harm
Pattern	Minimal harm or potential for actual harm
Isolated	Minimal harm or potential for actual harm
Isolated	Minimal harm or potential for actual harm
Isolated	Minimal harm or potential for actual harm
Pattern	Minimal harm or potential for actual harm
Pattern	Minimal harm or potential for actual harm
Isolated	Minimal harm or potential for actual harm
Isolated	Minimal harm or potential for actual harm
Pattern	Minimal harm or potential for actual harm
Pattern	Minimal harm or potential for actual harm
Widespread	Potential for minimal harm

Page 156 of 372 05/31/2011

Based on Nursing Home Compare - Survey Deficiency

0 1		
056485	ARLINGTON GARDENS CARE CENTER	3766 NYE AVENUE
056485	ARLINGTON GARDENS CARE CENTER	3766 NYE AVENUE
056485	ARLINGTON GARDENS CARE CENTER	3766 NYE AVENUE
056485	ARLINGTON GARDENS CARE CENTER	3766 NYE AVENUE
056485	ARLINGTON GARDENS CARE CENTER	3766 NYE AVENUE
056485	ARLINGTON GARDENS CARE CENTER	3766 NYE AVENUE
056485	ARLINGTON GARDENS CARE CENTER	3766 NYE AVENUE
056485	ARLINGTON GARDENS CARE CENTER	3766 NYE AVENUE
056485	ARLINGTON GARDENS CARE CENTER	3766 NYE AVENUE
056485	ARLINGTON GARDENS CARE CENTER	3766 NYE AVENUE
056485	ARLINGTON GARDENS CARE CENTER	3766 NYE AVENUE
056485	ARLINGTON GARDENS CARE CENTER	3766 NYE AVENUE

Page 157 of 372 05/31/2011

Based on Nursing Home Compare - Survey Deficiency

based off Nursing Floring	o compare curvey E	onloiding			
RIVERSIDE	CA	92505	(951) 689-2340	07/29/2008	08/25/2008
RIVERSIDE	CA	92505	(951) 689-2340	07/29/2008	08/25/2008
RIVERSIDE	CA	92505	(951) 689-2340	07/29/2008	08/25/2008
RIVERSIDE	CA	92505	(951) 689-2340	07/29/2008	08/25/2008
RIVERSIDE	CA	92505	(951) 689-2340	05/14/2009	07/29/2009
RIVERSIDE	CA	92505	(951) 689-2340	05/14/2009	07/29/2009
RIVERSIDE	CA	92505	(951) 689-2340	05/14/2009	07/29/2009
RIVERSIDE	CA	92505	(951) 689-2340	05/14/2009	07/29/2009
RIVERSIDE	CA	92505	(951) 689-2340	05/21/2009	06/26/2009
RIVERSIDE	CA	92505	(951) 689-2340	05/21/2009	06/26/2009
RIVERSIDE	CA	92505	(951) 689-2340	05/21/2009	06/26/2009
RIVERSIDE	CA	92505	(951) 689-2340	05/21/2009	06/26/2009

Page 158 of 372 05/31/2011

Based on Nursing Home Compare - Survey Deficiency

Fire Safety	Automatic Sprinkler Systems Deficiencies	portable fire extinguishers.
Fire Safety	Smoking Regulations Deficiencies	posted "No-smoking" signs in areas where smoking is not permitted or did not provide ashtrays where smoking was allowed.
Fire Safety	Medical Gases and Anesthetizing Areas Deficiencies	no-smoking signs where oxygen is used.
Fire Safety	Electrical Deficiencies	properly installed electrical wiring and equipment.
Health	Quality Care Deficiencies	Provide activities to meet the needs of each resident.
Health	Environmental Deficiencies	Make sure that the nursing home area is free of dangers that cause accidents.
Health	Pharmacy Service Deficiencies	Have drugs and other similar products available, which are needed every day and in emergencies, and give them out properly.
Health	Environmental Deficiencies	Make sure that the nursing home area is safe, easy to use, clean and comfortable.
Fire Safety	Fire Alarm Systems Deficiencies	properly maintained smoke detectors.
Fire Safety	Automatic Sprinkler Systems Deficiencies	properly working alarms on sprinkler valves.
Fire Safety	Automatic Sprinkler Systems Deficiencies	automatic sprinkler systems that have been maintained in working order.
Fire Safety	Automatic Sprinkler Systems Deficiencies	portable fire extinguishers.

Page 159 of 372 05/31/2011

Based on Nursing Home Compare - Survey Deficiency

3	
Isolated	Minimal harm or potential for actual harm
Pattern	Minimal harm or potential for actual harm
Isolated	Minimal harm or potential for actual harm
Widespread	Minimal harm or potential for actual harm
Isolated	Minimal harm or potential for actual harm
Isolated	Minimal harm or potential for actual harm
Isolated	Minimal harm or potential for actual harm
Pattern	Minimal harm or potential for actual harm
Pattern	Minimal harm or potential for actual harm
Widespread	Minimal harm or potential for actual harm
Pattern	Minimal harm or potential for actual harm
Isolated	Minimal harm or potential for actual

Page 160 of 372 05/31/2011

Based on Nursing Home Compare - Survey Deficiency

056485	ARLINGTON GARDENS CARE CENTER	3766 NYE AVENUE
056485	ARLINGTON GARDENS CARE CENTER	3766 NYE AVENUE
056485	ARLINGTON GARDENS CARE CENTER	3766 NYE AVENUE
056485	ARLINGTON GARDENS CARE CENTER	3766 NYE AVENUE
056485	ARLINGTON GARDENS CARE CENTER	3766 NYE AVENUE
056485	ARLINGTON GARDENS CARE CENTER	3766 NYE AVENUE
056485	ARLINGTON GARDENS CARE CENTER	3766 NYE AVENUE
056485	ARLINGTON GARDENS CARE CENTER	3766 NYE AVENUE
056485	ARLINGTON GARDENS CARE CENTER	3766 NYE AVENUE
056485	ARLINGTON GARDENS CARE CENTER	3766 NYE AVENUE
056485	ARLINGTON GARDENS CARE CENTER	3766 NYE AVENUE

Page 161 of 372 05/31/2011

Based on Nursing Home Compare - Survey Deficiency

RIVERSIDE	CA	92505	(951) 689-2340	05/21/2009	06/26/2009
RIVERSIDE	CA	92505	(951) 689-2340	05/21/2009	06/26/2009
RIVERSIDE	CA	92505	(951) 689-2340	05/21/2009	06/26/2009
RIVERSIDE	CA	92505	(951) 689-2340	05/21/2009	06/26/2009
RIVERSIDE	CA	92505	(951) 689-2340	03/08/2010	04/28/2010
RIVERSIDE	CA	92505	(951) 689-2340	03/08/2010	04/28/2010
RIVERSIDE	CA	92505	(951) 689-2340	03/08/2010	04/28/2010
RIVERSIDE	CA	92505	(951) 689-2340	03/08/2010	04/28/2010
RIVERSIDE	CA	92505	(951) 689-2340	03/08/2010	04/28/2010
RIVERSIDE	CA	92505	(951) 689-2340	03/08/2010	04/28/2010
RIVERSIDE	CA	92505	(951) 689-2340	03/08/2010	04/28/2010

Page 162 of 372 05/31/2011

Based on Nursing Home Compare - Survey Deficiency

Fire Safety	Building Service Equipment Deficiencies	heating and ventilation systems that have been properly installed according to the manufacturer's instructions.
Fire Safety	Building Service Equipment Deficiencies	properly protected cooking facilities.
Fire Safety	Electrical Deficiencies	weekly inspections and monthly testing of generators.
Fire Safety	Electrical Deficiencies	properly installed electrical wiring and equipment.
Health	Resident Rights Deficiencies	Let residents give themselves their drugs if they are able.
Health	Resident Assessment Deficiencies	Develop a complete care plan that meets all of a resident's needs, with timetables and actions that can be measured.
Health	Quality Care Deficiencies	Give each resident care and services to get or keep the highest quality of life possible.
Health	Quality Care Deficiencies	Make sure that each resident's nutritional needs were met.
Health	Quality Care Deficiencies	Use a registered nurse at least 8 hours a day, 7 days a week.
Health	Nutrition and Dietary Deficiencies	Hire a qualified dietician.
Health	Nutrition and Dietary Deficiencies	Make sure that residents are well nourished.

Page 163 of 372 05/31/2011

Based on Nursing Home Compare - Survey Deficiency

	harm
Pattern	Minimal harm or potential for actual harm
Isolated	Minimal harm or potential for actual harm
Widespread	Potential for minimal harm
Isolated	Minimal harm or potential for actual harm
Isolated	Minimal harm or potential for actual harm
Isolated	Minimal harm or potential for actual harm
Isolated	Minimal harm or potential for actual harm
Pattern	Minimal harm or potential for actual harm
Isolated	Minimal harm or potential for actual harm
Widespread	Minimal harm or potential for actual harm
Widespread	Minimal harm or potential for actual harm

Page 164 of 372 05/31/2011

Based on Nursing Home Compare - Survey Deficiency

3		
056485	ARLINGTON GARDENS CARE CENTER	3766 NYE AVENUE
056485	ARLINGTON GARDENS CARE CENTER	3766 NYE AVENUE
056485	ARLINGTON GARDENS CARE CENTER	3766 NYE AVENUE
056485	ARLINGTON GARDENS CARE CENTER	3766 NYE AVENUE
056485	ARLINGTON GARDENS CARE CENTER	3766 NYE AVENUE
056485	ARLINGTON GARDENS CARE CENTER	3766 NYE AVENUE
056485	ARLINGTON GARDENS CARE CENTER	3766 NYE AVENUE
056485	ARLINGTON GARDENS CARE CENTER	3766 NYE AVENUE
056485	ARLINGTON GARDENS CARE CENTER	3766 NYE AVENUE
056485	ARLINGTON GARDENS CARE CENTER	3766 NYE AVENUE
056485	ARLINGTON GARDENS CARE CENTER	3766 NYE AVENUE
056485	ARLINGTON GARDENS CARE CENTER	3766 NYE AVENUE

Page 165 of 372 05/31/2011

Based on Nursing Home Compare - Survey Deficiency

Dacoa on Maroling Monito	compare carrey b				
RIVERSIDE	CA	92505	(951) 689-2340	03/08/2010	04/28/2010
RIVERSIDE	CA	92505	(951) 689-2340	03/08/2010	04/28/2010
RIVERSIDE	CA	92505	(951) 689-2340	03/08/2010	04/28/2010
RIVERSIDE	CA	92505	(951) 689-2340	03/08/2010	04/28/2010
RIVERSIDE	CA	92505	(951) 689-2340	03/08/2010	04/28/2010
RIVERSIDE	CA	92505	(951) 689-2340	03/08/2010	04/28/2010
RIVERSIDE	CA	92505	(951) 689-2340	03/08/2010	04/28/2010
RIVERSIDE	CA	92505	(951) 689-2340	03/08/2010	04/28/2010
RIVERSIDE	CA	92505	(951) 689-2340	03/08/2010	04/28/2010
RIVERSIDE	CA	92505	(951) 689-2340	03/08/2010	04/28/2010
RIVERSIDE	CA	92505	(951) 689-2340	03/08/2010	04/28/2010
RIVERSIDE	CA	92505	(951) 689-2340	03/15/2010	04/06/2010

Page 166 of 372 05/31/2011

Based on Nursing Home Compare - Survey Deficiency

0		
Health	Nutrition and Dietary Deficiencies	Provide food in a way that meets a resident's needs.
Health	Nutrition and Dietary Deficiencies	Make sure that the attending doctor orders special diets.
Health	Nutrition and Dietary Deficiencies	Store, cook, and give out food in a safe and clean way.
Health	Pharmacy Service Deficiencies	Have drugs and other similar products available, which are needed every day and in emergencies, and give them out properly.
Health	Pharmacy Service Deficiencies	Properly mark drugs and other similar products.
Health	Environmental Deficiencies	Have a program to keep infection from spreading.
Health	Environmental Deficiencies	Make sure that the nursing home area is safe, easy to use, clean and comfortable.
Health	Environmental Deficiencies	Make sure there is a program to prevent/deal with mice, insects, or other pests.
Health	Administration Deficiencies	Get services outside the nursing home that meet professional standards.
Health	Administration Deficiencies	Keep accurate and appropriate medical records.
Health	Administration Deficiencies	Have a detailed, written plan for disasters and emergencies.
Fire Safety	Building Construction Deficiencies	approved construction type or materials.

Page 167 of 372 05/31/2011

Based on Nursing Home Compare - Survey Deficiency

3	
Isolated	Minimal harm or potential for actual harm
Isolated	Minimal harm or potential for actual harm
Widespread	Minimal harm or potential for actual harm
Isolated	Minimal harm or potential for actual harm
Pattern	Minimal harm or potential for actual harm
Pattern	Minimal harm or potential for actual harm
Isolated	Minimal harm or potential for actual harm
Pattern	Minimal harm or potential for actual harm
Widespread	Minimal harm or potential for actual harm
Pattern	Minimal harm or potential for actual harm
Widespread	Minimal harm or potential for actual harm
Isolated	Minimal harm or potential for actual harm

Page 168 of 372 05/31/2011

Based on Nursing Home Compare - Survey Deficiency

based of Nursing Florife Compare - Surv	ey Deliciency	
056485	ARLINGTON GARDENS CARE CENTER	3766 NYE AVENUE
056485	ARLINGTON GARDENS CARE CENTER	3766 NYE AVENUE
056485	ARLINGTON GARDENS CARE CENTER	3766 NYE AVENUE
056485	ARLINGTON GARDENS CARE CENTER	3766 NYE AVENUE
05A263	COUNTRY VILLA RIVERSIDE HEALTHCARE CENTER	4580 PALM AVENUE
05A263	COUNTRY VILLA RIVERSIDE HEALTHCARE CENTER	4580 PALM AVENUE
05A263	COUNTRY VILLA RIVERSIDE HEALTHCARE CENTER	4580 PALM AVENUE
05A263	COUNTRY VILLA RIVERSIDE HEALTHCARE CENTER	4580 PALM AVENUE
05A263	COUNTRY VILLA RIVERSIDE HEALTHCARE CENTER	4580 PALM AVENUE
05A263	COUNTRY VILLA RIVERSIDE HEALTHCARE CENTER	4580 PALM AVENUE
05A263	COUNTRY VILLA RIVERSIDE HEALTHCARE CENTER	4580 PALM AVENUE
05A263	COUNTRY VILLA RIVERSIDE HEALTHCARE	4580 PALM AVENUE

Page 169 of 372 05/31/2011

Based on Nursing Home Compare - Survey Deficiency

Bacca on marching monne					
RIVERSIDE	CA	92505	(951) 689-2340	03/15/2010	04/06/2010
RIVERSIDE	CA	92505	(951) 689-2340	03/15/2010	04/06/2010
RIVERSIDE	CA	92505	(951) 689-2340	03/15/2010	04/06/2010
RIVERSIDE	CA	92505	(951) 689-2340	03/15/2010	04/06/2010
RIVERSIDE	CA	92501	(951) 684-7701	01/09/2009	02/12/2009
RIVERSIDE	CA	92501	(951) 684-7701	01/09/2009	02/12/2009
RIVERSIDE	CA	92501	(951) 684-7701	01/09/2009	02/12/2009
RIVERSIDE	CA	92501	(951) 684-7701	01/09/2009	02/12/2009
RIVERSIDE	CA	92501	(951) 684-7701	01/09/2009	02/12/2009
RIVERSIDE	CA	92501	(951) 684-7701	01/09/2009	02/12/2009
RIVERSIDE	CA	92501	(951) 684-7701	01/09/2009	02/12/2009
RIVERSIDE	CA	92501	(951) 684-7701	01/09/2009	02/12/2009

Page 170 of 372 05/31/2011

Based on Nursing Home Compare - Survey Deficiency

Fire Safety	Fire Alarm Systems Deficiencies	an approved installation, maintenance and testing program for fire alarm systems.
Fire Safety	Automatic Sprinkler Systems Deficiencies	automatic sprinkler systems that have been maintained in working order.
Fire Safety	Medical Gases and Anesthetizing Areas Deficiencies	proper medical gas storage and administration areas.
Fire Safety	Electrical Deficiencies	weekly inspections and monthly testing of generators.
Health	Environmental Deficiencies	Provide needed housekeeping and maintenance.
Health	Quality Care Deficiencies	Give each resident care and services to get or keep the highest quality of life possible.
Health	Quality Care Deficiencies	Develop/implement required procedures for the administration of immunizations.
Health	Pharmacy Service Deficiencies	At least once a month, have a licensed pharmacist check the drugs that each resident takes.
Health	Pharmacy Service Deficiencies	Properly mark drugs and other similar products.
Health	Environmental Deficiencies	Make sure that a working call system is available in each resident's room or bathroom and bathing area.
Health	Administration Deficiencies	Give or get lab tests to meet the needs of residents.
Health	Administration Deficiencies	Keep accurate and appropriate medical

Page 171 of 372 05/31/2011

Based on Nursing Home Compare - Survey Deficiency

	-
Isolated	Minimal harm or potential for actual harm
Widespread	Minimal harm or potential for actual harm
Isolated	Minimal harm or potential for actual harm
Widespread	Minimal harm or potential for actual harm
Isolated	Minimal harm or potential for actual harm
Isolated	Minimal harm or potential for actual harm
Pattern	Minimal harm or potential for actual harm
Isolated	Minimal harm or potential for actual harm
Isolated	Minimal harm or potential for actual harm
Isolated	Minimal harm or potential for actual harm
Isolated	Minimal harm or potential for actual harm
Isolated	Minimal harm or potential for actual

Page 172 of 372 05/31/2011

Based on Nursing Home Compare - Survey Deficiency

based on Nursing Home Compare - Survey Deliciency			
	CENTER		
05A263	COUNTRY VILLA RIVERSIDE HEALTHCARE CENTER	4580 PALM AVENUE	
05A263	COUNTRY VILLA RIVERSIDE HEALTHCARE CENTER	4580 PALM AVENUE	
05A263	COUNTRY VILLA RIVERSIDE HEALTHCARE CENTER	4580 PALM AVENUE	
05A263	COUNTRY VILLA RIVERSIDE HEALTHCARE CENTER	4580 PALM AVENUE	
05A263	COUNTRY VILLA RIVERSIDE HEALTHCARE CENTER	4580 PALM AVENUE	
05A263	COUNTRY VILLA RIVERSIDE HEALTHCARE CENTER	4580 PALM AVENUE	
05A263	COUNTRY VILLA RIVERSIDE HEALTHCARE CENTER	4580 PALM AVENUE	
05A263	COUNTRY VILLA RIVERSIDE HEALTHCARE CENTER	4580 PALM AVENUE	
05A263	COUNTRY VILLA RIVERSIDE HEALTHCARE CENTER	4580 PALM AVENUE	
05A263	COUNTRY VILLA RIVERSIDE HEALTHCARE CENTER	4580 PALM AVENUE	
05A263	COUNTRY VILLA RIVERSIDE HEALTHCARE CENTER	4580 PALM AVENUE	

Page 173 of 372 05/31/2011

Based on Nursing Home Compare - Survey Deficiency

RIVERSIDE	CA	92501	(951) 684-7701	01/09/2009	02/12/2009
RIVERSIDE	CA	92501	(951) 684-7701	01/13/2009	01/29/2009
RIVERSIDE	CA	92501	(951) 684-7701	01/13/2009	01/29/2009
RIVERSIDE	CA	92501	(951) 684-7701	01/13/2009	01/29/2009
RIVERSIDE	CA	92501	(951) 684-7701	01/13/2009	01/29/2009
RIVERSIDE	CA	92501	(951) 684-7701	01/13/2009	01/29/2009
RIVERSIDE	CA	92501	(951) 684-7701	01/13/2009	01/29/2009
RIVERSIDE	CA	92501	(951) 684-7701	01/13/2009	01/29/2009
RIVERSIDE	CA	92501	(951) 684-7701	01/13/2009	01/29/2009
RIVERSIDE	CA	92501	(951) 684-7701	12/08/2009	01/20/2010
RIVERSIDE	CA	92501	(951) 684-7701	12/08/2009	01/20/2010

Page 174 of 372 05/31/2011

Based on Nursing Home Compare - Survey Deficiency

, and the second		records.
Health	Administration Deficiencies	Train all employees on what to do in an emergency.
Fire Safety	Building Construction Deficiencies	approved construction type or materials.
Fire Safety	Corridor Walls and Doors Deficiencies	corridors that are separated from common areas by walls constructed to limit the passage of smoke.
Fire Safety	Vertical Openings Deficiencies	exit doors that are held open by devices that will automatically close on the activation of a fire alarm or smoke detectors.
Fire Safety	Smoke Compartmentation and Control Deficiencies	smoke barrier doors that can resist smoke for at least 20 minutes.
Fire Safety	Fire Alarm Systems Deficiencies	a fire alarm system that can be heard throughout the facility.
Fire Safety	Automatic Sprinkler Systems Deficiencies	properly working sprinkler alarm system.
Fire Safety	Medical Gases and Anesthetizing Areas Deficiencies	proper medical gas storage and administration areas.
Fire Safety	Electrical Deficiencies	properly installed electrical wiring and equipment.
Health	Environmental Deficiencies	Provide needed housekeeping and maintenance.
Health	Environmental Deficiencies	Provide clean bed and bath linens that are in good condition.

Page 175 of 372 05/31/2011

Pattern

Based on Nursing Home Compare - Survey Deficiency			
	harm		
Isolated	Minimal harm or potential for actual harm		
Pattern	Potential for minimal harm		
Pattern	Potential for minimal harm		
Isolated	Minimal harm or potential for actual harm		
Isolated	Minimal harm or potential for actual harm		
Widespread	Minimal harm or potential for actual harm		
Widespread	Minimal harm or potential for actual harm		
Isolated	Minimal harm or potential for actual harm		
Isolated	Minimal harm or potential for actual harm		
Pattern	Minimal harm or potential for actual harm		

Potential for minimal harm

Page 176 of 372 05/31/2011

Based on Nursing Home Compare - Survey Deficiency

05A263	COUNTRY VILLA RIVERSIDE HEALTHCARE CENTER	4580 PALM AVENUE
05A263	COUNTRY VILLA RIVERSIDE HEALTHCARE CENTER	4580 PALM AVENUE
05A263	COUNTRY VILLA RIVERSIDE HEALTHCARE CENTER	4580 PALM AVENUE
05A263	COUNTRY VILLA RIVERSIDE HEALTHCARE CENTER	4580 PALM AVENUE
05A263	COUNTRY VILLA RIVERSIDE HEALTHCARE CENTER	4580 PALM AVENUE
05A263	COUNTRY VILLA RIVERSIDE HEALTHCARE CENTER	4580 PALM AVENUE
05A263	COUNTRY VILLA RIVERSIDE HEALTHCARE CENTER	4580 PALM AVENUE
05A263	COUNTRY VILLA RIVERSIDE HEALTHCARE CENTER	4580 PALM AVENUE
05A263	COUNTRY VILLA RIVERSIDE HEALTHCARE CENTER	4580 PALM AVENUE
05A263	COUNTRY VILLA RIVERSIDE HEALTHCARE CENTER	4580 PALM AVENUE

Page 177 of 372 05/31/2011

Based on Nursing Home Compare - Survey Deficiency

Bacca on rearring monito	,				
RIVERSIDE	CA	92501	(951) 684-7701	12/08/2009	01/20/2010
RIVERSIDE	CA	92501	(951) 684-7701	12/08/2009	01/20/2010
RIVERSIDE	CA	92501	(951) 684-7701	12/08/2009	01/20/2010
RIVERSIDE	CA	92501	(951) 684-7701	12/08/2009	01/20/2010
RIVERSIDE	CA	92501	(951) 684-7701	12/08/2009	01/20/2010
RIVERSIDE	CA	92501	(951) 684-7701	12/08/2009	01/20/2010
RIVERSIDE	CA	92501	(951) 684-7701	12/08/2009	01/20/2010
RIVERSIDE	CA	92501	(951) 684-7701	12/08/2009	01/20/2010
RIVERSIDE	CA	92501	(951) 684-7701	12/08/2009	01/20/2010
RIVERSIDE	CA	92501	(951) 684-7701	12/08/2009	01/20/2010

Page 178 of 372 05/31/2011

Based on Nursing Home Compare - Survey Deficiency

Dacoa on Haroling Home	Compare Carvey Demoistrey	
Health	Resident Assessment Deficiencies	Make sure all assessments are accurate, coordinated by an RN, done by the right professional, and are signed by the person completing them.
Health	Resident Assessment Deficiencies	Provide a final summary of the resident's health status and a summary of the resident's stay, when the resident is ready to leave the nursing home.
Health	Quality Care Deficiencies	Give each resident care and services to get or keep the highest quality of life possible.
Health	Nutrition and Dietary Deficiencies	Store, cook, and give out food in a safe and clean way.
Health	Pharmacy Service Deficiencies	Properly mark drugs and other similar products.
Health	Environmental Deficiencies	Make sure that the nursing home area is safe, easy to use, clean and comfortable.
Health	Administration Deficiencies	1) Set up a group that is legally responsible for writing and setting up policies for leading and running the nursing home; or 2) hire a properly licensed administrator.
Health	Administration Deficiencies	Keep complete, dated lab records in the resident's file.
Health	Administration Deficiencies	Keep accurate and appropriate medical records.
Health	Administration Deficiencies	Keep clinical information safe, so that it will not be lost, destroyed or used by the wrong

Page 179 of 372 05/31/2011

Based on Nursing Home Compare - Survey Deficiency

Isolated	Minimal harm or potential for actual harm
Isolated	Minimal harm or potential for actual harm
Isolated	Minimal harm or potential for actual harm
Pattern	Minimal harm or potential for actual harm
Pattern	Minimal harm or potential for actual harm
Pattern	Minimal harm or potential for actual harm
Isolated	Minimal harm or potential for actual harm
Isolated	Minimal harm or potential for actual harm
Pattern	Minimal harm or potential for actual harm
Pattern	Minimal harm or potential for actual harm

Page 180 of 372 05/31/2011

Based on Nursing Home Compare - Survey Deficiency

	N	т	
U	Ν		к

05A263	COUNTRY VILLA RIVERSIDE HEALTHCARE CENTER	4580 PALM AVENUE
05A263	COUNTRY VILLA RIVERSIDE HEALTHCARE CENTER	4580 PALM AVENUE
05A263	COUNTRY VILLA RIVERSIDE HEALTHCARE CENTER	4580 PALM AVENUE
05A263	COUNTRY VILLA RIVERSIDE HEALTHCARE CENTER	4580 PALM AVENUE
05A263	COUNTRY VILLA RIVERSIDE HEALTHCARE CENTER	4580 PALM AVENUE

05A263	COUNTRY VILLA RIVERSIDE HEALTHCARE CENTER	4580 PALM AVENUE
05A263	COUNTRY VILLA RIVERSIDE HEALTHCARE CENTER	4580 PALM AVENUE
05A263	COUNTRY VILLA RIVERSIDE HEALTHCARE CENTER	4580 PALM AVENUE
05A263	COUNTRY VILLA RIVERSIDE HEALTHCARE CENTER	4580 PALM AVENUE

Page 181 of 372 05/31/2011

Based on Nursing Home Compare - Survey Deficiency

RIVERSIDE	CA	92501	(951) 684-7701	12/08/2009	01/20/2010
RIVERSIDE	CA	92501	(951) 684-7701	12/29/2009	01/19/2010
RIVERSIDE	CA	92501	(951) 684-7701	12/29/2009	01/19/2010
RIVERSIDE	CA	92501	(951) 684-7701	12/29/2009	01/19/2010
RIVERSIDE	CA	92501	(951) 684-7701	11/18/2010	01/17/2011
RIVERSIDE	CA	92501	(951) 684-7701	11/18/2010	01/17/2011
RIVERSIDE	CA	92501	(951) 684-7701	11/18/2010	01/17/2011
RIVERSIDE	CA	92501	(951) 684-7701	11/18/2010	01/17/2011
RIVERSIDE	CA	92501	(951) 684-7701	11/18/2010	01/17/2011

Page 182 of 372 05/31/2011

Based on Nursing Home Compare - Survey Deficiency

		be lost, destroyed or used by the wrong person.
Health	Administration Deficiencies	Train all employees on what to do in an emergency.
Fire Safety	Building Construction Deficiencies	approved construction type or materials.
Fire Safety	Smoking Regulations Deficiencies	posted "No-smoking" signs in areas where smoking is not permitted or did not provide ashtrays where smoking was allowed.
Fire Safety	Electrical Deficiencies	properly installed electrical wiring and equipment.
Health	Resident Rights Deficiencies	Immediately tell the resident, doctor, and a family member if: the resident is injured, there is a major change in resident's physical/mental health, there is a need to alter treatment significantly, or the resident must be transferred or discharged.
Health	Resident Rights Deficiencies	Provide services to meet the needs and preferences of each resident.
Health	Quality Care Deficiencies	Provide activities to meet the needs of each resident.
Health	Resident Assessment Deficiencies	Keep assessments completed in the preceding 15 months in the resident's active record.
Health	Quality Care Deficiencies	Give each resident care and services to get or keep the highest quality of life possible.

Page 183 of 372 05/31/2011

Based on Nursing Home Compare - Survey Deficiency

harm

Pattern	Potential for minimal harm
Isolated	Minimal harm or potential for actual harm
Isolated	Minimal harm or potential for actual harm
Pattern	Minimal harm or potential for actual harm
Isolated	Minimal harm or potential for actual harm

Isolated	Minimal harm or potential for actual harm
Isolated	Minimal harm or potential for actual harm
Isolated	Minimal harm or potential for actual harm
Isolated	Minimal harm or potential for actual harm

Page 184 of 372 05/31/2011

Based on Nursing Home Compare - Survey Deficiency

0		
05A263	COUNTRY VILLA RIVERSIDE HEALTHCARE CENTER	4580 PALM AVENUE
05A263	COUNTRY VILLA RIVERSIDE HEALTHCARE CENTER	4580 PALM AVENUE
05A263	COUNTRY VILLA RIVERSIDE HEALTHCARE CENTER	4580 PALM AVENUE
05A263	COUNTRY VILLA RIVERSIDE HEALTHCARE CENTER	4580 PALM AVENUE
05A263	COUNTRY VILLA RIVERSIDE HEALTHCARE CENTER	4580 PALM AVENUE
05A263	COUNTRY VILLA RIVERSIDE HEALTHCARE CENTER	4580 PALM AVENUE
05A263	COUNTRY VILLA RIVERSIDE HEALTHCARE CENTER	4580 PALM AVENUE
05A263	COUNTRY VILLA RIVERSIDE HEALTHCARE CENTER	4580 PALM AVENUE
05A263	COUNTRY VILLA RIVERSIDE HEALTHCARE CENTER	4580 PALM AVENUE
05A263	COUNTRY VILLA RIVERSIDE HEALTHCARE CENTER	4580 PALM AVENUE
05A263	COUNTRY VILLA RIVERSIDE HEALTHCARE CENTER	4580 PALM AVENUE
05A263	COUNTRY VILLA RIVERSIDE HEALTHCARE	4580 PALM AVENUE

Page 185 of 372 05/31/2011

Based on Nursing Home Compare - Survey Deficiency

Dacoa on Haroling Home					
RIVERSIDE	CA	92501	(951) 684-7701	11/18/2010	01/17/2011
RIVERSIDE	CA	92501	(951) 684-7701	11/18/2010	01/17/2011
RIVERSIDE	CA	92501	(951) 684-7701	11/18/2010	01/17/2011
RIVERSIDE	CA	92501	(951) 684-7701	11/18/2010	01/17/2011
RIVERSIDE	CA	92501	(951) 684-7701	11/18/2010	01/17/2011
RIVERSIDE	CA	92501	(951) 684-7701	11/18/2010	01/17/2011
RIVERSIDE	CA	92501	(951) 684-7701	11/18/2010	01/17/2011
RIVERSIDE	CA	92501	(951) 684-7701	11/18/2010	01/17/2011
RIVERSIDE	CA	92501	(951) 684-7701	11/18/2010	01/17/2011
RIVERSIDE	CA	92501	(951) 684-7701	11/18/2010	01/17/2011
RIVERSIDE	CA	92501	(951) 684-7701	11/18/2010	01/17/2011
RIVERSIDE	CA	92501	(951) 684-7701	11/18/2010	01/17/2011

Page 186 of 372 05/31/2011

Based on Nursing Home Compare - Survey Deficiency

	and the second s	
Health	Quality Care Deficiencies	Use a registered nurse at least 8 hours a day, 7 days a week.
Health	Nutrition and Dietary Deficiencies	Make sure that the attending doctor orders special diets.
Health	Nutrition and Dietary Deficiencies	Store, cook, and give out food in a safe and clean way.
Health	Environmental Deficiencies	Get rid of garbage properly.
Health	Pharmacy Service Deficiencies	Have drugs and other similar products available, which are needed every day and in emergencies, and give them out properly.
Health	Pharmacy Service Deficiencies	Properly mark drugs and other similar products.
Health	Environmental Deficiencies	Keep all essential equipment working safely.
Health	Environmental Deficiencies	Provide bedrooms that don't allow residents to see each other when privacy is needed.
Health	Environmental Deficiencies	Make sure that a working call system is available in each resident's room or bathroom and bathing area.
Health	Environmental Deficiencies	Make sure that the nursing home area is safe, easy to use, clean and comfortable.
Health	Administration Deficiencies	Give lab tests only when the attending doctor ordered them.
Health	Administration Deficiencies	Keep accurate and appropriate medical

Page 187 of 372 05/31/2011

Based on Nursing Home Compare - Survey Deficiency

Pattern	Minimal harm or potential for actual harm
Pattern	Minimal harm or potential for actual harm
Isolated	Minimal harm or potential for actual harm
Isolated	Minimal harm or potential for actual harm
Isolated	Minimal harm or potential for actual harm
Pattern	Minimal harm or potential for actual harm
Pattern	Minimal harm or potential for actual harm
Isolated	Minimal harm or potential for actual harm
Pattern	Minimal harm or potential for actual harm
Isolated	Minimal harm or potential for actual harm
Isolated	Minimal harm or potential for actual harm
Pattern	Minimal harm or potential for actual

Page 188 of 372 05/31/2011

Based on Nursing Home Compare - Survey Deficiency

based of Mulsing Flome Compare - Survey Deliciency				
	CENTER			
05A263	COUNTRY VILLA RIVERSIDE HEALTHCARE CENTER	4580 PALM AVENUE		
05A263	COUNTRY VILLA RIVERSIDE HEALTHCARE CENTER	4580 PALM AVENUE		
05A263	COUNTRY VILLA RIVERSIDE HEALTHCARE CENTER	4580 PALM AVENUE		
05A263	COUNTRY VILLA RIVERSIDE HEALTHCARE CENTER	4580 PALM AVENUE		
05A263	COUNTRY VILLA RIVERSIDE HEALTHCARE CENTER	4580 PALM AVENUE		
05A263	COUNTRY VILLA RIVERSIDE HEALTHCARE CENTER	4580 PALM AVENUE		
05A263	COUNTRY VILLA RIVERSIDE HEALTHCARE CENTER	4580 PALM AVENUE		
05A263	COUNTRY VILLA RIVERSIDE HEALTHCARE CENTER	4580 PALM AVENUE		
05A263	COUNTRY VILLA RIVERSIDE HEALTHCARE CENTER	4580 PALM AVENUE		
05A263	COUNTRY VILLA RIVERSIDE HEALTHCARE CENTER	4580 PALM AVENUE		
05A263	COUNTRY VILLA RIVERSIDE HEALTHCARE CENTER	4580 PALM AVENUE		
05A263	COUNTRY VILLA RIVERSIDE HEALTHCARE	4580 PALM AVENUE		

Page 189 of 372 05/31/2011

Based on Nursing Home Compare - Survey Deficiency

RIVERSIDE	CA	92501	(951) 684-7701	11/18/2010	01/17/2011
RIVERSIDE	CA	92501	(951) 684-7701	11/30/2010	12/30/2010
RIVERSIDE	CA	92501	(951) 684-7701	11/30/2010	12/30/2010
RIVERSIDE	CA	92501	(951) 684-7701	11/30/2010	12/30/2010
RIVERSIDE	CA	92501	(951) 684-7701	11/30/2010	12/30/2010
RIVERSIDE	CA	92501	(951) 684-7701	11/30/2010	12/30/2010
RIVERSIDE	CA	92501	(951) 684-7701	11/30/2010	12/30/2010
RIVERSIDE	CA	92501	(951) 684-7701	11/30/2010	12/30/2010
RIVERSIDE	CA	92501	(951) 684-7701	11/30/2010	12/30/2010
RIVERSIDE	CA	92501	(951) 684-7701	11/30/2010	12/30/2010
RIVERSIDE	CA	92501	(951) 684-7701	11/30/2010	12/30/2010
RIVERSIDE	CA	92501	(951) 684-7701	11/30/2010	12/30/2010

Page 190 of 372 05/31/2011

Based on Nursing Home Compare - Survey Deficiency

		records.
Health	Administration Deficiencies	Have a detailed, written plan for disasters and emergencies.
Fire Safety	Building Construction Deficiencies	approved construction type or materials.
Fire Safety	Corridor Walls and Doors Deficiencies	corridor and hallway doors that block smoke.
Fire Safety	Vertical Openings Deficiencies	exit doors that are held open by devices that will automatically close on the activation of a fire alarm or smoke detectors.
Fire Safety	Smoke Compartmentation and Control Deficiencies	smoke barrier doors that can resist smoke for at least 20 minutes.
Fire Safety	Hazardous Area Deficiencies	construction that can resist fire for one hour or an approved fire extinguishing system.
Fire Safety	Illumination and Emergency Power Deficiencies	properly located and lighted "Exit" signs.
Fire Safety	Fire Alarm Systems Deficiencies	properly maintained smoke detectors.
Fire Safety	Automatic Sprinkler Systems Deficiencies	automatic sprinkler systems that have been maintained in working order.
Fire Safety	Building Service Equipment Deficiencies	properly protected cooking facilities.
Fire Safety	Medical Gases and Anesthetizing Areas Deficiencies	proper medical gas storage and administration areas.
Fire Safety	Electrical Deficiencies	properly installed electrical wiring and

Page 191 of 372 05/31/2011

Based on Nursing Home Compare - Survey Deficiency

	harm
Isolated	Minimal harm or potential for actual harm
Pattern	Minimal harm or potential for actual harm
Pattern	Minimal harm or potential for actual harm
Isolated	Minimal harm or potential for actual harm
Isolated	Minimal harm or potential for actual harm
Pattern	Minimal harm or potential for actual harm
Isolated	Minimal harm or potential for actual harm
Isolated	Minimal harm or potential for actual harm
Pattern	Minimal harm or potential for actual harm
Isolated	Minimal harm or potential for actual harm
Pattern	Minimal harm or potential for actual harm
Pattern	Minimal harm or potential for actual

Page 192 of 372 05/31/2011

Based on Nursing Home Compare - Survey Deficiency

based of rivursing frome compare - Survey Denotericy			
	CENTER		
05A264	VISTA PACIFICA CENTER	3674 PACIFIC AVENUE	
05A264	VISTA PACIFICA CENTER	3674 PACIFIC AVENUE	
05A264	VISTA PACIFICA CENTER	3674 PACIFIC AVENUE	
05A264	VISTA PACIFICA CENTER	3674 PACIFIC AVENUE	
05A264	VISTA PACIFICA CENTER	3674 PACIFIC AVENUE	
05A264	VISTA PACIFICA CENTER	3674 PACIFIC AVENUE	
05A264	VISTA PACIFICA CENTER	3674 PACIFIC AVENUE	
05A264	VISTA PACIFICA CENTER	3674 PACIFIC AVENUE	
05A264	VISTA PACIFICA CENTER	3674 PACIFIC AVENUE	
05A264	VISTA PACIFICA CENTER	3674 PACIFIC AVENUE	

Page 193 of 372 05/31/2011

Based on Nursing Home Compare - Survey Deficiency

RIVERSIDE	CA	92509	(951) 682-4833	10/29/2007	11/30/2007
RIVERSIDE	CA	92509	(951) 682-4833	10/29/2007	11/30/2007
RIVERSIDE	CA	92509	(951) 682-4833	10/29/2007	11/30/2007
RIVERSIDE	CA	92509	(951) 682-4833	10/29/2007	11/30/2007
RIVERSIDE	CA	92509	(951) 682-4833	10/29/2007	11/30/2007
RIVERSIDE	CA	92509	(951) 682-4833	10/29/2007	11/30/2007
RIVERSIDE	CA	92509	(951) 682-4833	10/29/2007	11/30/2007
RIVERSIDE	CA	92509	(951) 682-4833	10/29/2007	11/30/2007
RIVERSIDE	CA	92509	(951) 682-4833	10/29/2007	11/30/2007
RIVERSIDE	CA	92509	(951) 682-4833	10/29/2007	11/30/2007

Page 194 of 372 05/31/2011

Based on Nursing Home Compare - Survey Deficiency

	Tierre Cempare Carvey Denoisiney	
		equipment.
Health	Resident Rights Deficiencies	Tell the resident completely about his or her health status.
Health	Resident Rights Deficiencies	Let the resident refuse treatment or refuse to take part in an experiment.
Health	Resident Rights Deficiencies	Provide written records when a resident is transferred or discharged.
Health	Resident Rights Deficiencies	Provide services to meet the needs and preferences of each resident.
Health	Environmental Deficiencies	Keep sound levels comfortable.
Health	Resident Assessment Deficiencies	Make a complete assessment that covers all questions for areas that are listed in official regulations.
Health	Resident Assessment Deficiencies	Make sure all assessments are accurate, coordinated by an RN, done by the right professional, and are signed by the person completing them.
Health	Resident Assessment Deficiencies	Develop a complete care plan that meets all of a resident's needs, with timetables and actions that can be measured.
Health	Resident Assessment Deficiencies	Keep assessments completed in the preceding 15 months in the resident's active record.
Health	Environmental Deficiencies	Make sure that the nursing home area is free of dangers that cause accidents.

Page 195 of 372 05/31/2011

Based on Nursing Home Compare - Survey Deficiency

	harm
Pattern	Minimal harm or potential for actual harm
Isolated	Minimal harm or potential for actual harm
Pattern	Potential for minimal harm
Isolated	Minimal harm or potential for actual harm
Isolated	Minimal harm or potential for actual harm
Isolated	Minimal harm or potential for actual harm
Pattern	Potential for minimal harm
Pattern	Minimal harm or potential for actual harm
Pattern	Potential for minimal harm
Isolated	Minimal harm or potential for actual harm

Page 196 of 372 05/31/2011

Based on Nursing Home Compare - Survey Deficiency

05A264	VISTA PACIFICA CENTER	3674 PACIFIC AVENUE
05A264	VISTA PACIFICA CENTER	3674 PACIFIC AVENUE
05A264	VISTA PACIFICA CENTER	3674 PACIFIC AVENUE
05A264	VISTA PACIFICA CENTER	3674 PACIFIC AVENUE
05A264	VISTA PACIFICA CENTER	3674 PACIFIC AVENUE
05A264	VISTA PACIFICA CENTER	3674 PACIFIC AVENUE
05A264	VISTA PACIFICA CENTER	3674 PACIFIC AVENUE
05A264	VISTA PACIFICA CENTER	3674 PACIFIC AVENUE
05A264	VISTA PACIFICA CENTER	3674 PACIFIC AVENUE
05A264	VISTA PACIFICA CENTER	3674 PACIFIC AVENUE
05A264	VISTA PACIFICA CENTER	3674 PACIFIC AVENUE
05A264	VISTA PACIFICA CENTER	3674 PACIFIC AVENUE

Page 197 of 372 05/31/2011

Based on Nursing Home Compare - Survey Deficiency

· ·	mpare darvey beneficiency				
RIVERSIDE	CA	92509	(951) 682-4833	10/29/2007	11/30/2007
RIVERSIDE	CA	92509	(951) 682-4833	10/29/2007	11/30/2007
RIVERSIDE	CA	92509	(951) 682-4833	10/29/2007	11/30/2007
RIVERSIDE	CA	92509	(951) 682-4833	10/29/2007	11/30/2007
RIVERSIDE	CA	92509	(951) 682-4833	10/29/2007	11/30/2007
RIVERSIDE	CA	92509	(951) 682-4833	10/29/2007	11/30/2007
RIVERSIDE	CA	92509	(951) 682-4833	10/29/2007	11/30/2007
RIVERSIDE	CA	92509	(951) 682-4833	10/29/2007	11/30/2007
RIVERSIDE	CA	92509	(951) 682-4833	10/29/2007	11/30/2007
RIVERSIDE	CA	92509	(951) 682-4833	10/29/2007	11/30/2007
RIVERSIDE	CA	92509	(951) 682-4833	10/29/2007	11/30/2007
RIVERSIDE	CA	92509	(951) 682-4833	10/31/2007	11/29/2007

Page 198 of 372 05/31/2011

Based on Nursing Home Compare - Survey Deficiency

Health	Nutrition and Dietary Deficiencies	Make sure that residents are well nourished.
Health	Nutrition and Dietary Deficiencies	Make sure that the attending doctor orders special diets.
Health	Nutrition and Dietary Deficiencies	Store, cook, and give out food in a safe and clean way.
Health	Pharmacy Service Deficiencies	Properly mark drugs and other similar products.
Health	Environmental Deficiencies	Have a program to keep infection from spreading.
Health	Environmental Deficiencies	Make sure that a working call system is available in each resident's room or bathroom and bathing area.
Health	Environmental Deficiencies	Make sure that the nursing home area is safe, easy to use, clean and comfortable.
Health	Administration Deficiencies	Give or get lab tests to meet the needs of residents.
Health	Administration Deficiencies	Quickly tell the resident's doctor the results of lab tests.
Health	Administration Deficiencies	Keep accurate and appropriate medical records.
Health	Administration Deficiencies	Train all employees on what to do in an emergency.
Fire Safety	Building Construction Deficiencies	approved construction type or materials.

Page 199 of 372 05/31/2011

Based on Nursing Home Compare - Survey Deficiency

Pattern	Minimal harm or potential for actual harm
Isolated	Minimal harm or potential for actual harm
Widespread	Minimal harm or potential for actual harm
Pattern	Minimal harm or potential for actual harm
Isolated	Minimal harm or potential for actual harm
Isolated	Minimal harm or potential for actual harm
Pattern	Minimal harm or potential for actual harm
Isolated	Minimal harm or potential for actual harm
Isolated	Minimal harm or potential for actual harm
Isolated	Minimal harm or potential for actual harm
Pattern	Potential for minimal harm
Isolated	Minimal harm or potential for actual harm

Page 200 of 372 05/31/2011

Based on Nursing Home Compare - Survey Deficiency

	0	,	
05A264		VISTA PACIFICA CENTER	3674 PACIFIC AVENUE
05A264		VISTA PACIFICA CENTER	3674 PACIFIC AVENUE
05A264		VISTA PACIFICA CENTER	3674 PACIFIC AVENUE
05A264		VISTA PACIFICA CENTER	3674 PACIFIC AVENUE
05A264		VISTA PACIFICA CENTER	3674 PACIFIC AVENUE
05A264		VISTA PACIFICA CENTER	3674 PACIFIC AVENUE
05A264		VISTA PACIFICA CENTER	3674 PACIFIC AVENUE
05A264		VISTA PACIFICA CENTER	3674 PACIFIC AVENUE
05A264		VISTA PACIFICA CENTER	3674 PACIFIC AVENUE
05A264		VISTA PACIFICA CENTER	3674 PACIFIC AVENUE
05A264		VISTA PACIFICA CENTER	3674 PACIFIC AVENUE
05A264		VISTA PACIFICA CENTER	3674 PACIFIC AVENUE

Page 201 of 372 05/31/2011

Based on Nursing Home Compare - Survey Deficiency

	'	,			
RIVERSIDE	CA	92509	(951) 682-4833	10/31/2007	11/29/2007
RIVERSIDE	CA	92509	(951) 682-4833	10/31/2007	11/29/2007
RIVERSIDE	CA	92509	(951) 682-4833	10/31/2007	11/29/2007
RIVERSIDE	CA	92509	(951) 682-4833	10/31/2007	11/29/2007
RIVERSIDE	CA	92509	(951) 682-4833	10/31/2007	11/29/2007
RIVERSIDE	CA	92509	(951) 682-4833	10/31/2007	11/29/2007
RIVERSIDE	CA	92509	(951) 682-4833	10/31/2007	11/29/2007
RIVERSIDE	CA	92509	(951) 682-4833	10/31/2007	11/29/2007
RIVERSIDE	CA	92509	(951) 682-4833	10/31/2007	11/29/2007
RIVERSIDE	CA	92509	(951) 682-4833	10/31/2007	11/29/2007
RIVERSIDE	CA	92509	(951) 682-4833	11/06/2008	12/03/2008
RIVERSIDE	CA	92509	(951) 682-4833	11/06/2008	12/03/2008

Page 202 of 372 05/31/2011

Based on Nursing Home Compare - Survey Deficiency

Fire Safety	Interior Finish Deficiencies	fire-resistant room wall surfaces.
Fire Safety	Corridor Walls and Doors Deficiencies	corridors that are separated from common areas by walls constructed to limit the passage of smoke.
Fire Safety	Corridor Walls and Doors Deficiencies	corridor and hallway doors that block smoke.
Fire Safety	Hazardous Area Deficiencies	construction that can resist fire for one hour or an approved fire extinguishing system.
Fire Safety	Illumination and Emergency Power Deficiencies	properly located and lighted "Exit" signs.
Fire Safety	Fire Alarm Systems Deficiencies	properly maintained smoke detectors.
Fire Safety	Automatic Sprinkler Systems Deficiencies	automatic sprinkler systems that have been maintained in working order.
Fire Safety	Medical Gases and Anesthetizing Areas Deficiencies	proper medical gas storage and administration areas.
Fire Safety	Miscellaneous Deficiencies	fire safety features required by current fire safety codes.
Fire Safety	Electrical Deficiencies	weekly inspections and monthly testing of generators.
Health	Environmental Deficiencies	Provide needed housekeeping and maintenance.
Health	Resident Assessment Deficiencies	Make sure all assessments are accurate, coordinated by an RN, done by the right professional, and are signed by the person

Page 203 of 372 05/31/2011

Based on Nursing Home Compare - Survey Deficiency

Isolated	Minimal harm or potential for actual harm
Isolated	Minimal harm or potential for actual harm
Widespread	Potential for minimal harm
Isolated	Minimal harm or potential for actual harm
Isolated	Minimal harm or potential for actual harm
Pattern	Minimal harm or potential for actual harm
Isolated	Minimal harm or potential for actual harm
Isolated	Minimal harm or potential for actual harm
Pattern	Minimal harm or potential for actual harm
Pattern	Minimal harm or potential for actual harm
Isolated	Minimal harm or potential for actual harm
Isolated	Minimal harm or potential for actual harm

Page 204 of 372 05/31/2011

Based on Nursing Home Compare - Survey Deficiency

05A264	VISTA PACIFICA CENTER	3674 PACIFIC AVENUE
05A264	VISTA PACIFICA CENTER	3674 PACIFIC AVENUE
05A264	VISTA PACIFICA CENTER	3674 PACIFIC AVENUE
05A264	VISTA PACIFICA CENTER	3674 PACIFIC AVENUE
05A264	VISTA PACIFICA CENTER	3674 PACIFIC AVENUE
05A264	VISTA PACIFICA CENTER	3674 PACIFIC AVENUE
05A264	VISTA PACIFICA CENTER	3674 PACIFIC AVENUE
05A264	VISTA PACIFICA CENTER	3674 PACIFIC AVENUE
05A264	VISTA PACIFICA CENTER	3674 PACIFIC AVENUE
05A264	VISTA PACIFICA CENTER	3674 PACIFIC AVENUE
05A264	VISTA PACIFICA CENTER	3674 PACIFIC AVENUE
05A264	VISTA PACIFICA CENTER	3674 PACIFIC AVENUE

Page 205 of 372 05/31/2011

Based on Nursing Home Compare - Survey Deficiency

RIVERSIDE	CA	92509	(951) 682-4833	11/06/2008	12/03/2008
RIVERSIDE	CA	92509	(951) 682-4833	11/06/2008	12/03/2008
RIVERSIDE	CA	92509	(951) 682-4833	11/06/2008	12/03/2008
RIVERSIDE	CA	92509	(951) 682-4833	11/06/2008	12/03/2008
RIVERSIDE	CA	92509	(951) 682-4833	11/06/2008	12/03/2008
RIVERSIDE	CA	92509	(951) 682-4833	11/06/2008	12/03/2008
RIVERSIDE	CA	92509	(951) 682-4833	11/20/2008	01/16/2009
RIVERSIDE	CA	92509	(951) 682-4833	11/20/2008	01/16/2009
RIVERSIDE	CA	92509	(951) 682-4833	11/20/2008	01/16/2009
RIVERSIDE	CA	92509	(951) 682-4833	11/20/2008	01/16/2009
RIVERSIDE	CA	92509	(951) 682-4833	11/20/2008	01/16/2009
RIVERSIDE	CA	92509	(951) 682-4833	11/20/2008	01/16/2009

Page 206 of 372 05/31/2011

Based on Nursing Home Compare - Survey Deficiency

		completing them.
Health	Resident Assessment Deficiencies	Keep assessments completed in the preceding 15 months in the resident's active record.
Health	Quality Care Deficiencies	Give each resident care and services to get or keep the highest quality of life possible.
Health	Quality Care Deficiencies	Make sure that each resident's nutritional needs were met.
Health	Quality Care Deficiencies	Have enough nurses to care for every resident in a way that maximizes the resident's well being.
Health	Pharmacy Service Deficiencies	Properly mark drugs and other similar products.
Health	Administration Deficiencies	Keep accurate and appropriate medical records.
Fire Safety	Corridor Walls and Doors Deficiencies	corridor and hallway doors that block smoke.
Fire Safety	Emergency Plans and Fire Drills Deficiencies	record of quarterly fire drills for each shift under varying conditions.
Fire Safety	Fire Alarm Systems Deficiencies	an approved installation, maintenance and testing program for fire alarm systems.
Fire Safety	Automatic Sprinkler Systems Deficiencies	properly working sprinkler alarm system.
Fire Safety	Medical Gases and Anesthetizing Areas Deficiencies	proper medical gas storage and administration areas.
Fire Safety	Electrical Deficiencies	properly installed electrical wiring and

Page 207 of 372 05/31/2011

Based on Nursing Home Compare - Survey Deficiency

Isolated	Minimal harm or potential for actual harm
Isolated	Minimal harm or potential for actual harm
Pattern	Minimal harm or potential for actual harm
Isolated	Minimal harm or potential for actual harm
Pattern	Minimal harm or potential for actual harm
Pattern	Minimal harm or potential for actual harm
Isolated	Minimal harm or potential for actual harm
Isolated	Minimal harm or potential for actual harm
Pattern	Minimal harm or potential for actual harm
Isolated	Minimal harm or potential for actual harm
Isolated	Minimal harm or potential for actual harm
Pattern	Potential for minimal harm

Page 208 of 372 05/31/2011

Based on Nursing Home Compare - Survey Deficiency

05A264	VISTA PACIFICA CENTER	3674 PACIFIC AVENUE
05A264	VISTA PACIFICA CENTER	3674 PACIFIC AVENUE
05A264	VISTA PACIFICA CENTER	3674 PACIFIC AVENUE
05A264	VISTA PACIFICA CENTER	3674 PACIFIC AVENUE
05A264	VISTA PACIFICA CENTER	3674 PACIFIC AVENUE
05A264	VISTA PACIFICA CENTER	3674 PACIFIC AVENUE
05A264	VISTA PACIFICA CENTER	3674 PACIFIC AVENUE
05A264	VISTA PACIFICA CENTER	3674 PACIFIC AVENUE
05A264	VISTA PACIFICA CENTER	3674 PACIFIC AVENUE
05A264	VISTA PACIFICA CENTER	3674 PACIFIC AVENUE
05A264	VISTA PACIFICA CENTER	3674 PACIFIC AVENUE
05A264	VISTA PACIFICA CENTER	3674 PACIFIC AVENUE

Page 209 of 372 05/31/2011

Based on Nursing Home Compare - Survey Deficiency

RIVERSIDE CA 92509 (951) 682-4833 10/23/2009 11/30/2009  RIVERSIDE CA 92509 (951) 682-4833 10/23/2009 11/30/2009  RIVERSIDE CA 92509 (951) 682-4833 10/23/2009 11/30/2009	3					
RIVERSIDE CA 92509 (951) 682-4833 10/23/2009 11/30/2009  RIVERSIDE CA 92509 (951) 682-4833 10/23/2009 11/30/2009  RIVERSIDE CA 92509 (951) 682-4833 10/23/2009 11/30/2009						
RIVERSIDE CA 92509 (951) 682-4833 10/23/2009 11/30/200 RIVERSIDE CA 92509 (951) 682-4833 10/23/2009 11/30/200	RIVERSIDE	CA	92509	(951) 682-4833	10/23/2009	11/30/2009
RIVERSIDE CA 92509 (951) 682-4833 10/23/2009 11/30/200	RIVERSIDE	CA	92509	(951) 682-4833	10/23/2009	11/30/2009
	RIVERSIDE	CA	92509	(951) 682-4833	10/23/2009	11/30/2009
RIVERSIDE CA 92509 (951) 682-4833 10/23/2009 11/30/200	RIVERSIDE	CA	92509	(951) 682-4833	10/23/2009	11/30/2009
	RIVERSIDE	CA	92509	(951) 682-4833	10/23/2009	11/30/2009
RIVERSIDE CA 92509 (951) 682-4833 10/23/2009 11/30/200	RIVERSIDE	CA	92509	(951) 682-4833	10/23/2009	11/30/2009
RIVERSIDE CA 92509 (951) 682-4833 10/30/2009 11/30/200	RIVERSIDE	CA	92509	(951) 682-4833	10/30/2009	11/30/2009
RIVERSIDE CA 92509 (951) 682-4833 10/30/2009 11/30/200	RIVERSIDE	CA	92509	(951) 682-4833	10/30/2009	11/30/2009
RIVERSIDE CA 92509 (951) 682-4833 10/30/2009 11/30/200	RIVERSIDE	CA	92509	(951) 682-4833	10/30/2009	11/30/2009
RIVERSIDE CA 92509 (951) 682-4833 10/30/2009 11/30/200	RIVERSIDE	CA	92509	(951) 682-4833	10/30/2009	11/30/2009
RIVERSIDE CA 92509 (951) 682-4833 10/30/2009 11/30/200	RIVERSIDE	CA	92509	(951) 682-4833	10/30/2009	11/30/2009
RIVERSIDE CA 92509 (951) 682-4833 10/30/2009 11/30/200	RIVERSIDE	CA	92509	(951) 682-4833	10/30/2009	11/30/2009

Page 210 of 372 05/31/2011

Based on Nursing Home Compare - Survey Deficiency

Bacca crittarening Frenine	Compare - Survey Deliciency	
		equipment.
Health	Environmental Deficiencies	Provide needed housekeeping and maintenance.
Health	Resident Assessment Deficiencies	Make a complete assessment that covers all questions for areas that are listed in official regulations.
Health	Resident Assessment Deficiencies	Keep assessments completed in the preceding 15 months in the resident's active record.
Health	Quality Care Deficiencies	Give each resident care and services to get or keep the highest quality of life possible.
Health	Pharmacy Service Deficiencies	Properly mark drugs and other similar products.
Health	Administration Deficiencies	Keep accurate and appropriate medical records.
Fire Safety	Emergency Plans and Fire Drills Deficiencies	did not have a written emergency evacuation plan.
Fire Safety	Fire Alarm Systems Deficiencies	an approved installation, maintenance and testing program for fire alarm systems.
Fire Safety	Fire Alarm Systems Deficiencies	properly maintained smoke detectors.
Fire Safety	Automatic Sprinkler Systems Deficiencies	automatic sprinkler systems that have been maintained in working order.
Fire Safety	Building Service Equipment Deficiencies	heating and ventilation systems that have been properly installed according to the manufacturer's instructions.
Fire Safety	Miscellaneous Deficiencies	fire safety features required by current fire

Page 211 of 372 05/31/2011

Based on Nursing Home Compare - Survey Deficiency

based off Nursing Home Compa	ile - Survey Deliciency
Pattern	Potential for minimal harm
Isolated	Minimal harm or potential for actual harm
Isolated	Minimal harm or potential for actual harm
Isolated	Minimal harm or potential for actual harm
Isolated	Minimal harm or potential for actual harm
Isolated	Minimal harm or potential for actual harm
Widespread	Potential for minimal harm
Pattern	Minimal harm or potential for actual harm
Widespread	Potential for minimal harm
Pattern	Minimal harm or potential for actual harm
Widespread	Minimal harm or potential for actual harm
Widespread	Potential for minimal harm

Page 212 of 372 05/31/2011

Based on Nursing Home Compare - Survey Deficiency

05A264	VISTA PACIFICA CENTER	3674 PACIFIC AVENUE
05A264	VISTA PACIFICA CENTER	3674 PACIFIC AVENUE
05A365	MILLER'S PROGRESSIVE CARE	8951 GRANITE HILL DRIVE
05A365	MILLER'S PROGRESSIVE CARE	8951 GRANITE HILL DRIVE
05A365	MILLER'S PROGRESSIVE CARE	8951 GRANITE HILL DRIVE
05A365	MILLER'S PROGRESSIVE CARE	8951 GRANITE HILL DRIVE
05A365	MILLER'S PROGRESSIVE CARE	8951 GRANITE HILL DRIVE
05A365	MILLER'S PROGRESSIVE CARE	8951 GRANITE HILL DRIVE
05A365	MILLER'S PROGRESSIVE CARE	8951 GRANITE HILL DRIVE
05A365	MILLER'S PROGRESSIVE CARE	8951 GRANITE HILL

Page 213 of 372 05/31/2011

Based on Nursing Home Compare - Survey Deficiency

		-			
RIVERSIDE	CA	92509	(951) 682-4833	10/30/2009	11/30/2009
RIVERSIDE	CA	92509	(951) 682-4833	10/30/2009	11/30/2009
RIVERSIDE	CA	92509	(951) 685-7474	01/14/2008	03/20/2008
RIVERSIDE	CA	92509	(951) 685-7474	01/14/2008	03/20/2008
RIVERSIDE	CA	92509	(951) 685-7474	01/14/2008	03/20/2008
RIVERSIDE	CA	92509	(951) 685-7474	01/14/2008	03/20/2008
RIVERSIDE	CA	92509	(951) 685-7474	01/14/2008	03/20/2008
RIVERSIDE	CA	92509	(951) 685-7474	01/14/2008	03/20/2008
RIVERSIDE	CA	92509	(951) 685-7474	01/14/2008	03/20/2008
RIVERSIDE	CA	92509	(951) 685-7474	01/14/2008	03/20/2008

Page 214 of 372 05/31/2011

Based on Nursing Home Compare - Survey Deficiency

		safety codes.
Fire Safety	Electrical Deficiencies	weekly inspections and monthly testing of generators.
Fire Safety	Electrical Deficiencies	properly installed electrical wiring and equipment.
Health	Mistreatment Deficiencies	Protect residents from mistreatment, neglect, and/or theft of personal property.
Health	Mistreatment Deficiencies	Write and use policies that forbid mistreatment, neglect and abuse of residents and theft of residents' property.
Health	Quality Care Deficiencies	Provide social services for related medical problems to help each resident achieve the highest possible quality of life.
Health	Resident Assessment Deficiencies	Develop a complete care plan that meets all of a resident's needs, with timetables and actions that can be measured.
Health	Environmental Deficiencies	Make sure that the nursing home area is free of dangers that cause accidents.
Health	Pharmacy Service Deficiencies	Keep the rate of medication errors (wrong drug, wrong dose, wrong time) to less than 5%.
Health	Nutrition and Dietary Deficiencies	Prepare food that is nutritional, appetizing, tasty, attractive, well-cooked, and at the right temperature.
Health	Nutrition and Dietary Deficiencies	Store, cook, and give out food in a safe and

Page 215 of 372 05/31/2011

Based on Nursing Home Compare - Survey Deficiency

0 1	
Pattern	Minimal harm or potential for actual harm
Pattern	Minimal harm or potential for actual harm
Isolated	Immediate jeopardy to resident health or safety
Isolated	Minimal harm or potential for actual harm
Isolated	Minimal harm or potential for actual harm
Isolated	Minimal harm or potential for actual harm
Pattern	Minimal harm or potential for actual harm
Isolated	Minimal harm or potential for actual harm
Pattern	Minimal harm or potential for actual harm
Isolated	Minimal harm or potential for actual

Page 216 of 372 05/31/2011

Based on Nursing Home Compare - Survey Deficiency

0		
		DRIVE
05A365	MILLER'S PROGRESSIVE CARE	8951 GRANITE HILL DRIVE
05A365	MILLER'S PROGRESSIVE CARE	8951 GRANITE HILL DRIVE
05A365	MILLER'S PROGRESSIVE CARE	8951 GRANITE HILL DRIVE
05A365	MILLER'S PROGRESSIVE CARE	8951 GRANITE HILL DRIVE
05A365	MILLER'S PROGRESSIVE CARE	8951 GRANITE HILL DRIVE
05A365	MILLER'S PROGRESSIVE CARE	8951 GRANITE HILL DRIVE
05A365	MILLER'S PROGRESSIVE CARE	8951 GRANITE HILL DRIVE
05A365	MILLER'S PROGRESSIVE CARE	8951 GRANITE HILL DRIVE
05A365	MILLER'S PROGRESSIVE CARE	8951 GRANITE HILL DRIVE
05A365	MILLER'S PROGRESSIVE CARE	8951 GRANITE HILL DRIVE
05A365	MILLER'S PROGRESSIVE CARE	8951 GRANITE HILL DRIVE
05A365	MILLER'S PROGRESSIVE CARE	8951 GRANITE HILL

Page 217 of 372 05/31/2011

Based on Nursing Home Compare - Survey Deficiency

RIVERSIDE	CA	92509	(951) 685-7474	01/14/2008	03/20/2008
RIVERSIDE	CA	92509	(951) 685-7474	01/14/2008	03/20/2008
RIVERSIDE	CA	92509	(951) 685-7474	01/29/2008	03/03/2008
RIVERSIDE	CA	92509	(951) 685-7474	01/29/2008	03/03/2008
RIVERSIDE	CA	92509	(951) 685-7474	01/29/2008	03/03/2008
RIVERSIDE	CA	92509	(951) 685-7474	01/29/2008	03/03/2008
RIVERSIDE	CA	92509	(951) 685-7474	01/29/2008	03/03/2008
RIVERSIDE	CA	92509	(951) 685-7474	01/29/2008	03/03/2008
RIVERSIDE	CA	92509	(951) 685-7474	01/29/2008	03/03/2008
RIVERSIDE	CA	92509	(951) 685-7474	01/29/2008	03/03/2008
RIVERSIDE	CA	92509	(951) 685-7474	01/29/2008	03/03/2008
RIVERSIDE	CA	92509	(951) 685-7474	01/29/2008	03/03/2008

Page 218 of 372 05/31/2011

Based on Nursing Home Compare - Survey Deficiency

based off Nursing Floring	e Compare - Survey Deliciency	
		clean way.
Health	Pharmacy Service Deficiencies	Properly mark drugs and other similar products.
Health	Environmental Deficiencies	Make sure that the nursing home area is safe, easy to use, clean and comfortable.
Fire Safety	Building Construction Deficiencies	approved construction type or materials.
Fire Safety	Corridor Walls and Doors Deficiencies	corridors that are separated from common areas by walls constructed to limit the passage of smoke.
Fire Safety	Corridor Walls and Doors Deficiencies	corridor and hallway doors that block smoke.
Fire Safety	Emergency Plans and Fire Drills Deficiencies	did not have a written emergency evacuation plan.
Fire Safety	Emergency Plans and Fire Drills Deficiencies	record of quarterly fire drills for each shift under varying conditions.
Fire Safety	Fire Alarm Systems Deficiencies	an approved installation, maintenance and testing program for fire alarm systems.
Fire Safety	Automatic Sprinkler Systems Deficiencies	properly working alarms on sprinkler valves.
Fire Safety	Automatic Sprinkler Systems Deficiencies	automatic sprinkler systems that have been maintained in working order.
Fire Safety	Automatic Sprinkler Systems Deficiencies	portable fire extinguishers.
Fire Safety	Smoking Regulations Deficiencies	posted "No-smoking" signs in areas where

Page 219 of 372 05/31/2011

Based on Nursing Home Compare - Survey Deficiency

	harm
Isolated	Minimal harm or potential for actual harm
Widespread	Minimal harm or potential for actual harm
Widespread	Potential for minimal harm
Isolated	Minimal harm or potential for actual harm
Pattern	Potential for minimal harm
Isolated	Minimal harm or potential for actual harm
Pattern	Minimal harm or potential for actual harm
Isolated	Minimal harm or potential for actual harm
Isolated	Minimal harm or potential for actual harm
Pattern	Minimal harm or potential for actual harm
Pattern	Minimal harm or potential for actual harm
Widespread	Potential for minimal harm

Page 220 of 372 05/31/2011

Based on Nursing Home Compare - Survey Deficiency

zacou ciritarenig ricino compare	arroy Denoishey	
		DRIVE
05A365	MILLER'S PROGRESSIVE CARE	8951 GRANITE HILL DRIVE
05A365	MILLER'S PROGRESSIVE CARE	8951 GRANITE HILL DRIVE
05A365	MILLER'S PROGRESSIVE CARE	8951 GRANITE HILL DRIVE
05A365	MILLER'S PROGRESSIVE CARE	8951 GRANITE HILL DRIVE
05A365	MILLER'S PROGRESSIVE CARE	8951 GRANITE HILL DRIVE
05A365	MILLER'S PROGRESSIVE CARE	8951 GRANITE HILL DRIVE
05A365	MILLER'S PROGRESSIVE CARE	8951 GRANITE HILL DRIVE
05A365	MILLER'S PROGRESSIVE CARE	8951 GRANITE HILL DRIVE
05A365	MILLER'S PROGRESSIVE CARE	8951 GRANITE HILL DRIVE
05A365	MILLER'S PROGRESSIVE CARE	8951 GRANITE HILL DRIVE
05A365	MILLER'S PROGRESSIVE CARE	8951 GRANITE HILL

Page 221 of 372 05/31/2011

Based on Nursing Home Compare - Survey Deficiency

RIVERSIDE	CA	92509	(951) 685-7474	01/29/2008	03/03/2008
RIVERSIDE	CA	92509	(951) 685-7474	01/29/2008	03/03/2008
RIVERSIDE	CA	92509	(951) 685-7474	01/29/2008	03/03/2008
RIVERSIDE	CA	92509	(951) 685-7474	01/29/2008	03/03/2008
RIVERSIDE	CA	92509	(951) 685-7474	01/29/2008	03/03/2008
RIVERSIDE	CA	92509	(951) 685-7474	12/04/2008	01/15/2009
RIVERSIDE	CA	92509	(951) 685-7474	12/04/2008	01/15/2009
RIVERSIDE	CA	92509	(951) 685-7474	12/04/2008	01/15/2009
RIVERSIDE	CA	92509	(951) 685-7474	12/04/2008	01/15/2009
RIVERSIDE	CA	92509	(951) 685-7474	12/04/2008	01/15/2009
RIVERSIDE	CA	92509	(951) 685-7474	12/04/2008	01/15/2009

Page 222 of 372 05/31/2011

Based on Nursing Home Compare - Survey Deficiency

0		
		smoking is not permitted or did not provide ashtrays where smoking was allowed.
Fire Safety	Building Service Equipment Deficiencies	properly protected cooking facilities.
Fire Safety	Electrical Deficiencies	weekly inspections and monthly testing of generators.
Fire Safety	Electrical Deficiencies	properly installed electrical wiring and equipment.
Fire Safety	Automatic Sprinkler Systems Deficiencies	back-up procedures in place for a faulty automatic sprinkler system.
Fire Safety	Fire Alarm Systems Deficiencies	an approved back-up procedure for a faulty fire alarm system.
Health	Environmental Deficiencies	Provide needed housekeeping and maintenance.
Health	Environmental Deficiencies	Provide clean bed and bath linens that are in good condition.
Health	Resident Assessment Deficiencies	Make sure all assessments are accurate, coordinated by an RN, done by the right professional, and are signed by the person completing them.
Health	Nutrition and Dietary Deficiencies	Store, cook, and give out food in a safe and clean way.
Health	Pharmacy Service Deficiencies	Properly mark drugs and other similar products.
Health	Environmental Deficiencies	Be designed, built, equipped, or well kept to

Page 223 of 372 05/31/2011

Based on Nursing Home Compare - Survey Deficiency

Widespread	Minimal harm or potential for actual harm
Widespread	Potential for minimal harm
Pattern	Minimal harm or potential for actual harm
Widespread	Potential for minimal harm
Widespread	Potential for minimal harm
Pattern	Minimal harm or potential for actual harm
Pattern	Potential for minimal harm
Widespread	Potential for minimal harm
Isolated	Minimal harm or potential for actual harm
Pattern	Minimal harm or potential for actual harm
Widespread	Potential for minimal harm

Page 224 of 372 05/31/2011

Based on Nursing Home Compare - Survey Deficiency

		DRIVE
05A365	MILLER'S PROGRESSIVE CARE	8951 GRANITE HILL DRIVE
05A365	MILLER'S PROGRESSIVE CARE	8951 GRANITE HILL DRIVE
05A365	MILLER'S PROGRESSIVE CARE	8951 GRANITE HILL DRIVE
05A365	MILLER'S PROGRESSIVE CARE	8951 GRANITE HILL DRIVE
05A365	MILLER'S PROGRESSIVE CARE	8951 GRANITE HILL DRIVE
05A365	MILLER'S PROGRESSIVE CARE	8951 GRANITE HILL DRIVE
05A365	MILLER'S PROGRESSIVE CARE	8951 GRANITE HILL DRIVE
05A365	MILLER'S PROGRESSIVE CARE	8951 GRANITE HILL DRIVE
05A365	MILLER'S PROGRESSIVE CARE	8951 GRANITE HILL DRIVE
05A365	MILLER'S PROGRESSIVE CARE	8951 GRANITE HILL DRIVE
05A365	MILLER'S PROGRESSIVE CARE	8951 GRANITE HILL DRIVE

Page 225 of 372 05/31/2011

Based on Nursing Home Compare - Survey Deficiency

RIVERSIDE	CA	92509	(951) 685-7474	12/04/2008	01/15/2009
RIVERSIDE	CA	92509	(951) 685-7474	12/04/2008	01/15/2009
RIVERSIDE	CA	92509	(951) 685-7474	12/17/2008	01/05/2009
RIVERSIDE	CA	92509	(951) 685-7474	12/17/2008	01/05/2009
RIVERSIDE	CA	92509	(951) 685-7474	12/17/2008	01/05/2009
RIVERSIDE	CA	92509	(951) 685-7474	12/17/2008	01/05/2009
RIVERSIDE	CA	92509	(951) 685-7474	12/17/2008	01/05/2009
RIVERSIDE	CA	92509	(951) 685-7474	12/17/2008	01/05/2009
RIVERSIDE	CA	92509	(951) 685-7474	12/17/2008	01/05/2009
RIVERSIDE	CA	92509	(951) 685-7474	12/17/2008	01/05/2009
RIVERSIDE	CA	92509	(951) 685-7474	12/17/2008	01/05/2009

Page 226 of 372 05/31/2011

Based on Nursing Home Compare - Survey Deficiency

		protect the health and safety of residents, workers, and the public.
Health	Environmental Deficiencies	Make sure that the nursing home area is safe, easy to use, clean and comfortable.
Health	Administration Deficiencies	Train all employees on what to do in an emergency.
Fire Safety	Building Construction Deficiencies	approved construction type or materials.
Fire Safety	Corridor Walls and Doors Deficiencies	corridors that are separated from common areas by walls constructed to limit the passage of smoke.
Fire Safety	Corridor Walls and Doors Deficiencies	signs that state that exit doors are to be kept closed.
Fire Safety	Smoke Compartmentation and Control Deficiencies	smoke barrier doors that can resist smoke for at least 20 minutes.
Fire Safety	Exits and Egress Deficiencies	exits that are accessible at all times.
Fire Safety	Emergency Plans and Fire Drills Deficiencies	record of quarterly fire drills for each shift under varying conditions.
Fire Safety	Fire Alarm Systems Deficiencies	a fire alarm system that can be heard throughout the facility.
Fire Safety	Fire Alarm Systems Deficiencies	properly maintained smoke detectors.
Fire Safety	Automatic Sprinkler Systems Deficiencies	automatic sprinkler systems that have been maintained in working order.

Page 227 of 372 05/31/2011

Based on Nursing Home Compare - Survey Deficiency

Isolated	Minimal harm or potential for actual harm
Pattern	Minimal harm or potential for actual harm
Isolated	Minimal harm or potential for actual harm
Isolated	Minimal harm or potential for actual harm
Isolated	Minimal harm or potential for actual harm
Pattern	Minimal harm or potential for actual harm
Isolated	Minimal harm or potential for actual harm
Pattern	Minimal harm or potential for actual harm
Isolated	Minimal harm or potential for actual harm
Widespread	Minimal harm or potential for actual harm
Isolated	Minimal harm or potential for actual harm

Page 228 of 372 05/31/2011

Based on Nursing Home Compare - Survey Deficiency

0 1		
05A365	MILLER'S PROGRESSIVE CARE	8951 GRANITE HILL DRIVE
05A365	MILLER'S PROGRESSIVE CARE	8951 GRANITE HILL DRIVE
05A365	MILLER'S PROGRESSIVE CARE	8951 GRANITE HILL DRIVE
05A365	MILLER'S PROGRESSIVE CARE	8951 GRANITE HILL DRIVE
05A365	MILLER'S PROGRESSIVE CARE	8951 GRANITE HILL DRIVE
05A365	MILLER'S PROGRESSIVE CARE	8951 GRANITE HILL DRIVE
05A365	MILLER'S PROGRESSIVE CARE	8951 GRANITE HILL DRIVE
05A365	MILLER'S PROGRESSIVE CARE	8951 GRANITE HILL DRIVE
05A365	MILLER'S PROGRESSIVE CARE	8951 GRANITE HILL DRIVE
05A365	MILLER'S PROGRESSIVE CARE	8951 GRANITE HILL DRIVE
05A365	MILLER'S PROGRESSIVE CARE	8951 GRANITE HILL DRIVE
05A365	MILLER'S PROGRESSIVE CARE	8951 GRANITE HILL

Page 229 of 372 05/31/2011

Based on Nursing Home Compare - Survey Deficiency

based off Nulsing Florile (	sompare Garrey Benon	Siloy			
RIVERSIDE	CA	92509	(951) 685-7474	12/17/2008	01/05/2009
RIVERSIDE	CA	92509	(951) 685-7474	12/17/2008	01/05/2009
RIVERSIDE	CA	92509	(951) 685-7474	12/17/2008	01/05/2009
RIVERSIDE	CA	92509	(951) 685-7474	12/17/2008	01/05/2009
RIVERSIDE	CA	92509	(951) 685-7474	11/17/2009	01/15/2010
RIVERSIDE	CA	92509	(951) 685-7474	11/17/2009	01/15/2010
RIVERSIDE	CA	92509	(951) 685-7474	11/17/2009	01/15/2010
RIVERSIDE	CA	92509	(951) 685-7474	11/17/2009	01/15/2010
RIVERSIDE	CA	92509	(951) 685-7474	11/17/2009	01/15/2010
RIVERSIDE	CA	92509	(951) 685-7474	11/17/2009	01/15/2010
RIVERSIDE	CA	92509	(951) 685-7474	12/09/2009	01/19/2010
RIVERSIDE	CA	92509	(951) 685-7474	12/09/2009	01/19/2010

Page 230 of 372 05/31/2011

Based on Nursing Home Compare - Survey Deficiency

Bassa on realising monito	Compare - Survey Denoiency	
Fire Safety	Automatic Sprinkler Systems Deficiencies	portable fire extinguishers.
Fire Safety	Smoking Regulations Deficiencies	posted "No-smoking" signs in areas where smoking is not permitted or did not provide ashtrays where smoking was allowed.
Fire Safety	Furnishings and Decorations Deficiencies	exits that are free from obstructions and can be used at all times.
Fire Safety	Electrical Deficiencies	properly installed electrical wiring and equipment.
Health	Environmental Deficiencies	Keep safe, clean and homelike surroundings.
Health	Quality Care Deficiencies	Give each resident care and services to get or keep the highest quality of life possible.
Health	Quality Care Deficiencies	Make sure that each resident's nutritional needs were met.
Health	Pharmacy Service Deficiencies	Have drugs and other similar products available, which are needed every day and in emergencies, and give them out properly.
Health	Environmental Deficiencies	Have a program to keep infection from spreading.
Health	Administration Deficiencies	Train all employees on what to do in an emergency.
Fire Safety	Corridor Walls and Doors Deficiencies	corridor and hallway doors that block smoke.
Fire Safety	Emergency Plans and Fire Drills Deficiencies	record of quarterly fire drills for each shift

Page 231 of 372 05/31/2011

Based on Nursing Home Compare - Survey Deficiency

3 1 - 1	
Pattern	Minimal harm or potential for actual harm
Isolated	Minimal harm or potential for actual harm
Isolated	Minimal harm or potential for actual harm
Isolated	Minimal harm or potential for actual harm
Pattern	Minimal harm or potential for actual harm
Isolated	Minimal harm or potential for actual harm
Isolated	Minimal harm or potential for actual harm
Isolated	Minimal harm or potential for actual harm
Isolated	Minimal harm or potential for actual harm
Isolated	Minimal harm or potential for actual harm
Isolated	Minimal harm or potential for actual harm
Widespread	Potential for minimal harm

Page 232 of 372 05/31/2011

Based on Nursing Home Compare - Survey Deficiency

		DRIVE
05A365	MILLER'S PROGRESSIVE CARE	8951 GRANITE HILL DRIVE
05A365	MILLER'S PROGRESSIVE CARE	8951 GRANITE HILL DRIVE
05A365	MILLER'S PROGRESSIVE CARE	8951 GRANITE HILL DRIVE
05A365	MILLER'S PROGRESSIVE CARE	8951 GRANITE HILL DRIVE
05A365	MILLER'S PROGRESSIVE CARE	8951 GRANITE HILL DRIVE
05A365	MILLER'S PROGRESSIVE CARE	8951 GRANITE HILL DRIVE
05A365	MILLER'S PROGRESSIVE CARE	8951 GRANITE HILL DRIVE
05A365	MILLER'S PROGRESSIVE CARE	8951 GRANITE HILL DRIVE
555017	ORANGE TREE NURSING CENTER	4000 HARRISON STREET
555017	ORANGE TREE NURSING CENTER	4000 HARRISON STREET
555017	ORANGE TREE NURSING CENTER	4000 HARRISON STREET
555017	ORANGE TREE NURSING CENTER	4000 HARRISON

Page 233 of 372 05/31/2011

Based on Nursing Home Compare - Survey Deficiency

RIVERSIDE	CA	92509	(951) 685-7474	12/09/2009	01/19/2010
RIVERSIDE	CA	92509	(951) 685-7474	12/09/2009	01/19/2010
RIVERSIDE	CA	92509	(951) 685-7474	12/09/2009	01/19/2010
RIVERSIDE	CA	92509	(951) 685-7474	12/09/2009	01/19/2010
RIVERSIDE	CA	92509	(951) 685-7474	12/09/2009	01/19/2010
RIVERSIDE	CA	92509	(951) 685-7474	12/09/2009	01/19/2010
RIVERSIDE	CA	92509	(951) 685-7474	12/09/2009	01/19/2010
RIVERSIDE	CA	92509	(951) 685-7474	12/09/2009	01/19/2010
RIVERSIDE	CA	92503	(951) 785-6060	06/13/2008	01/01/1900
RIVERSIDE	CA	92503	(951) 785-6060	06/13/2008	07/28/2008
RIVERSIDE	CA	92503	(951) 785-6060	06/13/2008	07/28/2008
RIVERSIDE	CA	92503	(951) 785-6060	06/13/2008	07/28/2008

Page 234 of 372 05/31/2011

Based on Nursing Home Compare - Survey Deficiency

		under varying conditions.
Fire Safety	Fire Alarm Systems Deficiencies	an approved installation, maintenance and testing program for fire alarm systems.
Fire Safety	Fire Alarm Systems Deficiencies	properly maintained smoke detectors.
Fire Safety	Automatic Sprinkler Systems Deficiencies	automatic sprinkler systems that have been maintained in working order.
Fire Safety	Automatic Sprinkler Systems Deficiencies	portable fire extinguishers.
Fire Safety	Building Service Equipment Deficiencies	heating and ventilation systems that have been properly installed according to the manufacturer's instructions.
Fire Safety	Building Service Equipment Deficiencies	properly protected cooking facilities.
Fire Safety	Electrical Deficiencies	weekly inspections and monthly testing of generators.
Fire Safety	Electrical Deficiencies	properly installed electrical wiring and equipment.
Health	Environmental Deficiencies	Provide needed housekeeping and maintenance.
Health	Quality Care Deficiencies	Give professional services that meet a professional standard of quality.
Health	Quality Care Deficiencies	Give each resident care and services to get or keep the highest quality of life possible.
Health	Environmental Deficiencies	Make sure that the nursing home area is free

Page 235 of 372 05/31/2011

Based on Nursing Home Compare - Survey Deficiency

Pattern	Minimal harm or potential for actual harm
Widespread	Minimal harm or potential for actual harm
Pattern	Minimal harm or potential for actual harm
Pattern	Minimal harm or potential for actual harm
Widespread	Minimal harm or potential for actual harm
Pattern	Minimal harm or potential for actual harm
Pattern	Minimal harm or potential for actual harm
Pattern	Minimal harm or potential for actual harm
Isolated	Minimal harm or potential for actual harm
Isolated	Minimal harm or potential for actual harm
Isolated	Minimal harm or potential for actual harm
Isolated	Minimal harm or potential for actual

Page 236 of 372 05/31/2011

Based on Nursing Home Compare - Survey Deficiency

Bacca cirrarding ricinic compare car	vo, zenelene,	
		STREET
555017	ORANGE TREE NURSING CENTER	4000 HARRISON STREET
555017	ORANGE TREE NURSING CENTER	4000 HARRISON STREET
555017	ORANGE TREE NURSING CENTER	4000 HARRISON STREET
555017	ORANGE TREE NURSING CENTER	4000 HARRISON STREET
555017	ORANGE TREE NURSING CENTER	4000 HARRISON STREET
555017	ORANGE TREE NURSING CENTER	4000 HARRISON STREET
555017	ORANGE TREE NURSING CENTER	4000 HARRISON STREET
555017	ORANGE TREE NURSING CENTER	4000 HARRISON STREET
555017	ORANGE TREE NURSING CENTER	4000 HARRISON STREET

Page 237 of 372 05/31/2011

Based on Nursing Home Compare - Survey Deficiency

RIVERSIDE	CA	92503	(951) 785-6060	06/13/2008	07/28/2008
RIVERSIDE	CA	92503	(951) 785-6060	06/13/2008	07/28/2008
RIVERSIDE	CA	92503	(951) 785-6060	06/13/2008	07/28/2008
RIVERSIDE	CA	92503	(951) 785-6060	06/18/2008	07/31/2008
RIVERSIDE	CA	92503	(951) 785-6060	06/18/2008	07/31/2008
RIVERSIDE	CA	92503	(951) 785-6060	06/18/2008	07/31/2008
RIVERSIDE	CA	92503	(951) 785-6060	06/18/2008	07/31/2008
RIVERSIDE	CA	92503	(951) 785-6060	06/18/2008	07/31/2008
RIVERSIDE	CA	92503	(951) 785-6060	04/17/2009	06/05/2009

Page 238 of 372 05/31/2011

Based on Nursing Home Compare - Survey Deficiency

based on Nursing Home	Compare - Survey Deliciency	
		of dangers that cause accidents.
Health	Quality Care Deficiencies	Properly care for residents needing special services, including: injections, colostomy, ureostomy, ileostomy, tracheostomy care, tracheal suctioning, respiratory care, foot care, and prostheses.
Health	Environmental Deficiencies	Have a program to keep infection from spreading.
Health	Administration Deficiencies	1) Set up a group that is legally responsible for writing and setting up policies for leading and running the nursing home; or 2) hire a properly licensed administrator.
Fire Safety	Smoke Compartmentation and Control Deficiencies	smoke barrier doors that can resist smoke for at least 20 minutes.
Fire Safety	Fire Alarm Systems Deficiencies	a fire alarm system that can be heard throughout the facility.
Fire Safety	Automatic Sprinkler Systems Deficiencies	portable fire extinguishers.
Fire Safety	Miscellaneous Deficiencies	fire safety features required by current fire safety codes.
Fire Safety	Electrical Deficiencies	properly installed electrical wiring and equipment.
Health	Quality Care Deficiencies	Provide social services for related medical problems to help each resident achieve the highest possible quality of life.

Page 239 of 372 05/31/2011

Based on Nursing Home Compare - Survey Deficiency

Based on Nursing Home Compa	are - Survey Deliciency
	harm
Isolated	Minimal harm or potential for actual harm
Isolated	Minimal harm or potential for actual harm
Isolated	Minimal harm or potential for actual harm
Isolated	Minimal harm or potential for actual harm
Pattern	Minimal harm or potential for actual harm
Isolated	Minimal harm or potential for actual harm
Isolated	Minimal harm or potential for actual harm
Isolated	Minimal harm or potential for actual harm
Isolated	Minimal harm or potential for actual harm

Page 240 of 372 05/31/2011

Based on Nursing Home Compare - Survey Deficiency

3	-,	
555017	ORANGE TREE NURSING CENTER	4000 HARRISON STREET
555017	ORANGE TREE NURSING CENTER	4000 HARRISON STREET
555017	ORANGE TREE NURSING CENTER	4000 HARRISON STREET
555017	ORANGE TREE NURSING CENTER	4000 HARRISON STREET
555017	ORANGE TREE NURSING CENTER	4000 HARRISON STREET
555017	ORANGE TREE NURSING CENTER	4000 HARRISON STREET
555017	ORANGE TREE NURSING CENTER	4000 HARRISON STREET
555017	ORANGE TREE NURSING CENTER	4000 HARRISON STREET
555017	ORANGE TREE NURSING CENTER	4000 HARRISON STREET
555017	ORANGE TREE NURSING CENTER	4000 HARRISON STREET
555017	ORANGE TREE NURSING CENTER	4000 HARRISON STREET

Page 241 of 372 05/31/2011

Based on Nursing Home Compare - Survey Deficiency

3					
RIVERSIDE	CA	92503	(951) 785-6060	04/17/2009	06/05/2009
RIVERSIDE	CA	92503	(951) 785-6060	04/17/2009	06/05/2009
RIVERSIDE	CA	92503	(951) 785-6060	04/17/2009	06/05/2009
RIVERSIDE	CA	92503	(951) 785-6060	04/17/2009	06/05/2009
RIVERSIDE	CA	92503	(951) 785-6060	04/17/2009	06/05/2009
RIVERSIDE	CA	92503	(951) 785-6060	04/17/2009	06/05/2009
RIVERSIDE	CA	92503	(951) 785-6060	04/17/2009	06/05/2009
RIVERSIDE	CA	92503	(951) 785-6060	04/17/2009	06/05/2009
RIVERSIDE	CA	92503	(951) 785-6060	05/01/2009	06/02/2009
RIVERSIDE	CA	92503	(951) 785-6060	05/01/2009	06/02/2009
RIVERSIDE	CA	92503	(951) 785-6060	05/01/2009	06/02/2009

Page 242 of 372 05/31/2011

Based on Nursing Home Compare - Survey Deficiency

Health	Environmental Deficiencies	Provide needed housekeeping and maintenance.
Health	Resident Assessment Deficiencies	Develop a complete care plan that meets all of a resident's needs, with timetables and actions that can be measured.
Health	Quality Care Deficiencies	Give each resident care and services to get or keep the highest quality of life possible.
Health	Quality Care Deficiencies	Give each resident enough fluids to keep them healthy and prevent dehydration.
Health	Nutrition and Dietary Deficiencies	Prepare food that is nutritional, appetizing, tasty, attractive, well-cooked, and at the right temperature.
Health	Nutrition and Dietary Deficiencies	Store, cook, and give out food in a safe and clean way.
Health	Pharmacy Service Deficiencies	Properly mark drugs and other similar products.
Health	Administration Deficiencies	Keep accurate and appropriate medical records.
Fire Safety	Building Construction Deficiencies	approved construction type or materials.
Fire Safety	Corridor Walls and Doors Deficiencies	corridor and hallway doors that block smoke.
Fire Safety	Smoke Compartmentation and Control Deficiencies	walls or barriers that prevent smoke from passing through and would resist fire for at least one hour.

Page 243 of 372 05/31/2011

Based on Nursing Home Compare - Survey Deficiency

Dadoa on Maroling Monto Compo	
Pattern	Potential for minimal harm
Isolated	Minimal harm or potential for actual harm
Isolated	Minimal harm or potential for actual harm
Isolated	Minimal harm or potential for actual harm
Isolated	Minimal harm or potential for actual harm
Pattern	Minimal harm or potential for actual harm
Isolated	Minimal harm or potential for actual harm
Pattern	Potential for minimal harm
Isolated	Minimal harm or potential for actual harm
Isolated	Minimal harm or potential for actual harm
Isolated	Minimal harm or potential for actual harm

Page 244 of 372 05/31/2011

Based on Nursing Home Compare - Survey Deficiency

555017	ORANGE TREE NURSING CENTER	4000 HARRISON STREET
555017	ORANGE TREE NURSING CENTER	4000 HARRISON STREET
555017	ORANGE TREE NURSING CENTER	4000 HARRISON STREET
555017	ORANGE TREE NURSING CENTER	4000 HARRISON STREET
555017	ORANGE TREE NURSING CENTER	4000 HARRISON STREET
555017	ORANGE TREE NURSING CENTER	4000 HARRISON STREET
555017	ORANGE TREE NURSING CENTER	4000 HARRISON STREET
555017	ORANGE TREE NURSING CENTER	4000 HARRISON STREET
555017	ORANGE TREE NURSING CENTER	4000 HARRISON STREET
555017	ORANGE TREE NURSING CENTER	4000 HARRISON STREET
555017	ORANGE TREE NURSING CENTER	4000 HARRISON STREET
555330	LIFEHOUSE OF RIVERSIDE HEALTHCARE	8781 LAKEVIEW

Page 245 of 372 05/31/2011

Based on Nursing Home Compare - Survey Deficiency

RIVERSIDE	CA	92503	(951) 785-6060	05/01/2009	06/02/2009
RIVERSIDE	CA	92503	(951) 785-6060	05/01/2009	06/02/2009
RIVERSIDE	CA	92503	(951) 785-6060	05/01/2009	06/02/2009
RIVERSIDE	CA	92503	(951) 785-6060	04/08/2010	05/23/2010
RIVERSIDE	CA	92503	(951) 785-6060	04/08/2010	05/23/2010
RIVERSIDE	CA	92503	(951) 785-6060	04/08/2010	05/23/2010
RIVERSIDE	CA	92503	(951) 785-6060	04/08/2010	05/23/2010
RIVERSIDE	CA	92503	(951) 785-6060	04/08/2010	05/23/2010
RIVERSIDE	CA	92503	(951) 785-6060	04/08/2010	05/23/2010
RIVERSIDE	CA	92503	(951) 785-6060	04/21/2010	05/27/2010
RIVERSIDE	CA	92503	(951) 785-6060	04/21/2010	05/27/2010
RIVERSIDE	CA	92509	(951) 685-1531	10/19/2007	12/28/2007

Page 246 of 372 05/31/2011

Based on Nursing Home Compare - Survey Deficiency

Fire Safety	Emergency Plans and Fire Drills Deficiencies	record of quarterly fire drills for each shift under varying conditions.
Fire Safety	Automatic Sprinkler Systems Deficiencies	portable fire extinguishers.
Fire Safety	Hazardous Area Deficiencies	properly installed hallway dispensers for alcohol-based hand rub.
Health	Environmental Deficiencies	Provide needed housekeeping and maintenance.
Health	Pharmacy Service Deficiencies	Make sure that residents are safe from serious medication errors.
Health	Nutrition and Dietary Deficiencies	Prepare food that is nutritional, appetizing, tasty, attractive, well-cooked, and at the right temperature.
Health	Pharmacy Service Deficiencies	Have drugs and other similar products available, which are needed every day and in emergencies, and give them out properly.
Health	Pharmacy Service Deficiencies	Properly mark drugs and other similar products.
Health	Environmental Deficiencies	Have a program to keep infection from spreading.
Fire Safety	Automatic Sprinkler Systems Deficiencies	automatic sprinkler systems that have been maintained in working order.
Fire Safety	Electrical Deficiencies	properly installed electrical wiring and equipment.
Health	Mistreatment Deficiencies	Keep each resident free from physical

Page 247 of 372 05/31/2011

Based on Nursing Home Compare - Survey Deficiency

Isolated	Minimal harm or potential for actual harm
Isolated	Minimal harm or potential for actual harm
Isolated	Minimal harm or potential for actual harm
Isolated	Minimal harm or potential for actual harm
Isolated	Minimal harm or potential for actual harm
Isolated	Minimal harm or potential for actual harm
Isolated	Minimal harm or potential for actual harm
Isolated	Minimal harm or potential for actual harm
Isolated	Minimal harm or potential for actual harm
Isolated	Minimal harm or potential for actual harm
Isolated	Minimal harm or potential for actual harm
Isolated	Minimal harm or potential for actual

Page 248 of 372 05/31/2011

Based on Nursing Home Compare - Survey Deficiency

Table of the same series of the	-	
	CENTER	AVENUE
555330	LIFEHOUSE OF RIVERSIDE HEALTHCARE CENTER	8781 LAKEVIEW AVENUE
555330	LIFEHOUSE OF RIVERSIDE HEALTHCARE CENTER	8781 LAKEVIEW AVENUE
555330	LIFEHOUSE OF RIVERSIDE HEALTHCARE CENTER	8781 LAKEVIEW AVENUE
555330	LIFEHOUSE OF RIVERSIDE HEALTHCARE CENTER	8781 LAKEVIEW AVENUE
555330	LIFEHOUSE OF RIVERSIDE HEALTHCARE CENTER	8781 LAKEVIEW AVENUE
555330	LIFEHOUSE OF RIVERSIDE HEALTHCARE CENTER	8781 LAKEVIEW AVENUE
555330	LIFEHOUSE OF RIVERSIDE HEALTHCARE CENTER	8781 LAKEVIEW AVENUE
555330	LIFEHOUSE OF RIVERSIDE HEALTHCARE CENTER	8781 LAKEVIEW AVENUE
555330	LIFEHOUSE OF RIVERSIDE HEALTHCARE CENTER	8781 LAKEVIEW AVENUE
555330	LIFEHOUSE OF RIVERSIDE HEALTHCARE CENTER	8781 LAKEVIEW AVENUE

Page 249 of 372 05/31/2011

Based on Nursing Home Compare - Survey Deficiency

RIVERSIDE	CA	92509	(951) 685-1531	10/19/2007	12/28/2007
RIVERSIDE	CA	92509	(951) 685-1531	10/19/2007	12/28/2007
RIVERSIDE	CA	92509	(951) 685-1531	10/19/2007	12/28/2007
RIVERSIDE	CA	92509	(951) 685-1531	10/19/2007	12/28/2007
RIVERSIDE	CA	92509	(951) 685-1531	10/19/2007	12/28/2007
RIVERSIDE	CA	92509	(951) 685-1531	10/19/2007	12/28/2007
RIVERSIDE	CA	92509	(951) 685-1531	10/19/2007	12/28/2007
RIVERSIDE	CA	92509	(951) 685-1531	10/19/2007	12/28/2007
RIVERSIDE	CA	92509	(951) 685-1531	10/19/2007	12/28/2007
RIVERSIDE	CA	92509	(951) 685-1531	10/19/2007	12/28/2007

Page 250 of 372 05/31/2011

Based on Nursing Home Compare - Survey Deficiency

		restraints, unless needed for medical treatment.
Health	Quality Care Deficiencies	Provide social services for related medical problems to help each resident achieve the highest possible quality of life.
Health	Environmental Deficiencies	Keep safe, clean and homelike surroundings.
Health	Resident Assessment Deficiencies	Develop a complete care plan that meets all of a resident's needs, with timetables and actions that can be measured.
Health	Quality Care Deficiencies	Give professional services that follow each resident's written care plan.
Health	Quality Care Deficiencies	Develop/implement required procedures for the administration of immunizations.
Health	Nutrition and Dietary Deficiencies	Provide food in a way that meets a resident's needs.
Health	Nutrition and Dietary Deficiencies	Store, cook, and give out food in a safe and clean way.
Health	Environmental Deficiencies	Make sure that a working call system is available in each resident's room or bathroom and bathing area.
Health	Environmental Deficiencies	Make sure that the nursing home area is safe, easy to use, clean and comfortable.
Health	Administration Deficiencies	Make sure that nurse aides show they have the skills to be able to care for residents.

Page 251 of 372 05/31/2011

Based on Nursing Home Compare - Survey Deficiency

h	2	r	n	n
11	а	ш	ш	П

	Tion Tion
Isolated	Minimal harm or potential for actual harm
Isolated	Minimal harm or potential for actual harm
Isolated	Minimal harm or potential for actual harm
Isolated	Minimal harm or potential for actual harm
Pattern	Minimal harm or potential for actual harm
Isolated	Minimal harm or potential for actual harm
Pattern	Potential for minimal harm
Isolated	Minimal harm or potential for actual harm
Isolated	Minimal harm or potential for actual harm
Isolated	Minimal harm or potential for actual harm

Page 252 of 372 05/31/2011

Based on Nursing Home Compare - Survey Deficiency

Bassa on Marshing Fishing Configure Carrey Bondeney			
555330	LIFEHOUSE OF RIVERSIDE HEALTHCARE CENTER	8781 LAKEVIEW AVENUE	
555330	LIFEHOUSE OF RIVERSIDE HEALTHCARE CENTER	8781 LAKEVIEW AVENUE	
555330	LIFEHOUSE OF RIVERSIDE HEALTHCARE CENTER	8781 LAKEVIEW AVENUE	
555330	LIFEHOUSE OF RIVERSIDE HEALTHCARE CENTER	8781 LAKEVIEW AVENUE	
555330	LIFEHOUSE OF RIVERSIDE HEALTHCARE CENTER	8781 LAKEVIEW AVENUE	
555330	LIFEHOUSE OF RIVERSIDE HEALTHCARE CENTER	8781 LAKEVIEW AVENUE	
555330	LIFEHOUSE OF RIVERSIDE HEALTHCARE CENTER	8781 LAKEVIEW AVENUE	
555330	LIFEHOUSE OF RIVERSIDE HEALTHCARE CENTER	8781 LAKEVIEW AVENUE	
555330	LIFEHOUSE OF RIVERSIDE HEALTHCARE CENTER	8781 LAKEVIEW AVENUE	
555330	LIFEHOUSE OF RIVERSIDE HEALTHCARE CENTER	8781 LAKEVIEW AVENUE	
555330	LIFEHOUSE OF RIVERSIDE HEALTHCARE CENTER	8781 LAKEVIEW AVENUE	
555330	LIFEHOUSE OF RIVERSIDE HEALTHCARE CENTER	8781 LAKEVIEW AVENUE	
555330	LIFEHOUSE OF RIVERSIDE HEALTHCARE	8781 LAKEVIEW	

Page 253 of 372 05/31/2011

Based on Nursing Home Compare - Survey Deficiency

based on Nursing Home (	Sompare - Survey L	Deficiency			
RIVERSIDE	CA	92509	(951) 685-1531	10/19/2007	12/28/2007
RIVERSIDE	CA	92509	(951) 685-1531	10/25/2007	11/14/2007
RIVERSIDE	CA	92509	(951) 685-1531	10/25/2007	11/14/2007
RIVERSIDE	CA	92509	(951) 685-1531	10/25/2007	11/14/2007
RIVERSIDE	CA	92509	(951) 685-1531	10/25/2007	11/14/2007
RIVERSIDE	CA	92509	(951) 685-1531	10/25/2007	11/14/2007
RIVERSIDE	CA	92509	(951) 685-1531	10/25/2007	11/14/2007
RIVERSIDE	CA	92509	(951) 685-1531	10/25/2007	11/14/2007
RIVERSIDE	CA	92509	(951) 685-1531	10/25/2007	11/14/2007
RIVERSIDE	CA	92509	(951) 685-1531	10/25/2007	11/14/2007
RIVERSIDE	CA	92509	(951) 685-1531	10/25/2007	11/14/2007
RIVERSIDE	CA	92509	(951) 685-1531	10/25/2007	11/14/2007
RIVERSIDE	CA	92509	(951) 685-1531	10/25/2007	11/14/2007

Page 254 of 372 05/31/2011

Based on Nursing Home Compare - Survey Deficiency

Health	Administration Deficiencies	Train all employees on what to do in an emergency.
Fire Safety	Building Construction Deficiencies	approved construction type or materials.
Fire Safety	Corridor Walls and Doors Deficiencies	corridor and hallway doors that block smoke.
Fire Safety	Hazardous Area Deficiencies	construction that can resist fire for one hour or an approved fire extinguishing system.
Fire Safety	Emergency Plans and Fire Drills Deficiencies	record of quarterly fire drills for each shift under varying conditions.
Fire Safety	Fire Alarm Systems Deficiencies	an approved installation, maintenance and testing program for fire alarm systems.
Fire Safety	Fire Alarm Systems Deficiencies	properly maintained smoke detectors.
Fire Safety	Automatic Sprinkler Systems Deficiencies	automatic sprinkler systems that have been maintained in working order.
Fire Safety	Automatic Sprinkler Systems Deficiencies	portable fire extinguishers.
Fire Safety	Furnishings and Decorations Deficiencies	exits that are free from obstructions and can be used at all times.
Fire Safety	Medical Gases and Anesthetizing Areas Deficiencies	proper medical gas storage and administration areas.
Fire Safety	Miscellaneous Deficiencies	fire safety features required by current fire safety codes.
Fire Safety	Electrical Deficiencies	properly installed electrical wiring and

Page 255 of 372 05/31/2011

Based on Nursing Home Compare - Survey Deficiency

Isolated Minimal harm or potential for actual

harm

Pattern Potential for minimal harm

Isolated Minimal harm or potential for actual

harm

Isolated Minimal harm or potential for actual

harm

Widespread Potential for minimal harm

Widespread Minimal harm or potential for actual

harm

Isolated Minimal harm or potential for actual

harm

Widespread Potential for minimal harm

Isolated Minimal harm or potential for actual

harm

Pattern Potential for minimal harm

Isolated Minimal harm or potential for actual

harm

Widespread Minimal harm or potential for actual

harm

Pattern Potential for minimal harm

Page 256 of 372 05/31/2011

Based on Nursing Home Compare - Survey Deficiency

based of Nulsing Florie Compare - Survey Deliciency			
	CENTER	AVENUE	
555330	LIFEHOUSE OF RIVERSIDE HEALTHCARE CENTER	8781 LAKEVIEW AVENUE	
555330	LIFEHOUSE OF RIVERSIDE HEALTHCARE CENTER	8781 LAKEVIEW AVENUE	
555330	LIFEHOUSE OF RIVERSIDE HEALTHCARE CENTER	8781 LAKEVIEW AVENUE	
555330	LIFEHOUSE OF RIVERSIDE HEALTHCARE CENTER	8781 LAKEVIEW AVENUE	
555330	LIFEHOUSE OF RIVERSIDE HEALTHCARE CENTER	8781 LAKEVIEW AVENUE	
555330	LIFEHOUSE OF RIVERSIDE HEALTHCARE CENTER	8781 LAKEVIEW AVENUE	
555330	LIFEHOUSE OF RIVERSIDE HEALTHCARE CENTER	8781 LAKEVIEW AVENUE	
555330	LIFEHOUSE OF RIVERSIDE HEALTHCARE CENTER	8781 LAKEVIEW AVENUE	
555330	LIFEHOUSE OF RIVERSIDE HEALTHCARE CENTER	8781 LAKEVIEW AVENUE	
555330	LIFEHOUSE OF RIVERSIDE HEALTHCARE	8781 LAKEVIEW	

Page 257 of 372 05/31/2011

Based on Nursing Home Compare - Survey Deficiency

Bassa sir ransing mon					
RIVERSIDE	CA	92509	(951) 685-1531	11/19/2008	12/24/2008
RIVERSIDE	CA	92509	(951) 685-1531	11/19/2008	12/24/2008
RIVERSIDE	CA	92509	(951) 685-1531	11/19/2008	12/24/2008
RIVERSIDE	CA	92509	(951) 685-1531	11/19/2008	12/24/2008
RIVERSIDE	CA	92509	(951) 685-1531	11/19/2008	12/24/2008
RIVERSIDE	CA	92509	(951) 685-1531	11/19/2008	12/24/2008
RIVERSIDE	CA	92509	(951) 685-1531	11/19/2008	12/24/2008
RIVERSIDE	CA	92509	(951) 685-1531	11/19/2008	12/24/2008
RIVERSIDE	CA	92509	(951) 685-1531	11/19/2008	12/24/2008
RIVERSIDE	CA	92509	(951) 685-1531	11/19/2008	12/24/2008

Page 258 of 372 05/31/2011

Based on Nursing Home Compare - Survey Deficiency

Bassa strittarsing monito	Compare - Survey Deliciency	
		equipment.
Health	Mistreatment Deficiencies	Protect residents from mistreatment, neglect, and/or theft of personal property.
Health	Resident Rights Deficiencies	Provide care in a way that keeps or builds each resident's dignity and self respect.
Health	Quality Care Deficiencies	Provide social services for related medical problems to help each resident achieve the highest possible quality of life.
Health	Environmental Deficiencies	Provide needed housekeeping and maintenance.
Health	Quality Care Deficiencies	Give each resident care and services to get or keep the highest quality of life possible.
Health	Environmental Deficiencies	Make sure that the nursing home area is free of dangers that cause accidents.
Health	Quality Care Deficiencies	Properly care for residents needing special services, including: injections, colostomy, ureostomy, ileostomy, tracheostomy care, tracheal suctioning, respiratory care, foot care, and prostheses.
Health	Nutrition and Dietary Deficiencies	Store, cook, and give out food in a safe and clean way.
Health	Pharmacy Service Deficiencies	Have drugs and other similar products available, which are needed every day and in emergencies, and give them out properly.
Health	Pharmacy Service Deficiencies	Properly mark drugs and other similar

Page 259 of 372 05/31/2011

Based on Nursing Home Compare - Survey Deficiency

Isolated	Minimal harm or potential for actual harm
Pattern	Minimal harm or potential for actual harm
Isolated	Minimal harm or potential for actual harm
Pattern	Minimal harm or potential for actual harm
Isolated	Minimal harm or potential for actual harm
Isolated	Minimal harm or potential for actual harm
Isolated	Minimal harm or potential for actual harm
Isolated	Minimal harm or potential for actual harm
Isolated	Minimal harm or potential for actual harm
Isolated	Minimal harm or potential for actual

Page 260 of 372 05/31/2011

Based on Nursing Home Compare - Survey Deficiency

based of final sing frome Compare - Survey Denciency			
	CENTER	AVENUE	
555330	LIFEHOUSE OF RIVERSIDE HEALTHCARE CENTER	8781 LAKEVIEW AVENUE	
555330	LIFEHOUSE OF RIVERSIDE HEALTHCARE CENTER	8781 LAKEVIEW AVENUE	
555330	LIFEHOUSE OF RIVERSIDE HEALTHCARE CENTER	8781 LAKEVIEW AVENUE	
555330	LIFEHOUSE OF RIVERSIDE HEALTHCARE CENTER	8781 LAKEVIEW AVENUE	
555330	LIFEHOUSE OF RIVERSIDE HEALTHCARE CENTER	8781 LAKEVIEW AVENUE	
555330	LIFEHOUSE OF RIVERSIDE HEALTHCARE CENTER	8781 LAKEVIEW AVENUE	
555330	LIFEHOUSE OF RIVERSIDE HEALTHCARE CENTER	8781 LAKEVIEW AVENUE	
555330	LIFEHOUSE OF RIVERSIDE HEALTHCARE CENTER	8781 LAKEVIEW AVENUE	
555330	LIFEHOUSE OF RIVERSIDE HEALTHCARE CENTER	8781 LAKEVIEW AVENUE	
555330	LIFEHOUSE OF RIVERSIDE HEALTHCARE CENTER	8781 LAKEVIEW AVENUE	
555330	LIFEHOUSE OF RIVERSIDE HEALTHCARE CENTER	8781 LAKEVIEW AVENUE	
555330	LIFEHOUSE OF RIVERSIDE HEALTHCARE	8781 LAKEVIEW	

Page 261 of 372 05/31/2011

Based on Nursing Home Compare - Survey Deficiency

RIVERSIDE	CA	92509	(951) 685-1531	11/19/2008	12/24/2008
RIVERSIDE	CA	92509	(951) 685-1531	11/19/2008	12/24/2008
RIVERSIDE	CA	92509	(951) 685-1531	11/19/2008	12/24/2008
RIVERSIDE	CA	92509	(951) 685-1531	11/26/2008	01/06/2009
RIVERSIDE	CA	92509	(951) 685-1531	11/26/2008	01/06/2009
RIVERSIDE	CA	92509	(951) 685-1531	11/26/2008	01/06/2009
RIVERSIDE	CA	92509	(951) 685-1531	11/26/2008	01/06/2009
RIVERSIDE	CA	92509	(951) 685-1531	11/26/2008	01/06/2009
RIVERSIDE	CA	92509	(951) 685-1531	11/26/2008	01/06/2009
RIVERSIDE	CA	92509	(951) 685-1531	11/26/2008	01/06/2009
RIVERSIDE	CA	92509	(951) 685-1531	11/26/2008	01/06/2009
RIVERSIDE	CA	92509	(951) 685-1531	11/26/2008	01/06/2009

Page 262 of 372 05/31/2011

Based on Nursing Home Compare - Survey Deficiency

_ a a a a a a a a a a a a a a a a a a a		
		products.
Health	Environmental Deficiencies	Have a program to keep infection from spreading.
Health	Environmental Deficiencies	Make sure that the nursing home area is safe, easy to use, clean and comfortable.
Health	Administration Deficiencies	Keep accurate and appropriate medical records.
Fire Safety	Building Construction Deficiencies	approved construction type or materials.
Fire Safety	Corridor Walls and Doors Deficiencies	corridors that are separated from common areas by walls constructed to limit the passage of smoke.
Fire Safety	Corridor Walls and Doors Deficiencies	corridor and hallway doors that block smoke.
Fire Safety	Illumination and Emergency Power Deficiencies	properly located and lighted "Exit" signs.
Fire Safety	Emergency Plans and Fire Drills Deficiencies	record of quarterly fire drills for each shift under varying conditions.
Fire Safety	Fire Alarm Systems Deficiencies	a fire alarm system that can be heard throughout the facility.
Fire Safety	Automatic Sprinkler Systems Deficiencies	an approved automatic sprinkler system connected to the fire alarm system.
Fire Safety	Automatic Sprinkler Systems Deficiencies	properly working sprinkler alarm system.
Fire Safety	Automatic Sprinkler Systems Deficiencies	portable fire extinguishers.

Page 263 of 372 05/31/2011

Based on Nursing Home Compare - Survey Deficiency

	harm
la alata d	
Isolated	Minimal harm or potential for actual harm
Pattern	Minimal harm or potential for actual harm
Isolated	Minimal harm or potential for actual harm
Isolated	Minimal harm or potential for actual harm
Pattern	Minimal harm or potential for actual harm
Widespread	Minimal harm or potential for actual harm
Widespread	Potential for minimal harm
Pattern	Minimal harm or potential for actual harm
Pattern	Minimal harm or potential for actual harm
Isolated	Minimal harm or potential for actual harm
Pattern	Minimal harm or potential for actual harm
Widespread	Minimal harm or potential for actual

Page 264 of 372 05/31/2011

Based on Nursing Home Compare - Survey Deficiency

3	-,,	
	CENTER	AVENUE
555330	LIFEHOUSE OF RIVERSIDE HEALTHCARE CENTER	8781 LAKEVIEW AVENUE
555330	LIFEHOUSE OF RIVERSIDE HEALTHCARE CENTER	8781 LAKEVIEW AVENUE
555330	LIFEHOUSE OF RIVERSIDE HEALTHCARE CENTER	8781 LAKEVIEW AVENUE
555330	LIFEHOUSE OF RIVERSIDE HEALTHCARE CENTER	8781 LAKEVIEW AVENUE
555330	LIFEHOUSE OF RIVERSIDE HEALTHCARE CENTER	8781 LAKEVIEW AVENUE
555330	LIFEHOUSE OF RIVERSIDE HEALTHCARE CENTER	8781 LAKEVIEW AVENUE
555330	LIFEHOUSE OF RIVERSIDE HEALTHCARE CENTER	8781 LAKEVIEW AVENUE
555330	LIFEHOUSE OF RIVERSIDE HEALTHCARE CENTER	8781 LAKEVIEW AVENUE
555330	LIFEHOUSE OF RIVERSIDE HEALTHCARE CENTER	8781 LAKEVIEW AVENUE

Page 265 of 372 05/31/2011

Based on Nursing Home Compare - Survey Deficiency

RIVERSIDE	CA	92509	(951) 685-1531	11/26/2008	01/06/2009
RIVERSIDE	CA	92509	(951) 685-1531	10/19/2009	11/19/2009
RIVERSIDE	CA	92509	(951) 685-1531	10/19/2009	01/01/1900
RIVERSIDE	CA	92509	(951) 685-1531	10/19/2009	11/19/2009
RIVERSIDE	CA	92509	(951) 685-1531	10/19/2009	11/19/2009
RIVERSIDE	CA	92509	(951) 685-1531	10/19/2009	11/19/2009
RIVERSIDE	CA	92509	(951) 685-1531	10/19/2009	11/19/2009
RIVERSIDE	CA	92509	(951) 685-1531	10/19/2009	11/19/2009
RIVERSIDE	CA	92509	(951) 685-1531	10/19/2009	11/19/2009

Page 266 of 372 05/31/2011

Based on Nursing Home Compare - Survey Deficiency

Fire Safety	Electrical Deficiencies	properly installed electrical wiring and equipment.
Health	Resident Rights Deficiencies	Tell each resident who can get Medicaid benefits about 1) which items and services Medicaid covers and which the resident must pay for; or 2) how to apply for Medicaid, along with the names and addresses of State groups that can help.
Health	Resident Rights Deficiencies	Let residents give themselves their drugs if they are able.
Health	Resident Rights Deficiencies	Provide services to meet the needs and preferences of each resident.
Health	Resident Assessment Deficiencies	Develop a complete care plan that meets all of a resident's needs, with timetables and actions that can be measured.
Health	Quality Care Deficiencies	Give each resident care and services to get or keep the highest quality of life possible.
Health	Environmental Deficiencies	Make sure that the nursing home area is free of dangers that cause accidents.
Health	Pharmacy Service Deficiencies	Make sure that residents are safe from serious medication errors.
Health	Pharmacy Service Deficiencies	Have drugs and other similar products available, which are needed every day and in emergencies, and give them out properly.

Page 267 of 372 05/31/2011

Based on Nursing Home Compare - Survey Deficiency

Dadod on Haroling Home Compa	
	harm
Pattern	Minimal harm or potential for actual harm
Widespread	Potential for minimal harm
Isolated	Minimal harm or potential for actual harm
Isolated	Minimal harm or potential for actual harm
Pattern	Potential for minimal harm
Isolated	Minimal harm or potential for actual harm
Widespread	Minimal harm or potential for actual harm
Isolated	Minimal harm or potential for actual harm
Isolated	Minimal harm or potential for actual harm

Page 268 of 372 05/31/2011

Based on Nursing Home Compare - Survey Deficiency

based on Nursing Home Compare - Surv	ey Deliciency	
555330	LIFEHOUSE OF RIVERSIDE HEALTHCARE CENTER	8781 LAKEVIEW AVENUE
555330	LIFEHOUSE OF RIVERSIDE HEALTHCARE CENTER	8781 LAKEVIEW AVENUE
555330	LIFEHOUSE OF RIVERSIDE HEALTHCARE CENTER	8781 LAKEVIEW AVENUE
555330	LIFEHOUSE OF RIVERSIDE HEALTHCARE CENTER	8781 LAKEVIEW AVENUE
555330	LIFEHOUSE OF RIVERSIDE HEALTHCARE CENTER	8781 LAKEVIEW AVENUE
555330	LIFEHOUSE OF RIVERSIDE HEALTHCARE CENTER	8781 LAKEVIEW AVENUE
555330	LIFEHOUSE OF RIVERSIDE HEALTHCARE CENTER	8781 LAKEVIEW AVENUE
555330	LIFEHOUSE OF RIVERSIDE HEALTHCARE CENTER	8781 LAKEVIEW AVENUE
555330	LIFEHOUSE OF RIVERSIDE HEALTHCARE CENTER	8781 LAKEVIEW AVENUE
555330	LIFEHOUSE OF RIVERSIDE HEALTHCARE CENTER	8781 LAKEVIEW AVENUE
555330	LIFEHOUSE OF RIVERSIDE HEALTHCARE CENTER	8781 LAKEVIEW AVENUE
555330	LIFEHOUSE OF RIVERSIDE HEALTHCARE CENTER	8781 LAKEVIEW AVENUE

Page 269 of 372 05/31/2011

Based on Nursing Home Compare - Survey Deficiency

Bacca on rearoning monno	compare carrey b	311313113)			
RIVERSIDE	CA	92509	(951) 685-1531	10/19/2009	11/19/2009
RIVERSIDE	CA	92509	(951) 685-1531	10/19/2009	11/19/2009
RIVERSIDE	CA	92509	(951) 685-1531	10/19/2009	11/19/2009
RIVERSIDE	CA	92509	(951) 685-1531	10/19/2009	11/19/2009
RIVERSIDE	CA	92509	(951) 685-1531	10/20/2009	11/12/2009
RIVERSIDE	CA	92509	(951) 685-1531	10/20/2009	11/12/2009
RIVERSIDE	CA	92509	(951) 685-1531	10/20/2009	11/12/2009
RIVERSIDE	CA	92509	(951) 685-1531	10/20/2009	11/12/2009
RIVERSIDE	CA	92509	(951) 685-1531	10/20/2009	11/12/2009
RIVERSIDE	CA	92509	(951) 685-1531	10/20/2009	11/12/2009
RIVERSIDE	CA	92509	(951) 685-1531	10/20/2009	11/12/2009
RIVERSIDE	CA	92509	(951) 685-1531	10/20/2009	11/12/2009

Page 270 of 372 05/31/2011

Based on Nursing Home Compare - Survey Deficiency

	, compare can ref zenerally	
Health	Environmental Deficiencies	Keep all essential equipment working safely.
Health	Environmental Deficiencies	Make sure that the nursing home area is safe, easy to use, clean and comfortable.
Health	Administration Deficiencies	Keep clinical information safe, so that it will not be lost, destroyed or used by the wrong person.
Health	Administration Deficiencies	Train all employees on what to do in an emergency.
Fire Safety	Building Construction Deficiencies	approved construction type or materials.
Fire Safety	Corridor Walls and Doors Deficiencies	corridor and hallway doors that block smoke.
Fire Safety	Smoke Compartmentation and Control Deficiencies	smoke barrier doors that can resist smoke for at least 20 minutes.
Fire Safety	Emergency Plans and Fire Drills Deficiencies	record of quarterly fire drills for each shift under varying conditions.
Fire Safety	Automatic Sprinkler Systems Deficiencies	an approved automatic sprinkler system connected to the fire alarm system.
Fire Safety	Automatic Sprinkler Systems Deficiencies	portable fire extinguishers.
Fire Safety	Medical Gases and Anesthetizing Areas Deficiencies	proper medical gas storage and administration areas.
Fire Safety	Miscellaneous Deficiencies	fire safety features required by current fire safety codes.

Page 271 of 372 05/31/2011

Based on Nursing Home Compare - Survey Deficiency

Widespread	Minimal harm or potential for actual harm
Widespread	Potential for minimal harm
Isolated	Minimal harm or potential for actual harm
Widespread	Potential for minimal harm
Pattern	Minimal harm or potential for actual harm
Pattern	Minimal harm or potential for actual harm
Isolated	Minimal harm or potential for actual harm
Isolated	Minimal harm or potential for actual harm
Pattern	Minimal harm or potential for actual harm
Isolated	Minimal harm or potential for actual harm
Isolated	Minimal harm or potential for actual harm
Pattern	Minimal harm or potential for actual harm

Page 272 of 372 05/31/2011

Based on Nursing Home Compare - Survey Deficiency

555330	LIFEHOUSE OF RIVERSIDE HEALTHCARE CENTER	8781 LAKEVIEW AVENUE
555331	CHAPMAN CONVALESCENT HOSPITAL	4301 CAROLINE COURT
555331	CHAPMAN CONVALESCENT HOSPITAL	4301 CAROLINE COURT
555331	CHAPMAN CONVALESCENT HOSPITAL	4301 CAROLINE COURT
555331	CHAPMAN CONVALESCENT HOSPITAL	4301 CAROLINE COURT
555331	CHAPMAN CONVALESCENT HOSPITAL	4301 CAROLINE COURT
555331	CHAPMAN CONVALESCENT HOSPITAL	4301 CAROLINE COURT
555331	CHAPMAN CONVALESCENT HOSPITAL	4301 CAROLINE COURT
555331	CHAPMAN CONVALESCENT HOSPITAL	4301 CAROLINE COURT

Page 273 of 372 05/31/2011

Based on Nursing Home Compare - Survey Deficiency

Bacca on Marching Florido Oc					
RIVERSIDE	CA	92509	(951) 685-1531	10/20/2009	11/12/2009
RIVERSIDE	CA	92506	(951) 683-7111	06/19/2008	07/31/2008
RIVERSIDE	CA	92506	(951) 683-7111	06/19/2008	07/31/2008
RIVERSIDE	CA	92506	(951) 683-7111	06/19/2008	07/31/2008
RIVERSIDE	CA	92506	(951) 683-7111	06/19/2008	07/31/2008
RIVERSIDE	CA	92506	(951) 683-7111	06/19/2008	07/31/2008
RIVERSIDE	CA	92506	(951) 683-7111	06/19/2008	07/31/2008
RIVERSIDE	CA	92506	(951) 683-7111	06/19/2008	07/31/2008
RIVERSIDE	CA	92506	(951) 683-7111	06/19/2008	07/31/2008

Page 274 of 372 05/31/2011

Based on Nursing Home Compare - Survey Deficiency

Fire Safety	Electrical Deficiencies	properly installed electrical wiring and equipment.
Health	Mistreatment Deficiencies	Write and use policies that forbid mistreatment, neglect and abuse of residents and theft of residents' property.
Health	Resident Assessment Deficiencies	Check and update (if needed) each resident's assessment every 3 months.
Health	Resident Assessment Deficiencies	Develop a complete care plan that meets all of a resident's needs, with timetables and actions that can be measured.
Health	Quality Care Deficiencies	Give each resident care and services to get or keep the highest quality of life possible.
Health	Environmental Deficiencies	Make sure that the nursing home area is free of dangers that cause accidents.
Health	Quality Care Deficiencies	Properly care for residents needing special services, including: injections, colostomy, ureostomy, ileostomy, tracheostomy care, tracheal suctioning, respiratory care, foot care, and prostheses.
Health	Pharmacy Service Deficiencies	<ol> <li>Make sure that residents who take drugs are not given too many doses or for too long;</li> <li>make sure that the use of drugs is carefully watched; or 3) stop or change drugs that cause unwanted effects.</li> </ol>
Health	Pharmacy Service Deficiencies	Make sure that residents are safe from serious medication errors.

Page 275 of 372 05/31/2011

Based on Nursing Home Compare - Survey Deficiency

Pattern	Minimal harm or potential for actual harm
Isolated	Minimal harm or potential for actual harm
Isolated	Minimal harm or potential for actual harm
Isolated	Minimal harm or potential for actual harm
Isolated	Minimal harm or potential for actual harm
Isolated	Minimal harm or potential for actual harm
Pattern	Potential for minimal harm
Isolated	Minimal harm or potential for actual harm

Isolated	Minimal harm or potential for actual
	harm

Page 276 of 372 05/31/2011

Based on Nursing Home Compare - Survey Deficiency

3		
		COURT
555331	CHAPMAN CONVALESCENT HOSPITAL	4301 CAROLINE COURT
555331	CHAPMAN CONVALESCENT HOSPITAL	4301 CAROLINE COURT
555331	CHAPMAN CONVALESCENT HOSPITAL	4301 CAROLINE COURT
555331	CHAPMAN CONVALESCENT HOSPITAL	4301 CAROLINE COURT
555331	CHAPMAN CONVALESCENT HOSPITAL	4301 CAROLINE COURT
555331	CHAPMAN CONVALESCENT HOSPITAL	4301 CAROLINE COURT
555331	CHAPMAN CONVALESCENT HOSPITAL	4301 CAROLINE COURT
555331	CHAPMAN CONVALESCENT HOSPITAL	4301 CAROLINE COURT
555331	CHAPMAN CONVALESCENT HOSPITAL	4301 CAROLINE COURT
555331	CHAPMAN CONVALESCENT HOSPITAL	4301 CAROLINE COURT
555331	CHAPMAN CONVALESCENT HOSPITAL	4301 CAROLINE

Page 277 of 372 05/31/2011

Based on Nursing Home Compare - Survey Deficiency

RIVERSIDE	CA	92506	(951) 683-7111	06/19/2008	07/31/2008
RIVERSIDE	CA	92506	(951) 683-7111	06/19/2008	07/31/2008
RIVERSIDE	CA	92506	(951) 683-7111	06/19/2008	07/31/2008
RIVERSIDE	CA	92506	(951) 683-7111	06/19/2008	07/31/2008
RIVERSIDE	CA	92506	(951) 683-7111	06/24/2008	08/06/2008
RIVERSIDE	CA	92506	(951) 683-7111	06/24/2008	08/06/2008
RIVERSIDE	CA	92506	(951) 683-7111	06/24/2008	08/06/2008
RIVERSIDE	CA	92506	(951) 683-7111	06/24/2008	08/06/2008
RIVERSIDE	CA	92506	(951) 683-7111	06/24/2008	08/06/2008
RIVERSIDE	CA	92506	(951) 683-7111	06/24/2008	08/06/2008
RIVERSIDE	CA	92506	(951) 683-7111	06/24/2008	08/06/2008

Page 278 of 372 05/31/2011

Based on Nursing Home Compare - Survey Deficiency

Bacca cirriarding ricino	Compare - Survey Deliciency	
		medication errors.
Health	Pharmacy Service Deficiencies	At least once a month, have a licensed pharmacist check the drugs that each resident takes.
Health	Pharmacy Service Deficiencies	Properly mark drugs and other similar products.
Health	Environmental Deficiencies	Provide rooms that are big enough for each resident.
Health	Environmental Deficiencies	Make sure that the nursing home area is safe, easy to use, clean and comfortable.
Fire Safety	Building Construction Deficiencies	approved construction type or materials.
Fire Safety	Corridor Walls and Doors Deficiencies	corridors that are separated from common areas by walls constructed to limit the passage of smoke.
Fire Safety	Corridor Walls and Doors Deficiencies	corridor and hallway doors that block smoke.
Fire Safety	Smoke Compartmentation and Control Deficiencies	walls or barriers that prevent smoke from passing through and would resist fire for at least one hour.
Fire Safety	Fire Alarm Systems Deficiencies	an approved installation, maintenance and testing program for fire alarm systems.
Fire Safety	Fire Alarm Systems Deficiencies	properly maintained smoke detectors.
Fire Safety	Automatic Sprinkler Systems Deficiencies	properly working alarms on sprinkler valves.

Page 279 of 372 05/31/2011

Based on Nursing Home Compare - Survey Deficiency

based off Nursing Florite Compa	lie - Survey Deliciency
	harm
Isolated	Minimal harm or potential for actual harm
Isolated	Minimal harm or potential for actual harm
Pattern	Potential for minimal harm
Isolated	Minimal harm or potential for actual harm
Isolated	Minimal harm or potential for actual harm
Isolated	Minimal harm or potential for actual harm
Pattern	Minimal harm or potential for actual harm
Pattern	Minimal harm or potential for actual harm
Pattern	Minimal harm or potential for actual harm
Pattern	Minimal harm or potential for actual harm
Widespread	Potential for minimal harm

Page 280 of 372 05/31/2011

Based on Nursing Home Compare - Survey Deficiency

		COURT
555331	CHAPMAN CONVALESCENT HOSPITAL	4301 CAROLINE COURT
555331	CHAPMAN CONVALESCENT HOSPITAL	4301 CAROLINE COURT
555331	CHAPMAN CONVALESCENT HOSPITAL	4301 CAROLINE COURT
555331	CHAPMAN CONVALESCENT HOSPITAL	4301 CAROLINE COURT
555331	CHAPMAN CONVALESCENT HOSPITAL	4301 CAROLINE COURT
555331	CHAPMAN CONVALESCENT HOSPITAL	4301 CAROLINE COURT
555331	CHAPMAN CONVALESCENT HOSPITAL	4301 CAROLINE COURT
555331	CHAPMAN CONVALESCENT HOSPITAL	4301 CAROLINE COURT
555331	CHAPMAN CONVALESCENT HOSPITAL	4301 CAROLINE COURT
555331	CHAPMAN CONVALESCENT HOSPITAL	4301 CAROLINE COURT

Page 281 of 372 05/31/2011

Based on Nursing Home Compare - Survey Deficiency

RIVERSIDE	CA	92506	(951) 683-7111	06/24/2008	08/06/2008
RIVERSIDE	CA	92506	(951) 683-7111	06/24/2008	08/06/2008
RIVERSIDE	CA	92506	(951) 683-7111	06/24/2008	08/06/2008
RIVERSIDE	CA	92506	(951) 683-7111	06/24/2008	08/06/2008
RIVERSIDE	CA	92506	(951) 683-7111	06/24/2008	08/06/2008
RIVERSIDE	CA	92506	(951) 683-7111	06/24/2008	08/06/2008
RIVERSIDE	CA	92506	(951) 683-7111	04/09/2009	06/03/2009
RIVERSIDE	CA	92506	(951) 683-7111	04/09/2009	06/03/2009
RIVERSIDE	CA	92506	(951) 683-7111	04/09/2009	06/03/2009
RIVERSIDE	CA	92506	(951) 683-7111	04/09/2009	06/03/2009

Page 282 of 372 05/31/2011

Based on Nursing Home Compare - Survey Deficiency

Fire Safety	Automatic Sprinkler Systems Deficiencies	portable fire extinguishers.
Fire Safety	Smoke Compartmentation and Control Deficiencies	proper construction of ducts through walls designed to prevent smoke passage.
Fire Safety	Miscellaneous Deficiencies	fire safety features required by current fire safety codes.
Fire Safety	Electrical Deficiencies	weekly inspections and monthly testing of generators.
Fire Safety	Electrical Deficiencies	properly installed electrical wiring and equipment.
Fire Safety	Automatic Sprinkler Systems Deficiencies	back-up procedures in place for a faulty automatic sprinkler system.
Health	Mistreatment Deficiencies	Keep each resident free from drugs that restrain them, unless needed for medical treatment.
Health	Mistreatment Deficiencies	1) Hire only people who have no legal history of abusing, neglecting or mistreating residents; or 2) report and investigate any acts or reports of abuse, neglect or mistreatment of residents.
Health	Resident Assessment Deficiencies	Assess the resident when the resident enters the nursing home, in a timely manner.
Health	Quality Care Deficiencies	Give residents proper treatment to prevent new bed (pressure) sores or heal existing bed sores.

Page 283 of 372 05/31/2011

Based on Nursing Home Compare - Survey Deficiency

Pattern	Potential for minimal harm
Pattern	Minimal harm or potential for actual harm
Isolated	Minimal harm or potential for actual harm
Pattern	Minimal harm or potential for actual harm
Pattern	Minimal harm or potential for actual harm
Pattern	Minimal harm or potential for actual harm
Isolated	Minimal harm or potential for actual harm
Isolated	Minimal harm or potential for actual harm
Isolated	Minimal harm or potential for actual harm
Isolated	Actual harm

Page 284 of 372 05/31/2011

Based on Nursing Home Compare - Survey Deficiency

555331 CHAPMAN CONVALESCENT HOSPITAL 4301 CAROLINE COURT  555331 CHAPMAN CONVALESCENT HOSPITAL 4301 CAROLINE COURT	555331	CHAPMAN CONVALESCENT HOSPITAL	4301 CAROLINE COURT
COURT  555331 CHAPMAN CONVALESCENT HOSPITAL 4301 CAROLINE COURT	555331	CHAPMAN CONVALESCENT HOSPITAL	
COURT  555331 CHAPMAN CONVALESCENT HOSPITAL 4301 CAROLINE COURT	555331	CHAPMAN CONVALESCENT HOSPITAL	
COURT  555331 CHAPMAN CONVALESCENT HOSPITAL 4301 CAROLINE COURT  555331 CHAPMAN CONVALESCENT HOSPITAL 4301 CAROLINE	555331	CHAPMAN CONVALESCENT HOSPITAL	
COURT  555331 CHAPMAN CONVALESCENT HOSPITAL 4301 CAROLINE COURT	555331	CHAPMAN CONVALESCENT HOSPITAL	
COURT  555331 CHAPMAN CONVALESCENT HOSPITAL 4301 CAROLINE	555331	CHAPMAN CONVALESCENT HOSPITAL	
555331 CHAPMAN CONVALESCENT HOSPITAL 4301 CAROLINE COURT  555331 CHAPMAN CONVALESCENT HOSPITAL 4301 CAROLINE COURT  555331 CHAPMAN CONVALESCENT HOSPITAL 4301 CAROLINE	555331	CHAPMAN CONVALESCENT HOSPITAL	
555331 CHAPMAN CONVALESCENT HOSPITAL 4301 CAROLINE COURT  555331 CHAPMAN CONVALESCENT HOSPITAL 4301 CAROLINE	555331	CHAPMAN CONVALESCENT HOSPITAL	
COURT 555331 CHAPMAN CONVALESCENT HOSPITAL 4301 CAROLINE	555331	CHAPMAN CONVALESCENT HOSPITAL	
	555331	CHAPMAN CONVALESCENT HOSPITAL	
	555331	CHAPMAN CONVALESCENT HOSPITAL	

Page 285 of 372 05/31/2011

Based on Nursing Home Compare - Survey Deficiency

based off Nursing Florite	Compare - Survey Delicier	icy			
RIVERSIDE	CA	92506	(951) 683-7111	04/09/2009	06/03/2009
RIVERSIDE	CA	92506	(951) 683-7111	04/09/2009	06/03/2009
RIVERSIDE	CA	92506	(951) 683-7111	04/09/2009	06/03/2009
RIVERSIDE	CA	92506	(951) 683-7111	04/09/2009	06/03/2009
RIVERSIDE	CA	92506	(951) 683-7111	04/16/2009	05/19/2009
RIVERSIDE	CA	92506	(951) 683-7111	04/16/2009	05/19/2009
RIVERSIDE	CA	92506	(951) 683-7111	04/16/2009	05/19/2009
RIVERSIDE	CA	92506	(951) 683-7111	04/16/2009	05/19/2009
RIVERSIDE	CA	92506	(951) 683-7111	04/16/2009	05/19/2009
RIVERSIDE	CA	92506	(951) 683-7111	04/16/2009	05/19/2009
RIVERSIDE	CA	92506	(951) 683-7111	04/16/2009	05/19/2009

Page 286 of 372 05/31/2011

Based on Nursing Home Compare - Survey Deficiency

Health	Pharmacy Service Deficiencies	<ol> <li>Make sure that residents who take drugs are not given too many doses or for too long;</li> <li>make sure that the use of drugs is carefully watched; or 3) stop or change drugs that cause unwanted effects.</li> </ol>
Health	Nutrition and Dietary Deficiencies	Hire a qualified dietician.
Health	Pharmacy Service Deficiencies	Properly mark drugs and other similar products.
Health	Environmental Deficiencies	Make sure that the nursing home area is safe, easy to use, clean and comfortable.
Fire Safety	Building Construction Deficiencies	approved construction type or materials.
Fire Safety	Corridor Walls and Doors Deficiencies	corridor and hallway doors that block smoke.
Fire Safety	Emergency Plans and Fire Drills Deficiencies	record of quarterly fire drills for each shift under varying conditions.
Fire Safety	Fire Alarm Systems Deficiencies	a fire alarm system that can be heard throughout the facility.
Fire Safety	Fire Alarm Systems Deficiencies	properly maintained smoke detectors.
Fire Safety	Automatic Sprinkler Systems Deficiencies	an approved automatic sprinkler system connected to the fire alarm system.
Fire Safety	Automatic Sprinkler Systems Deficiencies	portable fire extinguishers.

Page 287 of 372 05/31/2011

Based on Nursing Home Compare - Survey Deficiency

Isolated Minimal harm or potential for actua
--

harm

Isolated	Minimal harm or potential for actual harm
Isolated	Minimal harm or potential for actual harm
Pattern	Potential for minimal harm
Isolated	Minimal harm or potential for actual harm
Isolated	Minimal harm or potential for actual harm
Isolated	Minimal harm or potential for actual harm
Isolated	Minimal harm or potential for actual harm
Isolated	Minimal harm or potential for actual harm
Isolated	Minimal harm or potential for actual harm
Isolated	Minimal harm or potential for actual harm

Page 288 of 372 05/31/2011

Based on Nursing Home Compare - Survey Deficiency

Baood off Haroling Horno Compare Car	rey Belletelley	
555331	CHAPMAN CONVALESCENT HOSPITAL	4301 CAROLINE COURT
555331	CHAPMAN CONVALESCENT HOSPITAL	4301 CAROLINE COURT
555331	CHAPMAN CONVALESCENT HOSPITAL	4301 CAROLINE COURT
555331	CHAPMAN CONVALESCENT HOSPITAL	4301 CAROLINE COURT
555331	CHAPMAN CONVALESCENT HOSPITAL	4301 CAROLINE COURT
555331	CHAPMAN CONVALESCENT HOSPITAL	4301 CAROLINE COURT
555331	CHAPMAN CONVALESCENT HOSPITAL	4301 CAROLINE COURT
555331	CHAPMAN CONVALESCENT HOSPITAL	4301 CAROLINE COURT
555331	CHAPMAN CONVALESCENT HOSPITAL	4301 CAROLINE COURT
555331	CHAPMAN CONVALESCENT HOSPITAL	4301 CAROLINE COURT

Page 289 of 372 05/31/2011

Based on Nursing Home Compare - Survey Deficiency

RIVERSIDE	CA	92506	(951) 683-7111	04/16/2009	05/19/2009
RIVERSIDE	CA	92506	(951) 683-7111	04/16/2009	05/19/2009
RIVERSIDE	CA	92506	(951) 683-7111	05/20/2010	09/10/2010
RIVERSIDE	CA	92506	(951) 683-7111	05/20/2010	09/10/2010
RIVERSIDE	CA	92506	(951) 683-7111	05/20/2010	09/10/2010
RIVERSIDE	CA	92506	(951) 683-7111	05/20/2010	09/10/2010
RIVERSIDE	CA	92506	(951) 683-7111	05/20/2010	09/10/2010
RIVERSIDE	CA	92506	(951) 683-7111	05/20/2010	09/10/2010
RIVERSIDE	CA	92506	(951) 683-7111	05/20/2010	09/10/2010
RIVERSIDE	CA	92506	(951) 683-7111	05/20/2010	09/10/2010

Page 290 of 372 05/31/2011

Based on Nursing Home Compare - Survey Deficiency

Fire Safety	Furnishings and Decorations Deficiencies	exits that are free from obstructions and can be used at all times.
Fire Safety	Electrical Deficiencies	properly installed electrical wiring and equipment.
Health	Resident Rights Deficiencies	Let residents give themselves their drugs if they are able.
Health	Mistreatment Deficiencies	Keep each resident free from physical restraints, unless needed for medical treatment.
Health	Environmental Deficiencies	Provide needed housekeeping and maintenance.
Health	Resident Assessment Deficiencies	Develop a complete care plan that meets all of a resident's needs, with timetables and actions that can be measured.
Health	Quality Care Deficiencies	Give each resident care and services to get or keep the highest quality of life possible.
Health	Environmental Deficiencies	Make sure that the nursing home area is free of dangers that cause accidents.
Health	Pharmacy Service Deficiencies	<ol> <li>Make sure that residents who take drugs are not given too many doses or for too long;</li> <li>make sure that the use of drugs is carefully watched; or 3) stop or change drugs that cause unwanted effects.</li> </ol>
Health	Nutrition and Dietary Deficiencies	Store, cook, and give out food in a safe and clean way.

Page 291 of 372 05/31/2011

Based on Nursing Home Compare - Survey Deficiency

Isolated	Minimal harm or potential for actual harm
Isolated	Minimal harm or potential for actual harm
Isolated	Minimal harm or potential for actual harm
Isolated	Minimal harm or potential for actual harm
Isolated	Minimal harm or potential for actual harm
Isolated	Minimal harm or potential for actual harm
Isolated	Minimal harm or potential for actual harm
Pattern	Minimal harm or potential for actual harm
Isolated	Minimal harm or potential for actual harm
Isolated	Minimal harm or potential for actual harm

Page 292 of 372 05/31/2011

Based on Nursing Home Compare - Survey Deficiency

0 1		
555331	CHAPMAN CONVALESCENT HOSPITAL	4301 CAROLINE COURT
555331	CHAPMAN CONVALESCENT HOSPITAL	4301 CAROLINE COURT
555331	CHAPMAN CONVALESCENT HOSPITAL	4301 CAROLINE COURT
555331	CHAPMAN CONVALESCENT HOSPITAL	4301 CAROLINE COURT
555331	CHAPMAN CONVALESCENT HOSPITAL	4301 CAROLINE COURT
555331	CHAPMAN CONVALESCENT HOSPITAL	4301 CAROLINE COURT
555331	CHAPMAN CONVALESCENT HOSPITAL	4301 CAROLINE COURT
555331	CHAPMAN CONVALESCENT HOSPITAL	4301 CAROLINE COURT
555331	CHAPMAN CONVALESCENT HOSPITAL	4301 CAROLINE COURT
555331	CHAPMAN CONVALESCENT HOSPITAL	4301 CAROLINE COURT
555353	VILLA HEALTH CARE CENTER	8965 MAGNOLIA AVENUE
555353	VILLA HEALTH CARE CENTER	8965 MAGNOLIA AVENUE

Page 293 of 372 05/31/2011

Based on Nursing Home Compare - Survey Deficiency

0	'	,			
RIVERSIDE	CA	92506	(951) 683-7111	05/20/2010	09/10/2010
RIVERSIDE	CA	92506	(951) 683-7111	05/20/2010	09/10/2010
RIVERSIDE	CA	92506	(951) 683-7111	05/20/2010	09/10/2010
RIVERSIDE	CA	92506	(951) 683-7111	05/20/2010	09/10/2010
RIVERSIDE	CA	92506	(951) 683-7111	05/20/2010	09/10/2010
RIVERSIDE	CA	92506	(951) 683-7111	06/03/2010	06/22/2010
RIVERSIDE	CA	92506	(951) 683-7111	06/03/2010	06/22/2010
RIVERSIDE	CA	92506	(951) 683-7111	06/03/2010	06/22/2010
RIVERSIDE	CA	92506	(951) 683-7111	06/03/2010	06/22/2010
RIVERSIDE	CA	92506	(951) 683-7111	06/03/2010	06/22/2010
RIVERSIDE	CA	92503	(951) 689-5788	12/04/2009	01/12/2010
RIVERSIDE	CA	92503	(951) 689-5788	12/04/2009	01/12/2010

Page 294 of 372 05/31/2011

Based on Nursing Home Compare - Survey Deficiency

9		
Health	Pharmacy Service Deficiencies	Properly mark drugs and other similar products.
Health	Environmental Deficiencies	Have a program to keep infection from spreading.
Health	Environmental Deficiencies	Provide rooms that are big enough for each resident.
Health	Environmental Deficiencies	Make sure that a working call system is available in each resident's room or bathroom and bathing area.
Health	Administration Deficiencies	Keep accurate and appropriate medical records.
Fire Safety	Building Construction Deficiencies	approved construction type or materials.
Fire Safety	Fire Alarm Systems Deficiencies	a fire alarm system that can be heard throughout the facility.
Fire Safety	Fire Alarm Systems Deficiencies	properly maintained smoke detectors.
Fire Safety	Medical Gases and Anesthetizing Areas Deficiencies	proper medical gas storage and administration areas.
Fire Safety	Electrical Deficiencies	properly installed electrical wiring and equipment.
Health	Quality Care Deficiencies	Give each resident care and services to get or keep the highest quality of life possible.
Health	Pharmacy Service Deficiencies	Keep the rate of medication errors (wrong drug, wrong dose, wrong time) to less than

Page 295 of 372 05/31/2011

Based on Nursing Home Compare - Survey Deficiency

Isolated	Minimal harm or potential for actual harm
Isolated	Minimal harm or potential for actual harm
Pattern	Potential for minimal harm
Isolated	Minimal harm or potential for actual harm
Isolated	Minimal harm or potential for actual harm
Isolated	Minimal harm or potential for actual harm
Isolated	Minimal harm or potential for actual harm
Isolated	Minimal harm or potential for actual harm
Isolated	Minimal harm or potential for actual harm
Isolated	Minimal harm or potential for actual harm
Isolated	Minimal harm or potential for actual harm
Isolated	Minimal harm or potential for actual harm

Page 296 of 372 05/31/2011

Based on Nursing Home Compare - Survey Deficiency

555353	VILLA HEALTH CARE CENTER	8965 MAGNOLIA AVENUE
555353	VILLA HEALTH CARE CENTER	8965 MAGNOLIA AVENUE
555353	VILLA HEALTH CARE CENTER	8965 MAGNOLIA AVENUE
555353	VILLA HEALTH CARE CENTER	8965 MAGNOLIA AVENUE
555353	VILLA HEALTH CARE CENTER	8965 MAGNOLIA AVENUE
555353	VILLA HEALTH CARE CENTER	8965 MAGNOLIA AVENUE
555353	VILLA HEALTH CARE CENTER	8965 MAGNOLIA AVENUE
555353	VILLA HEALTH CARE CENTER	8965 MAGNOLIA AVENUE
555365	PALM TERRACE CONVALESCENT CENTER	11162 PALM TERRACE LANE
555365	PALM TERRACE CONVALESCENT CENTER	11162 PALM TERRACE LANE
555365	PALM TERRACE CONVALESCENT CENTER	11162 PALM TERRACE LANE
555365	PALM TERRACE CONVALESCENT CENTER	11162 PALM TERRACE

Page 297 of 372 05/31/2011

Based on Nursing Home Compare - Survey Deficiency

RIVERSIDE	CA	92503	(951) 689-5788	12/04/2009	01/12/2010
RIVERSIDE	CA	92503	(951) 689-5788	12/04/2009	01/12/2010
RIVERSIDE	CA	92503	(951) 689-5788	12/15/2009	12/31/2009
RIVERSIDE	CA	92503	(951) 689-5788	12/15/2009	12/31/2009
RIVERSIDE	CA	92503	(951) 689-5788	11/18/2010	01/19/2011
RIVERSIDE	CA	92503	(951) 689-5788	11/24/2010	12/22/2010
RIVERSIDE	CA	92503	(951) 689-5788	11/24/2010	12/22/2010
RIVERSIDE	CA	92503	(951) 689-5788	11/24/2010	12/22/2010
RIVERSIDE	CA	92505	(951) 687-7330	02/01/2008	02/25/2008
RIVERSIDE	CA	92505	(951) 687-7330	02/07/2008	03/06/2008
RIVERSIDE	CA	92505	(951) 687-7330	02/07/2008	03/06/2008
RIVERSIDE	CA	92505	(951) 687-7330	02/07/2008	03/06/2008

Page 298 of 372 05/31/2011

Based on Nursing Home Compare - Survey Deficiency

		5%.
Health	Pharmacy Service Deficiencies	Have drugs and other similar products available, which are needed every day and in emergencies, and give them out properly.
Health	Environmental Deficiencies	Provide rooms that are big enough for each resident.
Fire Safety	Emergency Plans and Fire Drills Deficiencies	record of quarterly fire drills for each shift under varying conditions.
Fire Safety	Electrical Deficiencies	properly installed electrical wiring and equipment.
Health	Environmental Deficiencies	Provide rooms that are big enough for each resident.
Fire Safety	Fire Alarm Systems Deficiencies	an approved installation, maintenance and testing program for fire alarm systems.
Fire Safety	Automatic Sprinkler Systems Deficiencies	properly working alarms on sprinkler valves.
Fire Safety	Hazardous Area Deficiencies	properly installed hallway dispensers for alcohol-based hand rub.
Health	Pharmacy Service Deficiencies	Properly mark drugs and other similar products.
Fire Safety	Hazardous Area Deficiencies	construction that can resist fire for one hour or an approved fire extinguishing system.
Fire Safety	Exits and Egress Deficiencies	exits that are accessible at all times.
Fire Safety	Fire Alarm Systems Deficiencies	an approved installation, maintenance and

Page 299 of 372 05/31/2011

Based on Nursing Home Compare - Survey Deficiency

Isolated	Minimal harm or potential for actual harm
Pattern	Potential for minimal harm
Widespread	Potential for minimal harm
Isolated	Minimal harm or potential for actual harm
Pattern	Potential for minimal harm
Isolated	Minimal harm or potential for actual harm
Widespread	Minimal harm or potential for actual harm
Isolated	Minimal harm or potential for actual harm
Isolated	Minimal harm or potential for actual harm
Pattern	Potential for minimal harm
Isolated	Minimal harm or potential for actual harm
Widespread	Minimal harm or potential for actual

Page 300 of 372 05/31/2011

Based on Nursing Home Compare - Survey Deficiency

		LANE
555365	PALM TERRACE CONVALESCENT CENTER	11162 PALM TERRACE LANE
555365	PALM TERRACE CONVALESCENT CENTER	11162 PALM TERRACE LANE
555365	PALM TERRACE CONVALESCENT CENTER	11162 PALM TERRACE LANE
555365	PALM TERRACE CONVALESCENT CENTER	11162 PALM TERRACE LANE
555365	PALM TERRACE CONVALESCENT CENTER	11162 PALM TERRACE LANE
555365	PALM TERRACE CONVALESCENT CENTER	11162 PALM TERRACE LANE
555365	PALM TERRACE CONVALESCENT CENTER	11162 PALM TERRACE LANE
555365	PALM TERRACE CONVALESCENT CENTER	11162 PALM TERRACE LANE
555365	PALM TERRACE CONVALESCENT CENTER	11162 PALM TERRACE LANE
555365	PALM TERRACE CONVALESCENT CENTER	11162 PALM TERRACE

Page 301 of 372 05/31/2011

Based on Nursing Home Compare - Survey Deficiency

Bacca cirriarding morni	1	,			
RIVERSIDE	CA	92505	(951) 687-7330	02/07/2008	03/06/2008
RIVERSIDE	CA	92505	(951) 687-7330	02/07/2008	03/06/2008
RIVERSIDE	CA	92505	(951) 687-7330	02/09/2009	04/01/2009
RIVERSIDE	CA	92505	(951) 687-7330	02/09/2009	04/01/2009
RIVERSIDE	CA	92505	(951) 687-7330	02/09/2009	04/01/2009
RIVERSIDE	CA	92505	(951) 687-7330	02/09/2009	04/01/2009
RIVERSIDE	CA	92505	(951) 687-7330	02/09/2009	04/01/2009
RIVERSIDE	CA	92505	(951) 687-7330	02/11/2009	05/19/2009
RIVERSIDE	CA	92505	(951) 687-7330	02/11/2009	05/19/2009
RIVERSIDE	CA	92505	(951) 687-7330	02/11/2009	05/19/2009

Page 302 of 372 05/31/2011

Based on Nursing Home Compare - Survey Deficiency

		testing program for fire alarm systems.
Fire Safety	Fire Alarm Systems Deficiencies	properly maintained smoke detectors.
Fire Safety	Building Service Equipment Deficiencies	properly protected cooking facilities.
Health	Resident Rights Deficiencies	Tell each resident who can get Medicaid benefits about 1) which items and services Medicaid covers and which the resident must pay for; or 2) how to apply for Medicaid, along with the names and addresses of State groups that can help.
Health	Quality Care Deficiencies	Make sure that each resident's nutritional needs were met.
Health	Nutrition and Dietary Deficiencies	Store, cook, and give out food in a safe and clean way.
Health	Pharmacy Service Deficiencies	Have drugs and other similar products available, which are needed every day and in emergencies, and give them out properly.
Health	Environmental Deficiencies	Make sure that the nursing home area is safe, easy to use, clean and comfortable.
Fire Safety	Building Construction Deficiencies	approved construction type or materials.
Fire Safety	Corridor Walls and Doors Deficiencies	corridor and hallway doors that block smoke.
Fire Safety	Smoke Compartmentation and Control Deficiencies	walls or barriers that prevent smoke from

Page 303 of 372 05/31/2011

Based on Nursing Home Compare - Survey Deficiency

	harm
Pattern	Minimal harm or potential for actual harm
Widespread	Potential for minimal harm
Widespread	Potential for minimal harm

Isolated	Minimal harm or potential for actual harm
Pattern	Minimal harm or potential for actual harm
Isolated	Minimal harm or potential for actual harm
Pattern	Minimal harm or potential for actual harm
Isolated	Minimal harm or potential for actual harm
Isolated	Minimal harm or potential for actual harm
Widespread	Minimal harm or potential for actual

Page 304 of 372 05/31/2011

Based on Nursing Home Compare - Survey Deficiency

Based on Nursing Home Compare - Sur	/ey Deficiency	
		LANE
555365	PALM TERRACE CONVALESCENT CENTER	11162 PALM TERRACE LANE
555365	PALM TERRACE CONVALESCENT CENTER	11162 PALM TERRACE LANE
555365	PALM TERRACE CONVALESCENT CENTER	11162 PALM TERRACE LANE
555365	PALM TERRACE CONVALESCENT CENTER	11162 PALM TERRACE LANE
555365	PALM TERRACE CONVALESCENT CENTER	11162 PALM TERRACE LANE
555365	PALM TERRACE CONVALESCENT CENTER	11162 PALM TERRACE LANE
555365	PALM TERRACE CONVALESCENT CENTER	11162 PALM TERRACE LANE
555365	PALM TERRACE CONVALESCENT CENTER	11162 PALM TERRACE LANE
555365	PALM TERRACE CONVALESCENT CENTER	11162 PALM TERRACE LANE
555365	PALM TERRACE CONVALESCENT CENTER	11162 PALM TERRACE

Page 305 of 372 05/31/2011

Based on Nursing Home Compare - Survey Deficiency

9	o compare carvey E	,			
RIVERSIDE	CA	92505	(951) 687-7330	02/11/2009	05/19/2009
RIVERSIDE	CA	92505	(951) 687-7330	02/11/2009	05/19/2009
RIVERSIDE	CA	92505	(951) 687-7330	02/11/2009	05/19/2009
RIVERSIDE	CA	92505	(951) 687-7330	02/11/2009	05/19/2009
RIVERSIDE	CA	92505	(951) 687-7330	02/11/2009	05/19/2009
RIVERSIDE	CA	92505	(951) 687-7330	01/07/2010	03/08/2010
RIVERSIDE	CA	92505	(951) 687-7330	01/07/2010	03/08/2010
RIVERSIDE	CA	92505	(951) 687-7330	01/07/2010	03/08/2010
RIVERSIDE	CA	92505	(951) 687-7330	01/07/2010	03/08/2010
RIVERSIDE	CA	92505	(951) 687-7330	01/07/2010	03/08/2010

Page 306 of 372 05/31/2011

Based on Nursing Home Compare - Survey Deficiency

•		
		passing through and would resist fire for at least one hour.
Fire Safety	Smoke Compartmentation and Control Deficiencies	smoke barrier doors that can resist smoke for at least 20 minutes.
Fire Safety	Emergency Plans and Fire Drills Deficiencies	record of quarterly fire drills for each shift under varying conditions.
Fire Safety	Automatic Sprinkler Systems Deficiencies	portable fire extinguishers.
Fire Safety	Furnishings and Decorations Deficiencies	exits that are free from obstructions and can be used at all times.
Fire Safety	Electrical Deficiencies	properly installed electrical wiring and equipment.
Health	Resident Rights Deficiencies	Tell each resident who can get Medicaid benefits about 1) which items and services Medicaid covers and which the resident must pay for; or 2) how to apply for Medicaid, along with the names and addresses of State groups that can help.
Health	Environmental Deficiencies	Provide needed housekeeping and maintenance.
Health	Quality Care Deficiencies	Make sure that each resident's nutritional needs were met.
Health	Nutrition and Dietary Deficiencies	Make sure that the attending doctor orders special diets.
Health	Nutrition and Dietary Deficiencies	Store, cook, and give out food in a safe and

Page 307 of 372 05/31/2011

Based on Nursing Home Compare - Survey Deficiency

based of Natsing Home Compa	ile durvey bendiency
	harm
Isolated	Minimal harm or potential for actual harm
Isolated	Minimal harm or potential for actual harm
Pattern	Minimal harm or potential for actual harm
Pattern	Minimal harm or potential for actual harm
Pattern	Minimal harm or potential for actual harm
Widespread	Potential for minimal harm
Pattern	Potential for minimal harm
Pattern	Minimal harm or potential for actual harm
Pattern	Minimal harm or potential for actual harm
Widespread	Minimal harm or potential for actual

Page 308 of 372 05/31/2011

Based on Nursing Home Compare - Survey Deficiency

		LANE
555365	PALM TERRACE CONVALESCENT CENTER	11162 PALM TERRACE LANE
555365	PALM TERRACE CONVALESCENT CENTER	11162 PALM TERRACE LANE
555365	PALM TERRACE CONVALESCENT CENTER	11162 PALM TERRACE LANE
555365	PALM TERRACE CONVALESCENT CENTER	11162 PALM TERRACE LANE
555365	PALM TERRACE CONVALESCENT CENTER	11162 PALM TERRACE LANE
555365	PALM TERRACE CONVALESCENT CENTER	11162 PALM TERRACE LANE
555365	PALM TERRACE CONVALESCENT CENTER	11162 PALM TERRACE LANE
555365	PALM TERRACE CONVALESCENT CENTER	11162 PALM TERRACE LANE
555365	PALM TERRACE CONVALESCENT CENTER	11162 PALM TERRACE LANE
555365	PALM TERRACE CONVALESCENT CENTER	11162 PALM TERRACE LANE
555365	PALM TERRACE CONVALESCENT CENTER	11162 PALM TERRACE LANE
555365	PALM TERRACE CONVALESCENT CENTER	11162 PALM TERRACE

Page 309 of 372 05/31/2011

Based on Nursing Home Compare - Survey Deficiency

RIVERSIDE	CA	92505	(951) 687-7330	01/07/2010	03/08/2010
RIVERSIDE	CA	92505	(951) 687-7330	01/07/2010	03/08/2010
RIVERSIDE	CA	92505	(951) 687-7330	02/02/2010	02/26/2010
RIVERSIDE	CA	92505	(951) 687-7330	02/02/2010	02/26/2010
RIVERSIDE	CA	92505	(951) 687-7330	02/02/2010	02/26/2010
RIVERSIDE	CA	92505	(951) 687-7330	02/02/2010	02/26/2010
RIVERSIDE	CA	92505	(951) 687-7330	02/02/2010	02/26/2010
RIVERSIDE	CA	92505	(951) 687-7330	02/02/2010	02/26/2010
RIVERSIDE	CA	92505	(951) 687-7330	02/02/2010	02/26/2010
RIVERSIDE	CA	92505	(951) 687-7330	02/02/2010	02/26/2010
RIVERSIDE	CA	92505	(951) 687-7330	02/02/2010	02/26/2010
RIVERSIDE	CA	92505	(951) 687-7330	02/02/2010	02/26/2010

Page 310 of 372 05/31/2011

Based on Nursing Home Compare - Survey Deficiency

Bacca off fraiding from o	Compare - Survey Deliciency	
		clean way.
Health	Administration Deficiencies	Have a detailed, written plan for disasters and emergencies.
Health	Administration Deficiencies	Train all employees on what to do in an emergency.
Fire Safety	Smoke Compartmentation and Control Deficiencies	smoke barrier doors that can resist smoke for at least 20 minutes.
Fire Safety	Exits and Egress Deficiencies	exits that are accessible at all times.
Fire Safety	Illumination and Emergency Power Deficiencies	properly located and lighted "Exit" signs.
Fire Safety	Fire Alarm Systems Deficiencies	an approved installation, maintenance and testing program for fire alarm systems.
Fire Safety	Fire Alarm Systems Deficiencies	properly maintained smoke detectors.
Fire Safety	Automatic Sprinkler Systems Deficiencies	automatic sprinkler systems that have been maintained in working order.
Fire Safety	Automatic Sprinkler Systems Deficiencies	portable fire extinguishers.
Fire Safety	Building Service Equipment Deficiencies	heating and ventilation systems that have been properly installed according to the manufacturer's instructions.
Fire Safety	Building Service Equipment Deficiencies	properly protected cooking facilities.
Fire Safety	Electrical Deficiencies	weekly inspections and monthly testing of

Page 311 of 372 05/31/2011

Based on Nursing Home Compare - Survey Deficiency

	harm
Isolated	Minimal harm or potential for actual harm
Isolated	Minimal harm or potential for actual harm
Isolated	Minimal harm or potential for actual harm
Isolated	Minimal harm or potential for actual harm
Isolated	Minimal harm or potential for actual harm
Pattern	Minimal harm or potential for actual harm
Isolated	Minimal harm or potential for actual harm
Isolated	Minimal harm or potential for actual harm
Isolated	Minimal harm or potential for actual harm
Pattern	Minimal harm or potential for actual harm
Isolated	Minimal harm or potential for actual harm
Pattern	Minimal harm or potential for actual

Page 312 of 372 05/31/2011

Based on Nursing Home Compare - Survey Deficiency

		LANE
555365	PALM TERRACE CONVALESCENT CENTER	11162 PALM TERRACE LANE
555404	AFVW HEALTH CENTER	17040 ARNOLD DR.
555404	AFVW HEALTH CENTER	17040 ARNOLD DR.
555404	AFVW HEALTH CENTER	17040 ARNOLD DR.
555404	AFVW HEALTH CENTER	17040 ARNOLD DR.
555404	AFVW HEALTH CENTER	17040 ARNOLD DR.
555404	AFVW HEALTH CENTER	17040 ARNOLD DR.
555404	AFVW HEALTH CENTER	17040 ARNOLD DR.
555404	AFVW HEALTH CENTER	17040 ARNOLD DR.

Page 313 of 372 05/31/2011

Based on Nursing Home Compare - Survey Deficiency

RIVERSIDE	CA	92505	(951) 687-7330	02/02/2010	02/26/2010
RIVERSIDE	CA	92518	(951) 697-2200	12/15/2008	01/15/2009
RIVERSIDE	CA	92518	(951) 697-2200	12/15/2008	01/15/2009
RIVERSIDE	CA	92518	(951) 697-2200	12/15/2008	01/15/2009
RIVERSIDE	CA	92518	(951) 697-2200	12/15/2008	01/15/2009
RIVERSIDE	CA	92518	(951) 697-2200	12/15/2008	01/15/2009
RIVERSIDE	CA	92518	(951) 697-2200	12/15/2008	01/15/2009
RIVERSIDE	CA	92518	(951) 697-2200	12/15/2008	01/15/2009
RIVERSIDE	CA	92518	(951) 697-2200	12/15/2008	01/15/2009

Page 314 of 372 05/31/2011

Based on Nursing Home Compare - Survey Deficiency

_		
		generators.
Fire Safety	Electrical Deficiencies	properly installed electrical wiring and equipment.
Health	Resident Rights Deficiencies	Provide care in a way that keeps or builds each resident's dignity and self respect.
Health	Resident Rights Deficiencies	Provide services to meet the needs and preferences of each resident.
Health	Environmental Deficiencies	Provide needed housekeeping and maintenance.
Health	Resident Assessment Deficiencies	Make sure all assessments are accurate, coordinated by an RN, done by the right professional, and are signed by the person completing them.
Health	Quality Care Deficiencies	Give professional services that meet a professional standard of quality.
Health	Quality Care Deficiencies	Give each resident care and services to get or keep the highest quality of life possible.
Health	Quality Care Deficiencies	Make sure that each resident who enters the nursing home without a catheter is not given a catheter, unless it is necessary.
Health	Quality Care Deficiencies	Give proper treatment to residents with feeding tubes to prevent problems (such as aspiration pneumonia, diarrhea, vomiting, dehydration, metabolic abnormalities, nasal-pharyngeal ulcers) and help restore eating skills, if possible.

Page 315 of 372 05/31/2011

Based on Nursing Home Compare - Survey Deficiency

	harm
Pattern	Minimal harm or potential for actual harm
Pattern	Minimal harm or potential for actual harm
Isolated	Minimal harm or potential for actual harm
Pattern	Minimal harm or potential for actual harm
Isolated	Minimal harm or potential for actual harm
Isolated	Minimal harm or potential for actual harm
Isolated	Minimal harm or potential for actual harm
Isolated	Minimal harm or potential for actual harm
Isolated	Minimal harm or potential for actual harm

Page 316 of 372 05/31/2011

Based on Nursing Home Compare - Survey Deficiency

555404	AFVW HEALTH CENTER	17040 ARNOLD DR.
555404	AFVW HEALTH CENTER	17040 ARNOLD DR.
555404	AFVW HEALTH CENTER	17040 ARNOLD DR.
555404	AFVW HEALTH CENTER	17040 ARNOLD DR.
555404	AFVW HEALTH CENTER	17040 ARNOLD DR.
555404	AFVW HEALTH CENTER	17040 ARNOLD DR.
555404	AFVW HEALTH CENTER	17040 ARNOLD DR.
555404	AFVW HEALTH CENTER	17040 ARNOLD DR.
555404	AFVW HEALTH CENTER	17040 ARNOLD DR.
555404	AFVW HEALTH CENTER	17040 ARNOLD DR.
555404	AFVW HEALTH CENTER	17040 ARNOLD DR.
555404	AFVW HEALTH CENTER	17040 ARNOLD DR.

Page 317 of 372 05/31/2011

Based on Nursing Home Compare - Survey Deficiency

RIVERSIDE	CA	92518	(951) 697-2200	12/15/2008	01/15/2009
RIVERSIDE	CA	92518	(951) 697-2200	12/15/2008	01/15/2009
RIVERSIDE	CA	92518	(951) 697-2200	12/15/2008	01/15/2009
RIVERSIDE	CA	92518	(951) 697-2200	12/15/2008	01/15/2009
RIVERSIDE	CA	92518	(951) 697-2200	12/15/2008	01/15/2009
RIVERSIDE	CA	92518	(951) 697-2200	12/18/2008	01/07/2009
RIVERSIDE	CA	92518	(951) 697-2200	12/18/2008	01/07/2009
RIVERSIDE	CA	92518	(951) 697-2200	12/18/2008	01/07/2009
RIVERSIDE	CA	92518	(951) 697-2200	12/18/2008	01/07/2009
RIVERSIDE	CA	92518	(951) 697-2200	12/18/2008	01/07/2009
RIVERSIDE	CA	92518	(951) 697-2200	12/18/2008	01/07/2009
RIVERSIDE	CA	92518	(951) 697-2200	12/18/2008	01/07/2009

Page 318 of 372 05/31/2011

Based on Nursing Home Compare - Survey Deficiency

		possible.
Health	Environmental Deficiencies	Make sure that the nursing home area is free of dangers that cause accidents.
Health	Quality Care Deficiencies	Develop/implement required procedures for the administration of immunizations.
Health	Nutrition and Dietary Deficiencies	Store, cook, and give out food in a safe and clean way.
Health	Pharmacy Service Deficiencies	Properly mark drugs and other similar products.
Health	Environmental Deficiencies	Have a program to keep infection from spreading.
Fire Safety	Corridor Walls and Doors Deficiencies	corridor and hallway doors that block smoke.
Fire Safety	Smoke Compartmentation and Control Deficiencies	walls or barriers that prevent smoke from passing through and would resist fire for at least one hour.
Fire Safety	Emergency Plans and Fire Drills Deficiencies	record of quarterly fire drills for each shift under varying conditions.
Fire Safety	Automatic Sprinkler Systems Deficiencies	portable fire extinguishers.
Fire Safety	Furnishings and Decorations Deficiencies	restrictions on the use of highly flammable materials.
Fire Safety	Medical Gases and Anesthetizing Areas Deficiencies	proper medical gas storage and administration areas.
Fire Safety	Electrical Deficiencies	properly installed electrical wiring and

Page 319 of 372 05/31/2011

Based on Nursing Home Compare - Survey Deficiency

Isolated	Minimal harm or potential for actual harm
Widespread	Potential for minimal harm
Pattern	Minimal harm or potential for actual harm
Isolated	Minimal harm or potential for actual harm
Isolated	Minimal harm or potential for actual harm
Pattern	Minimal harm or potential for actual harm
Isolated	Minimal harm or potential for actual harm
Pattern	Minimal harm or potential for actual harm
Isolated	Minimal harm or potential for actual harm
Isolated	Minimal harm or potential for actual harm
Isolated	Minimal harm or potential for actual harm
Isolated	Minimal harm or potential for actual

Page 320 of 372 05/31/2011

Based on Nursing Home Compare - Survey Deficiency

3		
555404	AFVW HEALTH CENTER	17040 ARNOLD DR.
555404	AFVW HEALTH CENTER	17040 ARNOLD DR.
555404	AFVW HEALTH CENTER	17040 ARNOLD DR.
555404	AFVW HEALTH CENTER	17040 ARNOLD DR.
555404	AFVW HEALTH CENTER	17040 ARNOLD DR.
555404	AFVW HEALTH CENTER	17040 ARNOLD DR.
555404	AFVW HEALTH CENTER	17040 ARNOLD DR.
555404	AFVW HEALTH CENTER	17040 ARNOLD DR.
555404	AFVW HEALTH CENTER	17040 ARNOLD DR.
555404	AFVW HEALTH CENTER	17040 ARNOLD DR.
555404	AFVW HEALTH CENTER	17040 ARNOLD DR.
555404	AFVW HEALTH CENTER	17040 ARNOLD DR.

Page 321 of 372 05/31/2011

Based on Nursing Home Compare - Survey Deficiency

RIVERSIDE	CA	92518	(951) 697-2200	10/22/2009	04/01/2010
RIVERSIDE	CA	92518	(951) 697-2200	10/22/2009	04/01/2010
RIVERSIDE	CA	92518	(951) 697-2200	10/22/2009	04/01/2010
RIVERSIDE	CA	92518	(951) 697-2200	10/22/2009	04/01/2010
RIVERSIDE	CA	92518	(951) 697-2200	10/22/2009	04/01/2010
RIVERSIDE	CA	92518	(951) 697-2200	10/22/2009	04/01/2010
RIVERSIDE	CA	92518	(951) 697-2200	10/22/2009	04/01/2010
RIVERSIDE	CA	92518	(951) 697-2200	10/22/2009	04/01/2010
RIVERSIDE	CA	92518	(951) 697-2200	11/05/2009	12/02/2009
RIVERSIDE	CA	92518	(951) 697-2200	11/05/2009	12/02/2009
RIVERSIDE	CA	92518	(951) 697-2200	11/05/2009	12/02/2009
RIVERSIDE	CA	92518	(951) 697-2200	11/05/2009	12/02/2009

Page 322 of 372 05/31/2011

Based on Nursing Home Compare - Survey Deficiency

	Compare - Survey Deliciency	
		equipment.
Health	Quality Care Deficiencies	Give each resident care and services to get or keep the highest quality of life possible.
Health	Quality Care Deficiencies	Give residents proper treatment to prevent new bed (pressure) sores or heal existing bed sores.
Health	Pharmacy Service Deficiencies	Make sure that residents are safe from serious medication errors.
Health	Nutrition and Dietary Deficiencies	Store, cook, and give out food in a safe and clean way.
Health	Environmental Deficiencies	Have a program to keep infection from spreading.
Health	Administration Deficiencies	Quickly tell the resident's doctor the results of lab tests.
Health	Administration Deficiencies	Keep accurate and appropriate medical records.
Health	Administration Deficiencies	Set up or keep a group of people to review and ensure quality.
Fire Safety	Corridor Walls and Doors Deficiencies	corridor and hallway doors that block smoke.
Fire Safety	Smoke Compartmentation and Control Deficiencies	smoke barrier doors that can resist smoke for at least 20 minutes.
Fire Safety	Emergency Plans and Fire Drills Deficiencies	record of quarterly fire drills for each shift under varying conditions.
Fire Safety	Smoking Regulations Deficiencies	posted "No-smoking" signs in areas where

Page 323 of 372 05/31/2011

Based on Nursing Home Compare - Survey Deficiency

	harm
Isolated	Minimal harm or potential for actual harm
Isolated	Minimal harm or potential for actual harm
Isolated	Minimal harm or potential for actual harm
Pattern	Minimal harm or potential for actual harm
Pattern	Minimal harm or potential for actual harm
Isolated	Minimal harm or potential for actual harm
Isolated	Minimal harm or potential for actual harm
Isolated	Minimal harm or potential for actual harm
Pattern	Minimal harm or potential for actual harm
Isolated	Minimal harm or potential for actual harm
Isolated	Minimal harm or potential for actual harm
Pattern	Minimal harm or potential for actual

Page 324 of 372 05/31/2011

Based on Nursing Home Compare - Survey Deficiency

based of Nursing Florite Compare	carrey Beneficially	
555404	AFVW HEALTH CENTER	17040 ARNOLD DR.
555404	AFVW HEALTH CENTER	17040 ARNOLD DR.
555404	AFVW HEALTH CENTER	17040 ARNOLD DR.
555404	AFVW HEALTH CENTER	17040 ARNOLD DR.
555404	AFVW HEALTH CENTER	17040 ARNOLD DR.
555404	AFVW HEALTH CENTER	17040 ARNOLD DR.
555404	AFVW HEALTH CENTER	17040 ARNOLD DR.
555404	AFVW HEALTH CENTER	17040 ARNOLD DR.

Page 325 of 372 05/31/2011

Based on Nursing Home Compare - Survey Deficiency

based off Nursing Florite	Compare Carvey	Donolonoy			
RIVERSIDE	CA	92518	(951) 697-2200	11/05/2009	12/02/2009
RIVERSIDE	CA	92518	(951) 697-2200	10/22/2010	11/11/2010
RIVERSIDE	CA	92518	(951) 697-2200	10/22/2010	11/11/2010
RIVERSIDE	CA	92518	(951) 697-2200	10/22/2010	11/11/2010
RIVERSIDE	CA	92518	(951) 697-2200	10/22/2010	11/11/2010
RIVERSIDE	CA	92518	(951) 697-2200	10/22/2010	11/11/2010
RIVERSIDE	CA	92518	(951) 697-2200	10/22/2010	11/11/2010
RIVERSIDE	CA	92518	(951) 697-2200	10/22/2010	11/11/2010

Page 326 of 372 05/31/2011

Based on Nursing Home Compare - Survey Deficiency

		smoking is not permitted or did not provide ashtrays where smoking was allowed.
Fire Safety	Electrical Deficiencies	properly installed electrical wiring and equipment.
Health	Environmental Deficiencies	Keep safe, clean and homelike surroundings.
Health	Quality Care Deficiencies	Give each resident care and services to get or keep the highest quality of life possible.
Health	Quality Care Deficiencies	Give proper treatment to residents with feeding tubes to prevent problems (such as aspiration pneumonia, diarrhea, vomiting, dehydration, metabolic abnormalities, nasal-pharyngeal ulcers) and help restore eating skills, if possible.
Health	Quality Care Deficiencies	Properly care for residents needing special services, including: injections, colostomy, ureostomy, ileostomy, tracheostomy care, tracheal suctioning, respiratory care, foot care, and prostheses.
Health	Pharmacy Service Deficiencies	Make sure that residents are safe from serious medication errors.
Health	Nutrition and Dietary Deficiencies	Store, cook, and give out food in a safe and clean way.
Health	Pharmacy Service Deficiencies	Have drugs and other similar products available, which are needed every day and in emergencies, and give them out properly.

Page 327 of 372 05/31/2011

Based on Nursing Home Compare - Survey Deficiency

	harm
Isolated	Minimal harm or potential for actual harm
Isolated	Minimal harm or potential for actual harm
Isolated	Minimal harm or potential for actual harm
Isolated	Minimal harm or potential for actual harm
Isolated	Minimal harm or potential for actual harm
Isolated	Minimal harm or potential for actual harm
Isolated	Minimal harm or potential for actual harm
Isolated	Minimal harm or potential for actual harm

Page 328 of 372 05/31/2011

Based on Nursing Home Compare - Survey Deficiency

· ·		
555404	AFVW HEALTH CENTER	17040 ARNOLD DR.
555404	AFVW HEALTH CENTER	17040 ARNOLD DR.
555404	AFVW HEALTH CENTER	17040 ARNOLD DR.
555404	AFVW HEALTH CENTER	17040 ARNOLD DR.
555404	AFVW HEALTH CENTER	17040 ARNOLD DR.
555613	PLYMOUTH TOWER CARE AND LIVING CENTER	3401 LEMON STREET
555613	PLYMOUTH TOWER CARE AND LIVING CENTER	3401 LEMON STREET
555613	PLYMOUTH TOWER CARE AND LIVING CENTER	3401 LEMON STREET
555613	PLYMOUTH TOWER CARE AND LIVING CENTER	3401 LEMON STREET

Page 329 of 372 05/31/2011

Based on Nursing Home Compare - Survey Deficiency

RIVERSIDE	CA	92518	(951) 697-2200	10/22/2010	11/11/2010
RIVERSIDE	CA	92518	(951) 697-2200	11/01/2010	12/21/2010
RIVERSIDE	CA	92518	(951) 697-2200	11/01/2010	12/21/2010
RIVERSIDE	CA	92518	(951) 697-2200	11/01/2010	12/21/2010
RIVERSIDE	CA	92518	(951) 697-2200	11/01/2010	12/21/2010
RIVERSIDE	CA	92501	(951) 686-8202	10/17/2008	11/13/2008
RIVERSIDE	CA	92501	(951) 686-8202	10/17/2008	11/13/2008
RIVERSIDE	CA	92501	(951) 686-8202	10/17/2008	11/13/2008
RIVERSIDE	CA	92501	(951) 686-8202	10/17/2008	11/13/2008

Page 330 of 372 05/31/2011

Based on Nursing Home Compare - Survey Deficiency

		emergencies, and give them out properly.
Health	Environmental Deficiencies	Keep all essential equipment working safely.
Fire Safety	Building Construction Deficiencies	a two-hour-resistant firewall in common walls.
Fire Safety	Smoke Compartmentation and Control Deficiencies	walls or barriers that prevent smoke from passing through and would resist fire for at least one hour.
Fire Safety	Emergency Plans and Fire Drills Deficiencies	record of quarterly fire drills for each shift under varying conditions.
Fire Safety	Electrical Deficiencies	properly installed electrical wiring and equipment.
Health	Resident Rights Deficiencies	Immediately tell the resident, doctor, and a family member if: the resident is injured, there is a major change in resident's physical/mental health, there is a need to alter treatment significantly, or the resident must be transferred or discharged.
Health	Mistreatment Deficiencies	Keep each resident free from physical restraints, unless needed for medical treatment.
Health	Environmental Deficiencies	Provide needed housekeeping and maintenance.
Health	Resident Assessment Deficiencies	Do a new assessment after any major change in a resident's physical or mental health.

Page 331 of 372 05/31/2011

Based on Nursing Home Compare - Survey Deficiency

0 1	
Widespread	Minimal harm or potential for actual harm
Pattern	Minimal harm or potential for actual harm
Pattern	Minimal harm or potential for actual harm
Isolated	Minimal harm or potential for actual harm
Pattern	Minimal harm or potential for actual harm
Isolated	Minimal harm or potential for actual harm
Isolated	Minimal harm or potential for actual harm
Isolated	Minimal harm or potential for actual harm
Isolated	Minimal harm or potential for actual harm

Page 332 of 372 05/31/2011

Based on Nursing Home Compare - Survey Deficiency

PLYMOUTH TOWER CARE AND LIVING  555613  PLYMOUTH TOWER CARE AND LIVING  CENTER  555613  PLYMOUTH TOWER CARE AND LIVING  3401 LEMON STREET  CENTER  555613  PLYMOUTH TOWER CARE AND LIVING  3401 LEMON STREET  CENTER
CENTER  555613 PLYMOUTH TOWER CARE AND LIVING 3401 LEMON STREET CENTER  555613 PLYMOUTH TOWER CARE AND LIVING 3401 LEMON STREET CENTER  555613 PLYMOUTH TOWER CARE AND LIVING 3401 LEMON STREET CENTER
CENTER  555613 PLYMOUTH TOWER CARE AND LIVING 3401 LEMON STREET CENTER  555613 PLYMOUTH TOWER CARE AND LIVING 3401 LEMON STREET CENTER
CENTER  555613 PLYMOUTH TOWER CARE AND LIVING 3401 LEMON STREET CENTER
CENTER
555613 DI VMOLITH TOWER CARE AND LIVING 3401 LEMON STREET
CENTER CENTER
555613 PLYMOUTH TOWER CARE AND LIVING 3401 LEMON STREET CENTER
555613 PLYMOUTH TOWER CARE AND LIVING 3401 LEMON STREET CENTER
555613 PLYMOUTH TOWER CARE AND LIVING 3401 LEMON STREET CENTER

Page 333 of 372 05/31/2011

Based on Nursing Home Compare - Survey Deficiency

RIVERSIDE	CA	92501	(951) 686-8202	10/17/2008	11/13/2008
RIVERSIDE	CA	92501	(951) 686-8202	10/17/2008	11/13/2008
RIVERSIDE	CA	92501	(951) 686-8202	10/17/2008	11/13/2008
RIVERSIDE	CA	92501	(951) 686-8202	10/17/2008	11/13/2008
RIVERSIDE	CA	92501	(951) 686-8202	10/17/2008	11/13/2008
RIVERSIDE	CA	92501	(951) 686-8202	10/17/2008	11/13/2008
RIVERSIDE	CA	92501	(951) 686-8202	10/17/2008	11/13/2008
RIVERSIDE	CA	92501	(951) 686-8202	10/17/2008	11/13/2008
RIVERSIDE	CA	92501	(951) 686-8202	10/17/2008	11/13/2008

Page 334 of 372 05/31/2011

Based on Nursing Home Compare - Survey Deficiency

3		
Health	Resident Assessment Deficiencies	Make sure all assessments are accurate, coordinated by an RN, done by the right professional, and are signed by the person completing them.
Health	Resident Assessment Deficiencies	Develop a complete care plan that meets all of a resident's needs, with timetables and actions that can be measured.
Health	Quality Care Deficiencies	Give each resident care and services to get or keep the highest quality of life possible.
Health	Quality Care Deficiencies	Make sure that each resident who enters the nursing home without a catheter is not given a catheter, unless it is necessary.
Health	Quality Care Deficiencies	Give proper treatment to residents with feeding tubes to prevent problems (such as aspiration pneumonia, diarrhea, vomiting, dehydration, metabolic abnormalities, nasal-pharyngeal ulcers) and help restore eating skills, if possible.
Health	Quality Care Deficiencies	Make sure that each resident's nutritional needs were met.
Health	Quality Care Deficiencies	Develop/implement required procedures for the administration of immunizations.
Health	Quality Care Deficiencies	Use a registered nurse at least 8 hours a day, 7 days a week.
Health	Nutrition and Dietary Deficiencies	1) Provide 3 meals daily at regular times; or 2) serve breakfast within 14 hours after dinner; or

Page 335 of 372 05/31/2011

Based on Nursing Home Compare - Survey Deficiency

Isolated	Minimal harm or potential for actual harm
Isolated	Minimal harm or potential for actual harm
Isolated	Minimal harm or potential for actual harm
Isolated	Minimal harm or potential for actual harm
Isolated	Minimal harm or potential for actual harm
Isolated	Minimal harm or potential for actual harm
Pattern	Minimal harm or potential for actual harm
Widespread	Minimal harm or potential for actual harm
Widespread	Potential for minimal harm

Page 336 of 372 05/31/2011

Based on Nursing Home Compare - Survey Deficiency

based on Nursing Home Compare - Surv	vey Delicition	
	CENTER	
555613	PLYMOUTH TOWER CARE AND LIVING CENTER	3401 LEMON STREET
555613	PLYMOUTH TOWER CARE AND LIVING CENTER	3401 LEMON STREET
555613	PLYMOUTH TOWER CARE AND LIVING CENTER	3401 LEMON STREET
555613	PLYMOUTH TOWER CARE AND LIVING CENTER	3401 LEMON STREET
555613	PLYMOUTH TOWER CARE AND LIVING CENTER	3401 LEMON STREET
555613	PLYMOUTH TOWER CARE AND LIVING CENTER	3401 LEMON STREET
555613	PLYMOUTH TOWER CARE AND LIVING CENTER	3401 LEMON STREET
555613	PLYMOUTH TOWER CARE AND LIVING CENTER	3401 LEMON STREET
555613	PLYMOUTH TOWER CARE AND LIVING CENTER	3401 LEMON STREET
555613	PLYMOUTH TOWER CARE AND LIVING CENTER	3401 LEMON STREET
555613	PLYMOUTH TOWER CARE AND LIVING CENTER	3401 LEMON STREET

Page 337 of 372 05/31/2011

Based on Nursing Home Compare - Survey Deficiency

RIVERSIDE	CA	92501	(951) 686-8202	10/17/2008	11/13/2008
RIVERSIDE	CA	92501	(951) 686-8202	10/17/2008	11/13/2008
RIVERSIDE	CA	92501	(951) 686-8202	10/17/2008	11/13/2008
RIVERSIDE	CA	92501	(951) 686-8202	10/17/2008	11/13/2008
RIVERSIDE	CA	92501	(951) 686-8202	10/17/2008	11/13/2008
RIVERSIDE	CA	92501	(951) 686-8202	10/17/2008	11/13/2008
RIVERSIDE	CA	92501	(951) 686-8202	10/21/2008	11/13/2008
RIVERSIDE	CA	92501	(951) 686-8202	10/21/2008	11/13/2008
RIVERSIDE	CA	92501	(951) 686-8202	10/21/2008	11/13/2008
RIVERSIDE	CA	92501	(951) 686-8202	10/21/2008	11/13/2008
RIVERSIDE	CA	92501	(951) 686-8202	11/18/2009	01/10/2010

Page 338 of 372 05/31/2011

Based on Nursing Home Compare - Survey Deficiency

0		
		serve breakfast within 14 hours after dinner; or 3) offer a snack at bedtime each day.
Health	Nutrition and Dietary Deficiencies	Store, cook, and give out food in a safe and clean way.
Health	Pharmacy Service Deficiencies	Properly mark drugs and other similar products.
Health	Environmental Deficiencies	Have a program to keep infection from spreading.
Health	Environmental Deficiencies	Make sure that the nursing home area is safe, easy to use, clean and comfortable.
Health	Administration Deficiencies	Be administered in a way that leads to the highest possible level of well being for each resident.
Health	Administration Deficiencies	Quickly tell the resident's doctor the results of lab tests.
Fire Safety	Corridor Walls and Doors Deficiencies	corridor and hallway doors that block smoke.
Fire Safety	Emergency Plans and Fire Drills Deficiencies	record of quarterly fire drills for each shift under varying conditions.
Fire Safety	Furnishings and Decorations Deficiencies	exits that are free from obstructions and can be used at all times.
Fire Safety	Electrical Deficiencies	properly installed electrical wiring and equipment.
Health	Mistreatment Deficiencies	Write and use policies that forbid mistreatment, neglect and abuse of residents

Page 339 of 372 05/31/2011

Based on Nursing Home Compare - Survey Deficiency

0 1	
Pattern	Minimal harm or potential for actual harm
Pattern	Minimal harm or potential for actual harm
Widespread	Minimal harm or potential for actual harm
Pattern	Potential for minimal harm
Widespread	Minimal harm or potential for actual harm
Pattern	Minimal harm or potential for actual harm
Isolated	Minimal harm or potential for actual harm
Widespread	Potential for minimal harm
Widespread	Potential for minimal harm
Widespread	Potential for minimal harm
Isolated	Minimal harm or potential for actual harm

Page 340 of 372 05/31/2011

Based on Nursing Home Compare - Survey Deficiency

555613	PLYMOUTH TOWER CARE AND LIVING CENTER	3401 LEMON STREET
555613	PLYMOUTH TOWER CARE AND LIVING CENTER	3401 LEMON STREET
555613	PLYMOUTH TOWER CARE AND LIVING CENTER	3401 LEMON STREET
555613	PLYMOUTH TOWER CARE AND LIVING CENTER	3401 LEMON STREET
555613	PLYMOUTH TOWER CARE AND LIVING CENTER	3401 LEMON STREET
555613	PLYMOUTH TOWER CARE AND LIVING CENTER	3401 LEMON STREET
555613	PLYMOUTH TOWER CARE AND LIVING CENTER	3401 LEMON STREET
555613	PLYMOUTH TOWER CARE AND LIVING CENTER	3401 LEMON STREET
555613	PLYMOUTH TOWER CARE AND LIVING CENTER	3401 LEMON STREET
555613	PLYMOUTH TOWER CARE AND LIVING CENTER	3401 LEMON STREET
555613	PLYMOUTH TOWER CARE AND LIVING	3401 LEMON STREET

Page 341 of 372 05/31/2011

Based on Nursing Home Compare - Survey Deficiency

RIVERSIDE	CA	92501	(951) 686-8202	11/18/2009	01/10/2010
RIVERSIDE	CA	92501	(951) 686-8202	11/18/2009	01/10/2010
RIVERSIDE	CA	92501	(951) 686-8202	11/18/2009	01/10/2010
RIVERSIDE	CA	92501	(951) 686-8202	11/18/2009	01/10/2010
RIVERSIDE	CA	92501	(951) 686-8202	11/18/2009	01/10/2010
RIVERSIDE	CA	92501	(951) 686-8202	11/18/2009	01/10/2010
RIVERSIDE	CA	92501	(951) 686-8202	11/18/2009	01/10/2010
RIVERSIDE	CA	92501	(951) 686-8202	11/18/2009	01/10/2010
RIVERSIDE	CA	92501	(951) 686-8202	12/16/2009	01/19/2010
RIVERSIDE	CA	92501	(951) 686-8202	12/16/2009	01/19/2010
RIVERSIDE	CA	92501	(951) 686-8202	12/16/2009	01/19/2010

Page 342 of 372 05/31/2011

Based on Nursing Home Compare - Survey Deficiency

		and theft of residents' property.
Health	Resident Rights Deficiencies	Provide care in a way that keeps or builds each resident's dignity and self respect.
Health	Resident Assessment Deficiencies	Make sure all assessments are accurate, coordinated by an RN, done by the right professional, and are signed by the person completing them.
Health	Quality Care Deficiencies	Make sure that each resident who enters the nursing home without a catheter is not given a catheter, unless it is necessary.
Health	Quality Care Deficiencies	Develop/implement required procedures for the administration of immunizations.
Health	Nutrition and Dietary Deficiencies	Provide special eating equipment and utensils for each resident who needs them.
Health	Nutrition and Dietary Deficiencies	Store, cook, and give out food in a safe and clean way.
Health	Pharmacy Service Deficiencies	Properly mark drugs and other similar products.
Health	Administration Deficiencies	Train all employees on what to do in an emergency.
Fire Safety	Corridor Walls and Doors Deficiencies	corridor and hallway doors that block smoke.
Fire Safety	Fire Alarm Systems Deficiencies	an automatic smoke detection system in all hallways.
Fire Safety	Fire Alarm Systems Deficiencies	properly maintained smoke detectors.

Page 343 of 372 05/31/2011

Based on Nursing Home Compare - Survey Deficiency

Isolated	Minimal harm or potential for actual harm
Isolated	Minimal harm or potential for actual harm
Isolated	Minimal harm or potential for actual harm
Isolated	Minimal harm or potential for actual harm
Isolated	Minimal harm or potential for actual harm
Pattern	Minimal harm or potential for actual harm
Isolated	Minimal harm or potential for actual harm
Pattern	Minimal harm or potential for actual harm
Pattern	Minimal harm or potential for actual harm
Pattern	Minimal harm or potential for actual harm
Pattern	Minimal harm or potential for actual

Page 344 of 372 05/31/2011

Based on Nursing Home Compare - Survey Deficiency

	CENTER	
555613	PLYMOUTH TOWER CARE AND LIVING CENTER	3401 LEMON STREET
555613	PLYMOUTH TOWER CARE AND LIVING CENTER	3401 LEMON STREET
555613	PLYMOUTH TOWER CARE AND LIVING CENTER	3401 LEMON STREET
555613	PLYMOUTH TOWER CARE AND LIVING CENTER	3401 LEMON STREET
555613	PLYMOUTH TOWER CARE AND LIVING CENTER	3401 LEMON STREET
555613	PLYMOUTH TOWER CARE AND LIVING CENTER	3401 LEMON STREET
555613	PLYMOUTH TOWER CARE AND LIVING CENTER	3401 LEMON STREET
555613	PLYMOUTH TOWER CARE AND LIVING CENTER	3401 LEMON STREET
555613	PLYMOUTH TOWER CARE AND LIVING CENTER	3401 LEMON STREET
555613	PLYMOUTH TOWER CARE AND LIVING CENTER	3401 LEMON STREET
555613	PLYMOUTH TOWER CARE AND LIVING CENTER	3401 LEMON STREET
555613	PLYMOUTH TOWER CARE AND LIVING	3401 LEMON STREET

Page 345 of 372 05/31/2011

Based on Nursing Home Compare - Survey Deficiency

RIVERSIDE	CA	92501	(951) 686-8202	12/16/2009	01/19/2010
RIVERSIDE	CA	92501	(951) 686-8202	12/09/2010	02/16/2011
RIVERSIDE	CA	92501	(951) 686-8202	12/09/2010	02/16/2011
RIVERSIDE	CA	92501	(951) 686-8202	12/09/2010	02/16/2011
RIVERSIDE	CA	92501	(951) 686-8202	12/09/2010	02/16/2011
RIVERSIDE	CA	92501	(951) 686-8202	12/09/2010	02/16/2011
RIVERSIDE	CA	92501	(951) 686-8202	12/09/2010	02/16/2011
RIVERSIDE	CA	92501	(951) 686-8202	12/09/2010	02/16/2011
RIVERSIDE	CA	92501	(951) 686-8202	12/22/2010	04/14/2011
RIVERSIDE	CA	92501	(951) 686-8202	12/22/2010	04/14/2011
RIVERSIDE	CA	92501	(951) 686-8202	12/22/2010	04/14/2011
RIVERSIDE	CA	92501	(951) 686-8202	12/22/2010	04/14/2011

Page 346 of 372 05/31/2011

Based on Nursing Home Compare - Survey Deficiency

Fire Safety	Building Service Equipment Deficiencies	an elevator that firefighters can control in the event of a fire.
Health	Resident Rights Deficiencies	Provide written records when a resident is transferred or discharged.
Health	Environmental Deficiencies	Get rid of garbage properly.
Health	Resident Assessment Deficiencies	Make sure that doctors see a resident's plan of care at every visit and make notes about progress and orders in writing.
Health	Pharmacy Service Deficiencies	Properly mark drugs and other similar products.
Health	Environmental Deficiencies	Make sure that the nursing home area is safe, easy to use, clean and comfortable.
Health	Administration Deficiencies	Have a detailed, written plan for disasters and emergencies.
Health	Administration Deficiencies	Train all employees on what to do in an emergency.
Fire Safety	Corridor Walls and Doors Deficiencies	corridor and hallway doors that block smoke.
Fire Safety	Hazardous Area Deficiencies	construction that can resist fire for one hour or an approved fire extinguishing system.
Fire Safety	Fire Alarm Systems Deficiencies	an approved installation, maintenance and testing program for fire alarm systems.
Fire Safety	Fire Alarm Systems Deficiencies	an automatic smoke detection system in all

Page 347 of 372 05/31/2011

Based on Nursing Home Compare - Survey Deficiency

Based on Nursing Home Compare - Survey Deticiency				
	harm			
Widespread	Minimal harm or potential for actual harm			
Isolated	Minimal harm or potential for actual harm			
Widespread	Potential for minimal harm			
Pattern	Potential for minimal harm			
Isolated	Minimal harm or potential for actual harm			
Isolated	Minimal harm or potential for actual harm			
Widespread	Potential for minimal harm			
Widespread	Potential for minimal harm			
Widespread	Minimal harm or potential for actual harm			
Widespread	Minimal harm or potential for actual harm			
Isolated	Minimal harm or potential for actual harm			
Widespread	Minimal harm or potential for actual			

Page 348 of 372 05/31/2011

Based on Nursing Home Compare - Survey Deficiency

based on Nursing Home Compare - Sur	vey Deliciency	
	CENTER	
555613	PLYMOUTH TOWER CARE AND LIVING CENTER	3401 LEMON STREET
555613	PLYMOUTH TOWER CARE AND LIVING CENTER	3401 LEMON STREET
555613	PLYMOUTH TOWER CARE AND LIVING CENTER	3401 LEMON STREET
555613	PLYMOUTH TOWER CARE AND LIVING CENTER	3401 LEMON STREET
555613	PLYMOUTH TOWER CARE AND LIVING CENTER	3401 LEMON STREET
555613	PLYMOUTH TOWER CARE AND LIVING CENTER	3401 LEMON STREET
555613	PLYMOUTH TOWER CARE AND LIVING CENTER	3401 LEMON STREET
555613	PLYMOUTH TOWER CARE AND LIVING CENTER	3401 LEMON STREET
555613	PLYMOUTH TOWER CARE AND LIVING CENTER	3401 LEMON STREET
555711	COMMUNITY CARE ON PALM	4768 PALM AVENUE
555711	COMMUNITY CARE ON PALM	4768 PALM AVENUE

Page 349 of 372 05/31/2011

Based on Nursing Home Compare - Survey Deficiency

RIVERSIDE	CA	92501	(951) 686-8202	12/22/2010	04/14/2011
RIVERSIDE	CA	92501	(951) 686-8202	12/22/2010	04/14/2011
RIVERSIDE	CA	92501	(951) 686-8202	12/22/2010	04/14/2011
RIVERSIDE	CA	92501	(951) 686-8202	12/22/2010	04/14/2011
RIVERSIDE	CA	92501	(951) 686-8202	12/22/2010	04/14/2011
RIVERSIDE	CA	92501	(951) 686-8202	12/22/2010	04/14/2011
RIVERSIDE	CA	92501	(951) 686-8202	12/22/2010	04/14/2011
RIVERSIDE	CA	92501	(951) 686-8202	12/22/2010	04/14/2011
RIVERSIDE	CA	92501	(951) 686-8202	12/22/2010	04/14/2011
RIVERSIDE	CA	92501	(951) 686-9001	04/18/2008	05/20/2008
RIVERSIDE	CA	92501	(951) 686-9001	04/18/2008	05/20/2008

Page 350 of 372 05/31/2011

Based on Nursing Home Compare - Survey Deficiency

Dadoa on Italioning Floring	Compare - Survey Denoisincy	
		hallways.
Fire Safety	Automatic Sprinkler Systems Deficiencies	portable fire extinguishers.
Fire Safety	Smoking Regulations Deficiencies	posted "No-smoking" signs in areas where smoking is not permitted or did not provide ashtrays where smoking was allowed.
Fire Safety	Building Service Equipment Deficiencies	restrictions on the use of portable space heaters.
Fire Safety	Building Service Equipment Deficiencies	properly constructed linen or trash chutes.
Fire Safety	Furnishings and Decorations Deficiencies	exits that are free from obstructions and can be used at all times.
Fire Safety	Furnishings and Decorations Deficiencies	restrictions on the use of highly flammable materials.
Fire Safety	Medical Gases and Anesthetizing Areas Deficiencies	proper medical gas storage and administration areas.
Fire Safety	Electrical Deficiencies	properly installed electrical wiring and equipment.
Fire Safety	Building Service Equipment Deficiencies	an elevator that firefighters can control in the event of a fire.
Health	Mistreatment Deficiencies	Keep each resident free from physical restraints, unless needed for medical treatment.
Health	Resident Rights Deficiencies	Provide care in a way that keeps or builds each resident's dignity and self respect.

Page 351 of 372 05/31/2011

Based on Nursing Home Compare - Survey Deficiency

based off Nursing Florite Compa	ile - Ourvey Denoishby
	harm
Isolated	Minimal harm or potential for actual harm
Isolated	Minimal harm or potential for actual harm
Isolated	Minimal harm or potential for actual harm
Isolated	Minimal harm or potential for actual harm
Pattern	Minimal harm or potential for actual harm
Isolated	Minimal harm or potential for actual harm
Widespread	Minimal harm or potential for actual harm
Pattern	Minimal harm or potential for actual harm
Widespread	Minimal harm or potential for actual harm
Isolated	Minimal harm or potential for actual harm
Isolated	Minimal harm or potential for actual harm

Page 352 of 372 05/31/2011

Based on Nursing Home Compare - Survey Deficiency

555711       COMMUNITY CARE ON PALM       4768 PALM AVENUE         565711       COMMUNITY CARE ON PALM       4768 PALM AVENUE         555711       COMMUNITY CARE ON PALM       4768 PALM AVENUE	based of Nursing Florite Compare - Surv	ey Deliciency	
555711       COMMUNITY CARE ON PALM       4768 PALM AVENUE	555711	COMMUNITY CARE ON PALM	4768 PALM AVENUE
555711 COMMUNITY CARE ON PALM 4768 PALM AVENUE	555711	COMMUNITY CARE ON PALM	4768 PALM AVENUE
555711 COMMUNITY CARE ON PALM 4768 PALM AVENUE	555711	COMMUNITY CARE ON PALM	4768 PALM AVENUE
555711 COMMUNITY CARE ON PALM 4768 PALM AVENUE	555711	COMMUNITY CARE ON PALM	4768 PALM AVENUE
555711 COMMUNITY CARE ON PALM 4768 PALM AVENUE	555711	COMMUNITY CARE ON PALM	4768 PALM AVENUE
555711 COMMUNITY CARE ON PALM 4768 PALM AVENUE	555711	COMMUNITY CARE ON PALM	4768 PALM AVENUE
555711 COMMUNITY CARE ON PALM 4768 PALM AVENUE 555711 COMMUNITY CARE ON PALM 4768 PALM AVENUE 555711 COMMUNITY CARE ON PALM 4768 PALM AVENUE	555711	COMMUNITY CARE ON PALM	4768 PALM AVENUE
555711 COMMUNITY CARE ON PALM 4768 PALM AVENUE 555711 COMMUNITY CARE ON PALM 4768 PALM AVENUE	555711	COMMUNITY CARE ON PALM	4768 PALM AVENUE
555711 COMMUNITY CARE ON PALM 4768 PALM AVENUE	555711	COMMUNITY CARE ON PALM	4768 PALM AVENUE
	555711	COMMUNITY CARE ON PALM	4768 PALM AVENUE
555711 COMMUNITY CARE ON PALM 4768 PALM AVENUE	555711	COMMUNITY CARE ON PALM	4768 PALM AVENUE
	555711	COMMUNITY CARE ON PALM	4768 PALM AVENUE

Page 353 of 372 05/31/2011

Based on Nursing Home Compare - Survey Deficiency

RIVERSIDE CA 92501 (951) 686-9001 04/18/2008 05/20/2008  RIVERSIDE CA 92501 (951) 686-9001 04/24/2008 05/27/2008  RIVERSIDE CA 92501 (951) 686-9001 04/24/2008 05/27/2008	Bassa on Harsing Home					
RIVERSIDE CA 92501 (951) 686-9001 04/18/2008 05/20/2008  RIVERSIDE CA 92501 (951) 686-9001 04/24/2008 05/27/2008	RIVERSIDE	CA	92501	(951) 686-9001	04/18/2008	05/20/2008
RIVERSIDE CA 92501 (951) 686-9001 04/18/2008 05/20/2008  RIVERSIDE CA 92501 (951) 686-9001 04/24/2008 05/27/2008	RIVERSIDE	CA	92501	(951) 686-9001	04/18/2008	05/20/2008
RIVERSIDE CA 92501 (951) 686-9001 04/18/2008 05/20/2008  RIVERSIDE CA 92501 (951) 686-9001 04/18/2008 05/20/2008  RIVERSIDE CA 92501 (951) 686-9001 04/18/2008 05/20/2008  RIVERSIDE CA 92501 (951) 686-9001 04/24/2008 05/27/2008	RIVERSIDE	CA	92501	(951) 686-9001	04/18/2008	05/20/2008
RIVERSIDE CA 92501 (951) 686-9001 04/18/2008 05/20/2008  RIVERSIDE CA 92501 (951) 686-9001 04/18/2008 05/20/2008  RIVERSIDE CA 92501 (951) 686-9001 04/24/2008 05/27/2008	RIVERSIDE	CA	92501	(951) 686-9001	04/18/2008	05/20/2008
RIVERSIDE CA 92501 (951) 686-9001 04/18/2008 05/20/2008  RIVERSIDE CA 92501 (951) 686-9001 04/24/2008 05/27/2008	RIVERSIDE	CA	92501	(951) 686-9001	04/18/2008	05/20/2008
RIVERSIDE CA 92501 (951) 686-9001 04/24/2008 05/27/2008	RIVERSIDE	CA	92501	(951) 686-9001	04/18/2008	05/20/2008
RIVERSIDE CA 92501 (951) 686-9001 04/24/2008 05/27/2008  RIVERSIDE CA 92501 (951) 686-9001 04/24/2008 05/27/2008  RIVERSIDE CA 92501 (951) 686-9001 04/24/2008 05/27/2008	RIVERSIDE	CA	92501	(951) 686-9001	04/18/2008	05/20/2008
RIVERSIDE CA 92501 (951) 686-9001 04/24/2008 05/27/2008 RIVERSIDE CA 92501 (951) 686-9001 04/24/2008 05/27/2008	RIVERSIDE	CA	92501	(951) 686-9001	04/24/2008	05/27/2008
RIVERSIDE CA 92501 (951) 686-9001 04/24/2008 05/27/2008	RIVERSIDE	CA	92501	(951) 686-9001	04/24/2008	05/27/2008
	RIVERSIDE	CA	92501	(951) 686-9001	04/24/2008	05/27/2008
RIVERSIDE CA 92501 (951) 686-9001 04/24/2008 05/27/2008	RIVERSIDE	CA	92501	(951) 686-9001	04/24/2008	05/27/2008
	RIVERSIDE	CA	92501	(951) 686-9001	04/24/2008	05/27/2008

Page 354 of 372 05/31/2011

Based on Nursing Home Compare - Survey Deficiency

Health	Environmental Deficiencies	Provide needed housekeeping and maintenance.
Health	Resident Assessment Deficiencies	Make sure all assessments are accurate, coordinated by an RN, done by the right professional, and are signed by the person completing them.
Health	Quality Care Deficiencies	Give professional services that meet a professional standard of quality.
Health	Quality Care Deficiencies	Give each resident care and services to get or keep the highest quality of life possible.
Health	Nutrition and Dietary Deficiencies	Store, cook, and give out food in a safe and clean way.
Health	Administration Deficiencies	Be administered in a way that leads to the highest possible level of well being for each resident.
Health	Administration Deficiencies	Keep accurate and appropriate medical records.
Fire Safety	Building Construction Deficiencies	approved construction type or materials.
Fire Safety	Corridor Walls and Doors Deficiencies	corridors that are separated from common areas by walls constructed to limit the passage of smoke.
Fire Safety	Corridor Walls and Doors Deficiencies	corridor and hallway doors that block smoke.
Fire Safety	Hazardous Area Deficiencies	construction that can resist fire for one hour or an approved fire extinguishing system.
Fire Safety	Fire Alarm Systems Deficiencies	properly maintained smoke detectors.

Page 355 of 372 05/31/2011

Based on Nursing Home Compare - Survey Deficiency

Isolated	Minimal harm or potential for actual harm
Isolated	Minimal harm or potential for actual harm
Isolated	Minimal harm or potential for actual harm
Isolated	Minimal harm or potential for actual harm
Isolated	Minimal harm or potential for actual harm
Isolated	Minimal harm or potential for actual harm
Isolated	Minimal harm or potential for actual harm
Widespread	Potential for minimal harm
Pattern	Minimal harm or potential for actual harm
Pattern	Potential for minimal harm
Isolated	Minimal harm or potential for actual harm
Pattern	Minimal harm or potential for actual

Page 356 of 372 05/31/2011

Based on Nursing Home Compare - Survey Deficiency

555711	COMMUNITY CARE ON PALM	4768 PALM AVENUE
555711	COMMUNITY CARE ON PALM	4768 PALM AVENUE
555711	COMMUNITY CARE ON PALM	4768 PALM AVENUE
555711	COMMUNITY CARE ON PALM	4768 PALM AVENUE
555711	COMMUNITY CARE ON PALM	4768 PALM AVENUE
555711	COMMUNITY CARE ON PALM	4768 PALM AVENUE
555711	COMMUNITY CARE ON PALM	4768 PALM AVENUE
555711	COMMUNITY CARE ON PALM	4768 PALM AVENUE
555711	COMMUNITY CARE ON PALM	4768 PALM AVENUE
555711	COMMUNITY CARE ON PALM	4768 PALM AVENUE
555711	COMMUNITY CARE ON PALM	4768 PALM AVENUE
555711	COMMUNITY CARE ON PALM	4768 PALM AVENUE

Page 357 of 372 05/31/2011

Based on Nursing Home Compare - Survey Deficiency

RIVERSIDE	CA	92501	(951) 686-9001	04/24/2008	05/27/2008
RIVERSIDE	CA	92501	(951) 686-9001	04/24/2008	05/27/2008
RIVERSIDE	CA	92501	(951) 686-9001	04/24/2008	05/27/2008
RIVERSIDE	CA	92501	(951) 686-9001	04/24/2008	05/27/2008
RIVERSIDE	CA	92501	(951) 686-9001	03/20/2009	06/19/2009
RIVERSIDE	CA	92501	(951) 686-9001	03/20/2009	06/19/2009
RIVERSIDE	CA	92501	(951) 686-9001	03/20/2009	06/19/2009
RIVERSIDE	CA	92501	(951) 686-9001	03/20/2009	06/19/2009
RIVERSIDE	CA	92501	(951) 686-9001	03/20/2009	06/19/2009
RIVERSIDE	CA	92501	(951) 686-9001	03/20/2009	06/19/2009
RIVERSIDE	CA	92501	(951) 686-9001	03/20/2009	06/19/2009
RIVERSIDE	CA	92501	(951) 686-9001	03/20/2009	06/19/2009

Page 358 of 372 05/31/2011

Based on Nursing Home Compare - Survey Deficiency

Fire Safety	Smoking Regulations Deficiencies	posted "No-smoking" signs in areas where smoking is not permitted or did not provide ashtrays where smoking was allowed.
Fire Safety	Building Service Equipment Deficiencies	properly protected cooking facilities.
Fire Safety	Furnishings and Decorations Deficiencies	exits that are free from obstructions and can be used at all times.
Fire Safety	Electrical Deficiencies	weekly inspections and monthly testing of generators.
Health	Resident Rights Deficiencies	Provide care in a way that keeps or builds each resident's dignity and self respect.
Health	Quality Care Deficiencies	Give each resident care and services to get or keep the highest quality of life possible.
Health	Environmental Deficiencies	Make sure that the nursing home area is free of dangers that cause accidents.
Health	Administration Deficiencies	post nurse staffing information.
Health	Pharmacy Service Deficiencies	Properly mark drugs and other similar products.
Health	Environmental Deficiencies	Keep all essential equipment working safely.
Health	Environmental Deficiencies	Make sure that the nursing home area is safe, easy to use, clean and comfortable.
Health	Administration Deficiencies	Quickly tell the resident's doctor the results of lab tests.

Page 359 of 372 05/31/2011

Based on Nursing Home Compare - Survey Deficiency

L	_		_	_	
П	ıa	П	П	n	

Isolated Minimal harm or potential for actual

harm

Pattern	Minimal harm or potential for actual
	harm

Widespread Potential for minimal harm

harm

Isolated Minimal harm or potential for actual

harm

Pattern Minimal harm or potential for actual

harm

Pattern Potential for minimal harm

Pattern Minimal harm or potential for actual

harm

Isolated Minimal harm or potential for actual

harm

Page 360 of 372 05/31/2011

Based on Nursing Home Compare - Survey Deficiency

555711	COMMUNITY CARE ON PALM	4768 PALM AVENUE
555711	COMMUNITY CARE ON PALM	4768 PALM AVENUE
555711	COMMUNITY CARE ON PALM	4768 PALM AVENUE
555711	COMMUNITY CARE ON PALM	4768 PALM AVENUE
555711	COMMUNITY CARE ON PALM	4768 PALM AVENUE
555711	COMMUNITY CARE ON PALM	4768 PALM AVENUE
555711	COMMUNITY CARE ON PALM	4768 PALM AVENUE
555711	COMMUNITY CARE ON PALM	4768 PALM AVENUE
555711	COMMUNITY CARE ON PALM	4768 PALM AVENUE
555711	COMMUNITY CARE ON PALM	4768 PALM AVENUE
555711	COMMUNITY CARE ON PALM	4768 PALM AVENUE

Page 361 of 372 05/31/2011

Based on Nursing Home Compare - Survey Deficiency

RIVERSIDE	CA	92501	(951) 686-9001	03/25/2009	04/28/2009
RIVERSIDE	CA	92501	(951) 686-9001	03/25/2009	04/28/2009
RIVERSIDE	CA	92501	(951) 686-9001	03/25/2009	04/28/2009
RIVERSIDE	CA	92501	(951) 686-9001	03/25/2009	04/28/2009
RIVERSIDE	CA	92501	(951) 686-9001	03/25/2009	04/28/2009
RIVERSIDE	CA	92501	(951) 686-9001	03/25/2009	04/28/2009
RIVERSIDE	CA	92501	(951) 686-9001	03/25/2009	04/28/2009
RIVERSIDE	CA	92501	(951) 686-9001	03/25/2009	04/28/2009
RIVERSIDE	CA	92501	(951) 686-9001	03/25/2009	04/28/2009
RIVERSIDE	CA	92501	(951) 686-9001	05/03/2010	07/29/2010
RIVERSIDE	CA	92501	(951) 686-9001	05/03/2010	07/29/2010

Page 362 of 372 05/31/2011

Based on Nursing Home Compare - Survey Deficiency

based off Nursing Florine	Compare - Survey Deliciency	
Fire Safety	Building Construction Deficiencies	approved construction type or materials.
Fire Safety	Corridor Walls and Doors Deficiencies	corridor and hallway doors that block smoke.
Fire Safety	Smoke Compartmentation and Control Deficiencies	walls or barriers that prevent smoke from passing through and would resist fire for at least one hour.
Fire Safety	Emergency Plans and Fire Drills Deficiencies	record of quarterly fire drills for each shift under varying conditions.
Fire Safety	Fire Alarm Systems Deficiencies	a fire alarm system that can be heard throughout the facility.
Fire Safety	Fire Alarm Systems Deficiencies	properly maintained smoke detectors.
Fire Safety	Automatic Sprinkler Systems Deficiencies	portable fire extinguishers.
Fire Safety	Smoking Regulations Deficiencies	posted "No-smoking" signs in areas where smoking is not permitted or did not provide ashtrays where smoking was allowed.
Fire Safety	Electrical Deficiencies	properly installed electrical wiring and equipment.
Health	Environmental Deficiencies	Provide needed housekeeping and maintenance.
Health	Resident Assessment Deficiencies	Develop a complete care plan that meets all of a resident's needs, with timetables and actions that can be measured.

Page 363 of 372 05/31/2011

Based on Nursing Home Compare - Survey Deficiency

Isolated	Minimal harm or potential for actual harm
Isolated	Minimal harm or potential for actual harm
Pattern	Minimal harm or potential for actual harm
Isolated	Minimal harm or potential for actual harm
Isolated	Minimal harm or potential for actual harm
Isolated	Minimal harm or potential for actual harm
Isolated	Minimal harm or potential for actual harm
Isolated	Minimal harm or potential for actual harm
Isolated	Minimal harm or potential for actual harm
Isolated	Minimal harm or potential for actual harm
Isolated	Minimal harm or potential for actual harm

Page 364 of 372 05/31/2011

Based on Nursing Home Compare - Survey Deficiency

555711	COMMUNITY CARE ON PALM	4768 PALM AVENUE
555711	COMMUNITY CARE ON PALM	4768 PALM AVENUE
555711	COMMUNITY CARE ON PALM	4768 PALM AVENUE
555711	COMMUNITY CARE ON PALM	4768 PALM AVENUE
555711	COMMUNITY CARE ON PALM	4768 PALM AVENUE
555711	COMMUNITY CARE ON PALM	4768 PALM AVENUE
555711	COMMUNITY CARE ON PALM	4768 PALM AVENUE
555711	COMMUNITY CARE ON PALM	4768 PALM AVENUE
555711	COMMUNITY CARE ON PALM	4768 PALM AVENUE
555711	COMMUNITY CARE ON PALM	4768 PALM AVENUE
555711	COMMUNITY CARE ON PALM	4768 PALM AVENUE

Page 365 of 372 05/31/2011

Based on Nursing Home Compare - Survey Deficiency

RIVERSIDE	CA	92501	(951) 686-9001	05/03/2010	07/29/2010
RIVERSIDE	CA	92501	(951) 686-9001	05/03/2010	07/29/2010
RIVERSIDE	CA	92501	(951) 686-9001	05/03/2010	07/29/2010
RIVERSIDE	CA	92501	(951) 686-9001	05/03/2010	07/29/2010
RIVERSIDE	CA	92501	(951) 686-9001	05/03/2010	07/29/2010
RIVERSIDE	CA	92501	(951) 686-9001	05/03/2010	07/29/2010
RIVERSIDE	CA	92501	(951) 686-9001	05/03/2010	07/29/2010
RIVERSIDE	CA	92501	(951) 686-9001	05/27/2010	06/22/2010
RIVERSIDE	CA	92501	(951) 686-9001	05/27/2010	06/22/2010
RIVERSIDE	CA	92501	(951) 686-9001	05/27/2010	06/22/2010
RIVERSIDE	CA	92501	(951) 686-9001	05/27/2010	06/22/2010

Page 366 of 372 05/31/2011

Based on Nursing Home Compare - Survey Deficiency

Health	Quality Care Deficiencies	Give each resident care and services to get or keep the highest quality of life possible.
Health	Quality Care Deficiencies	Properly care for residents needing special services, including: injections, colostomy, ureostomy, ileostomy, tracheostomy care, tracheal suctioning, respiratory care, foot care, and prostheses.
Health	Nutrition and Dietary Deficiencies	Store, cook, and give out food in a safe and clean way.
Health	Resident Assessment Deficiencies	Make sure that doctors visit residents regularly, as required.
Health	Pharmacy Service Deficiencies	At least once a month, have a licensed pharmacist check the drugs that each resident takes.
Health	Pharmacy Service Deficiencies	Properly mark drugs and other similar products.
Health	Environmental Deficiencies	Make sure that the nursing home area is safe, easy to use, clean and comfortable.
Fire Safety	Building Construction Deficiencies	approved construction type or materials.
Fire Safety	Hazardous Area Deficiencies	construction that can resist fire for one hour or an approved fire extinguishing system.
Fire Safety	Emergency Plans and Fire Drills Deficiencies	record of quarterly fire drills for each shift under varying conditions.
Fire Safety	Building Service Equipment Deficiencies	properly protected cooking facilities.

Page 367 of 372 05/31/2011

Based on Nursing Home Compare - Survey Deficiency

Isolated Minimal harm or potential for actual

harm

Isolated Minimal harm or potential for actual

harm

Pattern	Minimal harm or potential for actual harm
Isolated	Minimal harm or potential for actual harm
Isolated	Minimal harm or potential for actual harm
Isolated	Minimal harm or potential for actual harm
Pattern	Minimal harm or potential for actual harm
Isolated	Minimal harm or potential for actual harm
Pattern	Minimal harm or potential for actual harm
Pattern	Minimal harm or potential for actual harm
Isolated	Minimal harm or potential for actual

Page 368 of 372 05/31/2011

Based on Nursing Home Compare - Survey Deficiency

555711 COMMUNITY CARE ON PALM

4768 PALM AVENUE

Page 369 of 372 05/31/2011

Based on Nursing Home Compare - Survey Deficiency

RIVERSIDE CA 92501 (951) 686-9001 05/27/2010 06/22/2010

Page 370 of 372 05/31/2011

Based on Nursing Home Compare - Survey Deficiency

Fire Safety

**Electrical Deficiencies** 

weekly inspections and monthly testing of generators.

Page 371 of 372 05/31/2011

Based on Nursing Home Compare - Survey Deficiency

harm

Widespread Potential for minimal harm

Page 372 of 372 05/31/2011